Test Report No.: 48.400.25.0616.01-00/02

Dated: 2025-06-16

Applicant:	Xiaomi Communications Co., Ltd
Address:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China
Sample Description:	Mobile phone
Tested Model No.:	2506BPN68G, 2506BPN68R
Brand name:	XIAOMI
Sample Received Date:	2025-05-07
Test Period:	2025-05-19~2025-06-12
Location of Testing:	TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch, SHA Chemical Lab.
Purpose of examination:	Verification of RoHS (Restriction of Hazardous Substances) directive 2011/65/EU and its amendment (EU) 2015/863 on submitted samples (1) Verification of technical documentation for compliance with article 7(b) and EN IEC 63000: 2018 **PASS** (2) Test for compliance with Article 4 and Annex II **PASS**
Test Result:	Refer to following page(s)
Remark:	The result relates only to the items tested.

TÜV SÜD Certification and Testing (China) Co., Ltd.
TÜV SÜD Group

Prepared by: Reviewed by:

Mr. Zhengqing YANG Mr. Feng ZHANG

Disclaimer Measurement Uncertainty:Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.
Any use for advertising purposes must be granted in writing. This test report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

PART I **Verification of technical documentation for compliance with RoHS (Restriction Of Hazardous Substances) Directive 2011/65/EU article 7(b) and EN IEC 63000: 2018**


EN IEC 63000: 2018			
Clause	**Requirement**	**Embodiment in Manufacturer's documents**	**Verdict**
4	**Technical documentation**		
4.1	**Overview**		
	The manufacturer shall compile technical documentation to demonstrate that electrical and electronic products comply with substance restrictions		
4.2	Content of the technical documentation		
	A general description of the product	See page 1 and Annex I	Verified
	Documents for materials, parts, and/or sub-assemblies	See Annex II	Verified
	Information showing the relationship between the technical documents and the corresponding materials, parts and/or sub-assemblies in the product		
	List of harmonized standards and/or other technical specifications that have been used	See Annex III	Verified
4.3	**Information on materials, parts, and/or sub-assemblies**		
4.3.1	Tasks to be undertaken by the manufacturer		
4.3.2	Determine the information needed		
4.3.3	Collect the information	Fullly tested, see part II	Verified
	a) the probability of restricted substances being present, in materials, parts or sub-assemblies, and		
	b) the trustworthiness of the supplier.		
4.3.4	evaluate the information with regard to its quality and trustworthiness and decide whether to include it in the technical documentation		
	a) Supplier declarations and/or contractual agreements		
	b) Material Declarations:		
	c) Analytical test results:		
4.3.5	Review of the technical documentation	See Annex IV	Verified
	perform a periodic review of the documents contained in the technical documentation to ensure that they are still valid;		
	ensure that the technical documentation reflects any changes to materials, parts or sub-assemblies in accordance with 4.3.3.		

********** End of Part I **********


TEC_WUX_F_25.05E – Rev. 00 2021-06-24

PART II **Test for compliance with RoHS (Restriction Of Hazardous Substances) Directive 2011/65/EU Article 4 and Annex II**





1. TESTED SUBJECT DESCRIPTION

Sample No.	Description (Material, colour)	Photograph/Location
01	Transparent plastic film	
02	Transparent plastic plate with black coating	
03	Transparent plastic component	
04	Black metal component	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
05	Transparent glass with black coating	
06	Black metal frame	
07	Black plastic frame	
08	Black metal button	
09	Transparent glass screen	



TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
10	Golden metal film	
11	Black film	
12	Black plastic FPC	
13	Black IC	
14	Brown capacitor	

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
15	Black IC	
16	Black resistor	
17	Golden metal pin	
18	Black metal plate	
19	Transparent glue	


TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
20	Black glue	
21	Silvery plastic sheet	
22	Transparent grey plastic sheet	
23	Translucent glue	
24	Silvery metal sheet	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
25	Black glue	
26	Black glue	
27	Golden fabric with black sponge	
28	Black sponge cushion	
29	Black plastic net	




TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
30	Black plastic tape	
31	Red plastic cushion	
32	Red plastic ring	
33	White plastic label	
34	Grey silicone grease	




TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
35	Black plastic strip	
36	Black plastic frame	
37	Yellow plastic plate	
38	Brown plastic FPC	
39	Silvery metal sheet	



TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
40	Black resistor	
41	Yellow plastic cushion	
42	Black sponge	
43	Black glue	
44	Black cushion	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
45	Black plastic frame	
46	Black plastic cushion	
47	Silvery metal bracket	
48	Grey glue	
49	Black IC	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
50	Transparent LED	
51	Black plastic film with grey coating	
52	Black plastic film	
53	Black plastic FPC	
54	Golden metal wire	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
55	Silvery metal cushion	
56	Black plastic FPC	
57	Black plastic frame	
58	Silvery metal bracket	
59	Silvery fabric with black sponge	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
60	Brown plastic FPC	
61	Yellow LED	
62	White LED	
63	Black metal card slot	
64	Orange plastic ring	




TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
65	Black plastic frame	
66	Silvery metal frame	
67	Blue plastic wire jacket	
68	White plastic wire jacket	
69	Black plastic wire jacket	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
70	Inner silvery metal wire	
71	Silvery metal clip	
72	Silvery metal connector	
73	Silvery metal shell	
74	Brown plastic FPC	




TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
75	Golden metal wire	
76	Silvery metal component	
77	Silvery metal frame	
78	Silvery metal magnet	
79	Black sponge	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
80	Silvery metal shell	
81	Brown plastic FPC	
82	Silvery metal sheet	
83	Silvery metal plate	
84	Silvery metal magnet	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
85	Silvery metal frame	
86	Black plastic film	
87	White granule	
88	Black plastic shell	
89	Silvery metal shell	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
90	Blue plastic sheet	
91	White granule	
92	Silvery metal plate	
93	Silvery metal magnet	
94	Brown plastic FPC	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
95	Golden metal wire	
96	Silvery metal sheet	
97	Transparent plastic film	
98	Silvery metal frame	
99	Silvery metal shell	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
100	Black plastic frame	
101	Silvery metal bracket	
102	Dark brown/blue plastic FPC	
103	Silvery metal sheet	
104	Black IC	




TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
105	Grey capacitor	
106	Golden metal pin	
107	Golden metal wire	
108	White plastic ball	
109	Black plastic frame	

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
110	Green glass	
111	Black plastic component	
112	Transparent glass	
113	Black plastic shell	
114	Transparent plastic lens	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
115	Silvery metal magnet	
116	Black plastic ring	
117	Silvery metal shell	
118	Black/brown plastic FPC	
119	Golden metal pin	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
120	Silvery metal plate	
121	Black plastic frame	
122	Golden metal wire	
123	Brown plastic FPC	
124	Silvery metal frame	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
125	Black plastic shell	
126	Transparent plastic lens	
127	Silvery metal magnet	
128	Yellow plastic ball	
129	Black plastic ring	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
130	Black metal ring	
131	Black plastic frame	
132	Green glass	
133	Black IC	
134	Black IC	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
135	Brown plastic FPC	
136	Black plastic sheet	
137	Black plastic PCB	
138	Black plastic pedestal	
139	Red IC	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
140	Black plastic PCB	
141	Black plastic component	
142	Red plastic ring	
143	Silvery metal frame	
144	Yellow plastic film	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
145	Black IC	
146	Black magnet frame	
147	Silvery metal component	
148	Silvery metal shell	
149	Black plastic component	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
150	Golden metal contact piece	
151	Black IC	
152	Golden metal film	
153	Silvery metal shell	
154	Pink silicone grease	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
155	Black plastic PCB	
156	Silvery metal solder	
157	Black IC	
158	Dark green plastic plate	
159	Dark brown capacitor	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
160	Black IC	
161	Black IC	
162	Black magnet frame	
163	Silvery IC	
164	Black capacitor	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
165	Black resistor	
166	Black IC	
167	Black resistor	
168	White capacitor	
169	Brown capacitor	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
170	Black IC	
171	Black resistor	
172	Dark brown capacitor	
173	Black IC	
174	Black plastic pedestal	





TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
175	Golden metal contact piece	
176	Silvery metal contact piece	
177	Blue IC	
178	Black IC	
179	Black IC	






TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
180	Silvery metal shell	
181	Black IC	
182	Black IC	
183	Black IC	
184	Black IC	




TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
185	Blue IC	
186	Silvery IC	
187	Black IC	
188	Brown IC	
189	Blue IC	


TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
190	Golden metal connector	
191	Silvery metal connector	
192	Black plastic socket	
193	Black IC	
194	Beige IC	

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
195	Black magnet frame	
196	Golden metal shell	
197	White IC	
198	Silvery metal screw	
199	Silvery metal screw	

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Description (Material, colour)	Photograph/Location
200	Black metal screw	

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

2. TEST RESULT(S)

2.1 SCREENING TEST

Test method: With reference to EN 62321-1:2013, EN 62321-2:2021, EN 62321-3-1:2014, EN 62321-4:2014/A1:2017, EN 62321-5:2014, EN 62321-6:2015, EN 62321-7-1:2015, EN 62321-7-2:2017 and EN 62321-8:2017.

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
01	Transparent plastic film	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
02	Transparent plastic plate with black coating	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
03	Transparent plastic component	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
04	Black metal component	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
05	Transparent glass with black coating	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
06	Black metal frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
07	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
08	Black metal button	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
09	Transparent glass screen	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
10	Golden metal film	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
11	Black film	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
12	Black plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
13	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
14	Brown capacitor	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
15	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
16	Black resistor	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	ND	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
17	Golden metal pin	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
18	Black metal plate	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
19	Transparent glue	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
20	Black glue	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
21	Silvery plastic sheet	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
22	Transparent grey plastic sheet	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
23	Translucent glue	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
24	Silvery metal sheet	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
25	Black glue	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
26	Black glue	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
27	Golden fabric with black sponge	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
28	Black sponge cushion	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
29	Black plastic net	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
30	Black plastic tape	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
31	Red plastic cushion	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
32	Red plastic ring	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
33	White plastic label	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
34	Grey silicone grease	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
35	Black plastic strip	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
36	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
37	Yellow plastic plate	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
38	Brown plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
39	Silvery metal sheet	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
40	Black resistor	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	ND	Comply
		Hg	BL	---	---	Comply
		Pb	Inc.	---	$1.21\times10^{3(a)}$	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
41	Yellow plastic cushion	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
42	Black sponge	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
43	Black glue	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
44	Black cushion	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
45	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
46	Black plastic cushion	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
47	Silvery metal bracket	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
48	Grey glue	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
49	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
50	Transparent LED	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
51	Black plastic film with grey coating	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
52	Black plastic film	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
53	Black plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
54	Golden metal wire	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
55	Silvery metal cushion	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
56	Black plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
57	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
58	Silvery metal bracket	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
59	Silvery fabric with black sponge	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
60	Brown plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
61	Yellow LED	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
62	White LED	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
63	Black metal card slot	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
64	Orange plastic ring	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
65	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
66	Silvery metal frame	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
67	Blue plastic wire jacket	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
68	White plastic wire jacket	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
69	Black plastic wire jacket	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
70	Inner silvery metal wire	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
71	Silvery metal clip	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
72	Silvery metal connector	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
73	Silvery metal shell	Cd	BL	---	**---**	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	**---**	Comply
		Pb	BL	---	**---**	Comply
		PBBs	NA	---	**---**	Comply
		PBDEs	NA	---	**---**	Comply
		DEHP	---	NA	**---**	Comply
		BBP	---	NA	**---**	Comply
		DBP	---	NA	**---**	Comply
		DIBP	---	NA	**---**	Comply
74	Brown plastic FPC	Cd	BL	---	**---**	Comply
		Cr(VI)	BL	---	**---**	Comply
		Hg	BL	---	**---**	Comply
		Pb	BL	---	**---**	Comply
		PBBs	BL	---	**---**	Comply
		PBDEs	BL	---	**---**	Comply
		DEHP	---	BL	**---**	Comply
		BBP	---	BL	**---**	Comply
		DBP	---	BL	**---**	Comply
		DIBP	---	BL	**---**	Comply
75	Golden metal wire	Cd	BL	---	**---**	Comply
		Cr(VI)	BL	---	**---**	Comply
		Hg	BL	---	**---**	Comply
		Pb	BL	---	**---**	Comply
		PBBs	NA	---	**---**	Comply
		PBDEs	NA	---	**---**	Comply
		DEHP	---	NA	**---**	Comply
		BBP	---	NA	**---**	Comply
		DBP	---	NA	**---**	Comply
		DIBP	---	NA	**---**	Comply
76	Silvery metal component	Cd	BL	---	**---**	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	**---**	Comply
		Pb	BL	---	**---**	Comply
		PBBs	NA	---	**---**	Comply
		PBDEs	NA	---	**---**	Comply
		DEHP	---	NA	**---**	Comply
		BBP	---	NA	**---**	Comply
		DBP	---	NA	**---**	Comply
		DIBP	---	NA	**---**	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
77	Silvery metal frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
78	Silvery metal magnet	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
79	Black sponge	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
80	Silvery metal shell	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
81	Brown plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
82	Silvery metal sheet	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
83	Silvery metal plate	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
84	Silvery metal magnet	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
85	Silvery metal frame	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
86	Black plastic film	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
87	White granule	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
88	Black plastic shell	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
89	Silvery metal shell	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
90	Blue plastic sheet	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
91	White granule	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
92	Silvery metal plate	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
93	Silvery metal magnet	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
94	Brown plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
95	Golden metal wire	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
96	Silvery metal sheet	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
97	Transparent plastic film	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
98	Silvery metal frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
99	Silvery metal shell	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
100	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
101	Silvery metal bracket	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
102	Dark brown/blue plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
103	Silvery metal sheet	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
104	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
105	Grey capacitor	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
106	Golden metal pin	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
107	Golden metal wire	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
108	White plastic ball	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
109	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
110	Green glass	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
111	Black plastic component	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
112	Transparent glass	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
113	Black plastic shell	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
114	Transparent plastic lens	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
115	Silvery metal magnet	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
116	Black plastic ring	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
117	Silvery metal shell	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
118	Black/brown plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
119	Golden metal pin	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
120	Silvery metal plate	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
121	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
122	Golden metal wire	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
123	Brown plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
124	Silvery metal frame	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
125	Black plastic shell	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
126	Transparent plastic lens	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
127	Silvery metal magnet	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
128	Yellow plastic ball	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
129	Black plastic ring	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
130	Black metal ring	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
131	Black plastic frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
132	Green glass	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
133	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
134	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
135	Brown plastic FPC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
136	Black plastic sheet	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
137	Black plastic PCB	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
138	Black plastic pedestal	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
139	Red IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
140	Black plastic PCB	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
141	Black plastic component	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
142	Red plastic ring	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
143	Silvery metal frame	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
144	Yellow plastic film	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
145	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
146	Black magnet frame	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
147	Silvery metal component	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
148	Silvery metal shell	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
149	Black plastic component	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
150	Golden metal contact piece	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
151	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
152	Golden metal film	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
153	Silvery metal shell	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
154	Pink silicone grease	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
155	Black plastic PCB	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
156	Silvery metal solder	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
157	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
158	Dark green plastic plate	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
159	Dark brown capacitor	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
160	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
161	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
162	Black magnet frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
163	Silvery IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
164	Black capacitor	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
165	Black resistor	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	ND	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
166	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
167	Black resistor	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
168	White capacitor	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
169	Brown capacitor	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
170	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
171	Black resistor	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	ND	Comply
		Hg	BL	---	---	Comply
		Pb	Inc.	---	$1.54\times10^{3(a)}$	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
172	Dark brown capacitor	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
173	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
174	Black plastic pedestal	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
175	Golden metal contact piece	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
176	Silvery metal contact piece	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
177	Blue IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
178	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
179	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
180	Silvery metal shell	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
181	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
182	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
183	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
184	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
185	Blue IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
186	Silvery IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
187	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
188	Brown IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
189	Blue IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
190	Golden metal connector	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
191	Silvery metal connector	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
192	Black plastic socket	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
193	Black IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
194	Beige IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
195	Black magnet frame	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
196	Golden metal shell	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Sample No.	Sample Description	Restricted Substances	Screening Results by XRF	Screening Results of Phthalates	Results of Chemical Confirmation Testing [mg/kg]	Conclusion
197	White IC	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	BL	---	---	Comply
		PBDEs	BL	---	---	Comply
		DEHP	---	BL	---	Comply
		BBP	---	BL	---	Comply
		DBP	---	BL	---	Comply
		DIBP	---	BL	---	Comply
198	Silvery metal screw	Cd	BL	---	---	Comply
		Cr(VI)	BL	---	---	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
199	Silvery metal screw	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply
200	Black metal screw	Cd	BL	---	---	Comply
		Cr(VI)	Inc.	---	Negative	Comply
		Hg	BL	---	---	Comply
		Pb	BL	---	---	Comply
		PBBs	NA	---	---	Comply
		PBDEs	NA	---	---	Comply
		DEHP	---	NA	---	Comply
		BBP	---	NA	---	Comply
		DBP	---	NA	---	Comply
		DIBP	---	NA	---	Comply

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Remark:

- "mg/kg" denotes milligram per kilogram
- "BL" denotes below limit
- "OL" denotes over limit
- "Inc." denotes inconclusive
- "NA" denotes not applicable
- “ND” denotes not detected
- RoHS requirement

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Hexavalent Chromium (Cr6+)	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)
Phthalates (DEHP, BBP, DBP, DIBP)	0.1% (1000 mg/kg) each

- Test Standards and Reporting limits

Reference Standards	Testing Items	Testing Items	Reporting Limit
EN 62321-1:2013 (IEC 62321-1:2013)	Introduction and overview	---	---
EN 62321-2:2021 (IEC 62321-2:2021)	Disassembly, disjointment and mechanical sample preparation	---	---
EN 62321-3-1:2014 (IEC 62321-3-1:2013)	Cadmium (Cd), total Chromium (Cr), Mercury (Hg), Lead (Pb), Bromine (Br)	Energy Dispersive X-ray Fluorescence Spectrometers (XRF)	---
EN 62321-4:2014/ A1:2017 (IEC 62321-4:2013)	Mercury (Hg)	Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)	10 mg/kg
EN 62321-5:2014 (IEC 62321-5:2013)	Cadmium (Cd)	Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)	2 mg/kg
	Total Chromium (Cr), Lead (Pb)		10 mg/kg
EN 62321-6:2015 (IEC 62321-6:2015)	Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers (PBDEs)	Gas Chromatography and Mass Spectrometry (GC-MS)	100 mg/kg
EN 62321-7-1:2015 (IEC 62321-7-1:2015)	Hexavalent Chromium (Cr6+)	Ultraviolet–visible spectrophotometer (UV-Vis)	0.10 μg/cm²
EN 62321-7-2:2017 (IEC 62321-7-2:2017)	Hexavalent Chromium (Cr6+)		10 mg/kg
EN 62321-8:2017 (IEC 62321-8:2017)	Phthalates (DEHP, BBP, DBP, DIBP)	Gas Chromatography and Mass Spectrometry (GC-MS)	100 mg/kg

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

- XRF screening limits in mg/kg for regulated elements in various matrices

ELEMENT	POLYMER		
	BL	INCONCLUSIVE	OL
Cd	X≤(70-3σ)	(70-3σ)<X<(130+3σ)	X≥(130+3σ)
Pb	X≤(700-3σ)	(700-3σ)<X<(1300+3σ)	X≥(1300+3σ)
Hg	X≤(700-3σ)	(700-3σ)<X<(1300+3σ)	X≥(1300+3σ)
Br	X≤(300-3σ)	X>(300-3σ)	NA
Cr	X≤(700-3σ)	X>(700-3σ)	NA

ELEMENT	METAL		
	BL	INCONCLUSIVE	OL
Cd	X≤(70-3σ)	(70-3σ)<X<(130+3σ)	X≥(130+3σ)
Pb	X≤(700-3σ)	(700-3σ)<X<(1300+3σ)	X≥(1300+3σ)
Hg	X≤(700-3σ)	(700-3σ)<X<(1300+3σ)	X≥(1300+3σ)
Cr	X≤(700-3σ)	X>(700-3σ)	NA

ELEMENT	COMPLEX MATERIAL		
	BL	INCONCLUSIVE	OL
Cd	X≤(50-3σ)	(50-3σ)<X<(150+3σ)	X≥(150+3σ)
Pb	X≤(500-3σ)	(500-3σ)<X<(1500+3σ)	X≥(1500+3σ)
Hg	X≤(500-3σ)	(500-3σ)<X<(1500+3σ)	X≥(1500+3σ)
Br	X≤(250-3σ)	X>(250-3σ)	NA
Cr	X≤(500-3σ)	X>(500-3σ)	NA

- Screening limits in mg/kg for regulated phthalates in various matrices

PHTHALATES	BL	INCONCLUSIVE
DEHP	X<600	X≥ 600
BBP	X<600	X≥ 600
DBP	X<600	X≥ 600
DIBP	X<600	X≥ 600

- "Negative" denotes the absorbance value of sample is less than the absorbance value of the 0.10 g/cm2 equivalent comparison standard solution, the sample is considered to be negative for Hexavalent Chromium.

- "(a)" denotes the exempt item according to DIRECTIVE 2011/65/EU Annex III item 7(c)-I "Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound"

****

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

APPENDIX I:

Photos of submitted products


Mobile phone (2506BPN68G, 2506BPN68R)

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

APPENDIX II:

Bill of materials (BOM):

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
1	1410302000035A	Camera_ultra-wide_Fixed-Focus_横摆 _13M_N11U_OV13B10_39566B_O3 26800_O-film	1		O-film
2	1410405000005A	Camera_Telephoto_Folded_横摆 _50M_5X_OIS_JN5SP05_50F27A_M OM1HGL3G02A_SEMCO	1		SEMCO
3	1410405000005B	Camera_Telephoto_Folded_横摆 _50M_5X_OIS_JN5SP05_OF5060A_ P1A5009C_SUNNY	1		SUNNY
4	1410102000109B	Camera_Front_Fixed-Focus_32M_横摆_S5KKDS_AAC-324179A01_P32FX06_Ruicheng Optics	1		Ruicheng Optics
5	1410203000074A	Camera_Wide_OIS_OIS_横摆 _1X_50M_B39853A_OV50H_O3638_ O-film-GD（NC）	1		O-film-GD（NC）
6	1410203000074B	Camera_Wide_OIS_OIS_横摆 _1X_50M_B39853A_OV50H_M50SX 10_Ruicheng Optics	1		Ruicheng Optics
7	1230102000126A	Resistor_General-Resistor_0201_0.26 mm_25V_51_ohm_0201_±1%_1/20 W_±200_RC-01W51R0FT_Fenghua	2	R0766,R1066	Fenghua
8	1611104002200A	Mobile-ME_Metal-Fittings_Shielding-Can_SEMI-SHIELDING-ASSY_O12U_Folding_O12U_XINCH UANG	1	SH7323	XINCHUANG
9	24D00N8MB0A1	Inductor_High frequency inductor_0.8 nH_±0.1nH_0201_18000 MHz_14_LQP03TN0N8B02_Murata	1	L2507	Murata
10	200500001954	Filter_Diplexer_Triplexer_Multiplexer_ Diplexer_600-4200/5150-7250MHz_30 dBm_LFD213G65PA9F372TEMP_M urata	1	FL0401	Murata
11	1220103000643A	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_150_0201 _pF_C0201C0G151J500NTA_EYAN G	8	EM6304,EM6305,EM 6406,EM6518,EM651 9,EM6520,EM6521,E M7104	EYANG
12	240300002M54	Inductor_High frequency inductor_0.8 nH_±0.1nH_01005_16600 MHz_10_LQP02TQ0N8B02D_Murata	1	C0334	Murata
13	24D02R7TB0Q1	Inductor_High frequency inductor_2.7 nH_±0.1nH_0201_10000 MHz_14_LQP03TN2N7B02D_Murata	1	C1002	Murata
14	240300002O54	Inductor_High frequency inductor_1 nH_±0.1nH_01005_16600 MHz_10_LQP02TQ1N0B02D_Murata	2	C0316,L2501	Murata
15	1010202000370A	RF-Filter_SAW/BAW/FBAR_Duplexer/Multiplexer_30dBm_NDFE035-0634XA_SAW_Duplexer_for_Band71	1	FL0700	HUAYING

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		_huaying_1814_0.65 mm_band71_Duplexer_5G,4G_O10_ 30 dBm_SAW_NDFE035-0634XA_HUAYING			
16	1220105000065A	Capacitor_General-MLCC_0603_uF_22_±20%_X5R_1 mm_6.3V_0603_V226M0603X5R6R3 NKT_viiyong	2	C4104,C5108	viiyong
17	240300003654	Inductor_High frequency inductor_2.8 nH_±0.1nH_01005_10000 MHz_10_LQP02TQ2N8B02D_Murata	1	R0401	Murata
18	1220102000065A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_150_0 1005_±5%_25V_C0105C0G151J250 NTZ_EYANG	4	EM6401,EM6412,EM 6436,EM6449	EYANG
19	240300009293	Inductor_High frequency inductor_15 nH_±3%_0201_3500 MHz_20_HQ0603Q15NHT01_Sunlor d	1	A0117	Sunlord
20	24TH108N2093	Inductor_High frequency inductor_8.2 nH_±3%_0201_4300 MHz_13_SDCL0603Q8N2HT02B03_ Sunlord	1	C0771	Sunlord
21	24TH109N1093	Inductor_High frequency inductor_9.1 nH_±3%_0201_4100 MHz_13_SDCL0603Q9N1HT02B03_ Sunlord	1	C0878	Sunlord
22	240400001N93	Inductor_Wire wound inductor_3 nH_±0.1nH_0402_12500 MHz_20_MWSD1005C3N0BTM81_S unlord	1	A0119	Sunlord
23	1220104000064A	Capacitor_General-MLCC_0402_X5R_0402_10V_±20%_ uF_4.7_V475M0402X5R100N6T_VII YONG	1	R2520	VIIYONG
24	220100004YHZ	Capacitor_General capacitor_0201_0.35 mm_100_nF_25V_±20%_X5R_C020 1X5R104M250NTJ_EYANG	1	C0726	EYANG
25	24D02N0TB0Q1	Inductor_High frequency inductor_2 nH_±0.1nH_0201_12500 MHz_14_LQP03TN2N0B02_Murata	1	C0365	Murata
26	240300002C93	Inductor_High frequency inductor_22 nH_±3%_01005_2300 MHz_9_HQ0402H22NHT01_Sunlord	2	C0736,C0764	Sunlord
27	1220103000410A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF _1.8_0201_pF_V1R8B0201C0G500N AT_VIIYONG	2	A0116,A0251	VIIYONG
28	1220103000408B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF _1.5_0201_pF_V1R5B0201C0G500N AT_VIIYONG	3	A0110,A0123,C0746	VIIYONG
29	1220103000404B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF _1_0201_pF_V1R0B0201C0G500NA T_VIIYONG	1	C0733	VIIYONG

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
30	1220103000407A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF_1.3_0201_pF_V1R3B0201C0G500NAT_VIIYONG	1	A0121	VIIYONG
31	23D470KNA002	Resistor_General resistor_0201_0.3 mm_470 Kohm_±5%_1/20W_25V_±200_RC0201JR-07470KL_YAGEO	1	R5314	YAGEO
32	23D001RMB002	Resistor_General resistor_0201_0.3 mm_1 ohm_±1%_1/20W_25V_-100/350_RC0201FR-071RL_YAGEO	4	R4701,R4801,R4901,R5002	YAGEO
33	1220103000638A	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_100_0201_pF_C0201C0G101J500NTA_EYANG	36	C0402,C0403,C0412,C0705,C0709,C0714,C0725,C0727,C0806,C0809,C0810,C0812,C1006,C1086,C1101,EM0100,EM0103,EM0110,EM6448,EM6450,EM6503,EM6504,EM6505,EM6506,EM6507,EM6513,EM6514,EM6515,EM6612,EM6613,EM6615,EM6616,EM6617,EM6701,EM6705,EM7025	EYANG
34	1220103000411B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF_2.0_0201_pF_C0201C0G2R0B500NTA_EYANG	2	A0114,A0164	EYANG
35	1230101000012B	Resistor_General-Resistor_01005_0.15 mm_1/32W_±5%_15V_01005_0_ohm_±200_RC-005000JT_Fenghua	9	EM6901,EM6902,EM6903,EM6904,EM6905,EM6906,EM6907,EM6908,EM6909	Fenghua
36	1611104002205A	Mobile-ME_Metal-Fittings_Shielding-Can_LN-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH7319	XINCHUANG
37	24D013NLF0F1	Inductor_High frequency inductor_13 nH_±3%_0201_2600 MHz_12_LQP03TN13NH02D_Murata	1	L0717	Murata
38	240300002R54	Inductor_High frequency inductor_1.3 nH_±0.1nH_01005_15000 MHz_10_LQP02TQ1N3B02D_Murata	1	C2500	Murata
39	24NC2516N093	Inductor_Wire wound inductor_16 nH_±2%_0402_5000 MHz_31_MWSD1005C16NGTM81_Sunlord	1	A0111	Sunlord
40	1010202000306A	RF-Filter_SAW/BAW/FBAR_Duplexer/Multiplexer_B13 DUP_1612_0.65 mm_B13 TX:777 ~ 787 RX:738 ~ 758_Duplexer_3G,4G,5G_31 dBm_SAW_SFX748AHT02_Wisol	1	FL0802	Wisol

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
41	1611104002208A	Mobile-ME_Metal-Fittings_Shielding-Can_SUPPORT-COVER1-ASSY_O12U_Folding_O12U_XINCHUANG	1	K7304	XINCHUANG
42	1230102000222A	Resistor_General-Resistor_0201_0.26 mm_25V_18_ohm_0201_±5%_1/20W_200_RC-01W180JT_Fenghua	1	R2551	Fenghua
43	1220103002029C	Capacitor_General-MLCC_0201_0.33 mm_COG_50V_±2%_220_0201_pF_C0201C0G221G500NTA_EYANG	1	A0179	EYANG
44	1010201000543A	RF-Filter_SAW/BAW/FBAR_Single-end/Multi-end-Filter_SAFFB2G45MA0F0A_1109_WiFi_ISM2.4G_Single-Filter_0.5 mm_25 dBm_SAW_SAFFB2G45MA0F0A_Murata	1	FL2502	Murata
45	240300002G93	Inductor_High frequency inductor_33 nH_±3%_01005_1800 MHz_6_HQ0402H33NHT01_Sunlord	1	C0761	Sunlord
46	1230102000288A	Resistor_General-Resistor_0201_0.26 mm_25V_1_Kohm_0201_±5%_1/20W_200_RC-01W102JT_Fenghua	5	R6402,R7000,R7300,R7301,R7302	Fenghua
47	1020101000159A	RF-Switch_Common-Switch_Single-Pole-Muti-Through-Switch_0.58 mm_1.8 V,2.8 V_SPDT_1.1*0.7mm_GPIO_0.4~7.125GHz_40 dBm_1.6us_VC1381-21_Vanchip	1	S1000	Vanchip
48	1320801000012A	connector_RF-Switch_1.4*1.2*0.65_RAF00-02060-0700_LCN	9	J0301,J0303,J0305,J0306,J0307,J0308,J0309,J0310,J0317	LCN
49	240300002893	Inductor_High frequency inductor_15 nH_±3%_01005_3000 MHz_10_HQ0402H15NHT01_Sunlord	1	C0739	Sunlord
50	24D012NMF0T1	Inductor_High frequency inductor_12 nH_±3%_0201_2900 MHz_12_LQP03TN12NH02_Murata	1	L0300	Murata
51	240300008M93	Inductor_High frequency inductor_3.6 nH_±0.1nH_0201_7000 MHz_20_HQ0603Q3N6BT01_Sunlord	1	A0207	Sunlord
52	1220103000474A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.70_0201_pF_V0R7A0201C0G500NAT_VIIYONG	1	A0299	VIIYONG
53	23D8R06MB002	Resistor_General resistor_0201_0.23 mm_8.06 ohm_±1%_1/20W_25V_-100~+350_RC0201FR-078R06L_YAGEO	3	R6204,R6208,R6209	YAGEO
54	1220103000413A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF_2.4_0201_pF_C0201C0G2R4B500NTA_EYANG	2	A0247,C0768	EYANG

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
55	1220103000606A	Capacitor_General-MLCC_0201_0.33 mm_X5R_6.3V_±10%_100_0201_nF _C0201X5R104K6R3NTA_EYANG	37	A0113,A0125,A0126, C0724,C0729,C0752, C0754,C0789,C3716, C3914,C3923,C3929, C3931,C3961,C3968, C3974,C3975,C3976, C4310,C4610,C4706, C4707,C4709,C4805, C4806,C4809,C4903, C4904,C4909,C5005, C5006,C5009,C5400, C6034,C6664,C6806, C6906	EYANG
56	1270306000013A	Platform_PMIC_SUB-PMIC_MTK_MT6316VP/SC_Pmic6_0 .54 mm_2.3525 x 3.4449mm_MT6991Z_MTK_MT6316 VP/SC_Pmic6_MT6316VP/SC_MTK	1	U4700	MTK
57	1220103002032C	Capacitor_General-MLCC_0201_0.33 mm_C0G_25V_±2%_680_0201_pF_ C0201C0G681G250NTA_EYANG	1	A0180	EYANG
58	24D00R6TB0Q1	Inductor_High frequency inductor_0.6 nH_±0.1nH_0201_20000 MHz_14_LQP03TN0N6B02D_Murata	1	C1003	Murata
59	1611104002206A	Mobile-ME_Metal-Fittings_Shielding-Can_LINE-CLIP_O12U_Folding_O12U_XINCHU ANG	1	K7303	XINCHUANG
60	230100002R21	Resistor_General resistor_01005_0.15 mm_150 ohm_±1%_1/32W_15V_+- 200_RR0204S-151-FNH_Cyntec	2	R1301,R1302	Cyntec
61	1230102000135A	Resistor_General-Resistor_0201_0.26 mm_25V_300_ohm_0201_±1%_1/20 W_200_RC-01W3000FT_Fenghua	4	R2548,R2550,R5311, R5312	Fenghua
62	24TB103N3093	Inductor_High frequency inductor_3.3 nH_±0.1nH_0201_8100 MHz_13_SDCL0603Q3N3BT02B03_ Sunlord	2	C1080,L2530	Sunlord
63	1220103000454B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.25p F_4_0201_pF_C0201C0G4R0C500N TA_EYANG	1	EM0701	EYANG
64	230100002P21	Resistor_General resistor_01005_0.15 mm_36 ohm_±1%_1/32W_15V_+- 300_RR0204S-360-FNH_Cyntec	1	R1303	Cyntec
65	24030000C993	Inductor_High frequency inductor_3.8 nH_±0.1nH_0201_7000 MHz_HQ0603Q3N8BT01_Sunlord	1	A0170	Sunlord
66	240300008H93	Inductor_High frequency inductor_3.2 nH_±0.1nH_0201_7000 MHz_20_HQ0603Q3N2BT01_Sunlor d	1	A0234	Sunlord
67	240300000693	Inductor_High frequency inductor_4.3 nH_±3%_0201_6800	3	C0703,C0767,C0817	Sunlord

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		MHz_13_SDCL0603Q4N3HT02B03_Sunlord			
68	1010202000364A	RF-Filter_SAW/BAW/FBAR_Duplexer/Multiplexer_1612_0.5 mm_B25_Duplexer_4G,5G_31 dBm_SAW_B39202B1310P810_RF360	1	FL0706	RF360
69	251100001P69	RF Switch_RF General Purpose Switch_3P3T SWITCH_1.8 V_MIPI_36 dBm_QM11133_Qorvo	1	S0401	Qorvo
70	1040103000199A	RFFE-Tx/Rx-Module_PA-Module_Constant Voltage_0.685 mm_Yes_2G_No_2.0mm*2.4mm_2.4 GHz_Yes_No_N12_qm42655_Qorvo	1	U2502	Qorvo
71	22CK0JC2250B	GRM155R60J225ME15D_Murata	4	C3651,C3734,C3757, C3788	Murata
72	24D02N4LB0B1	Inductor_High frequency inductor_2.4 nH_±0.1nH_0201_10000 MHz_14_LQP03TN2N4B02_Murata	2	C0307,C0469	Murata
73	240300003254	Inductor_High frequency inductor_2.4 nH_±0.1nH_01005_13000 MHz_10_LQP02TQ2N4B02D_Murata	1	L0700	Murata
74	240300002J54	Inductor_High frequency inductor_0.5 nH_±0.1nH_01005_16600 MHz_10_LQP02TQ0N5B02D_Murata	1	C0416	Murata
75	1611104002214A	Mobile-ME_Metal-Fittings_Shielding-Can_LMH-SHIELDING-ASSY_O12U_Folding_O12U_XINCHUANG	1	SH7321	XINCHUANG
76	240300003Q54	Inductor_High frequency inductor_7.5 nH_±3%_01005_6600 MHz_10_LQP02TQ7N5H02D_Murata	1	C0418	Murata
77	24TB103N5093	Inductor_High frequency inductor_3.5 nH_±0.1nH_0201_7900 MHz_13_SDCL0603Q3N5BT02B03_Sunlord	1	L0718	Sunlord
78	240300001E93	Inductor_High frequency inductor_2.6 nH_±0.1nH_01005_11500 MHz_11_HQ0402H2N6BT01_Sunlord	2	C1007,C1008	Sunlord
79	200200003B54	Filter_Duplexer_Multiplexer_1612_Duplexer_Band7_31 dBm_SAYRZ2G53BC0E0AR00_Murata	1	FL0702	Murata
80	1210103000009B	Transistor_Diode_Schottky-Diode_0.6 mm_1.0*0.6_1mA_1000 mA_40 V_0.58 mm_1*0.6_0.6_LMBR4010BST5G_LRC	4	CR5102,CR5103,CR5104,CR5105	LRC
81	1611103000069A	connector_Spring-Connector_Spring-Single_正压_L1.7*W1.1*H1.65_1.2 mm_小正压-1.2_XM-217-XC-234-SP_Xinchuang	2	J0103,J0134	Xinchuang
82	240100003A93	Inductor_Power inductor_2016_1.0 mm_0.24 uH_14 mΩ_17 mΩ_5.6 A_5.0 A_7.8 A_7.0 A_Bottom Type	1	L4700	Sunlord

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		Terminal_±20%_MWTC201610SR24MT_Sunlord			
83	24D01N6TB0C1	Inductor_High frequency inductor_1.6 nH_±0.1nH_0201_15000 MHz_14_LQP03TN1N6B02D_Murata	1	C0489	Murata
84	1220103000131C	Capacitor_General-MLCC_0201_0.39 mm_X5R_6.3V_±20%_2.2_0201_uF_V225M0201X5R6R3N7T_viiyong	25	C3655,C3709,C3845,C3900,C3909,C3911,C3912,C4309,C4313,C4320,C4324,C4327,C4328,C4607,C4608,C4609,C4704,C4808,C4908,C5008,C6665,C6666,C6804,C6907,C6908	viiyong
85	22DM1AC2250A	GRM033R61A225ME47D_Murata	2	C0723,C0787	Murata
86	1220102000054A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_3.9_01005_±0.25pF_50V_C0105C0G3R9C500NTZ_EYANG	1	C1028	EYANG
87	240300002E93	Inductor_High frequency inductor_27 nH_±3%_01005_2000 MHz_9_HQ0402H27NHT01_Sunlord	1	C0801	Sunlord
88	240300000B93	Inductor_High frequency inductor_33 nH_±3%_0201_2000 MHz_11_SDCL0603Q33NHT02B03_Sunlord	1	C0802	Sunlord
89	240100004L93	Inductor_Power inductor_2016_1 mm_0.47 uH_18 mΩ_21 mΩ_5.5 A_4.8 A_6.2 A_5.6 A_Bottom Type Terminal_±20%_MWTC201610SR47MTD01_Sunlord	12	L4100,L4101,L4102,L4103,L4104,L4105,L4106,L4107,L4108,L4109,L4408,L4409	Sunlord
90	240300001693	Inductor_High frequency inductor_1.8 nH_±0.1nH_01005_15000 MHz_11_HQ0402H1N8BT01_Sunlord	1	C0766	Sunlord
91	240300002V54	Inductor_High frequency inductor_1.7 nH_±0.1nH_01005_15000 MHz_10_LQP02TQ1N7B02D_Murata	1	L0330	Murata
92	4005C0101027	Connector_RF ConnectorCoaxial cable connector _1pin_ socket _ forward _ no Pitch (5 generation)	4	J0300,J0302,J0304,J0338	ECT
93	240300000U93	Inductor_High frequency inductor_0.6 nH_±0.1nH_01005_16600 MHz_11_HQ0402H0N6BT01_Sunlord	2	C0759,L0711	Sunlord
94	240300008Z93	Inductor_High frequency inductor_11 nH_±3%_0201_4000 MHz_20_HQ0603Q11NHT01_Sunlord	1	A0131	Sunlord
95	1220301000008C	Capacitor_3-Terminal-Capacitor_X5R_4.3_4V_0402_uF_0.5 mm_±20%_F435M0402X5R4R0NST_viiyong	23	C3600,C3602,C3610,C3612,C3614,C3620,C3621,C3622,C3625,C3630,C3631,C3645,C3656,C3658,C3746,C3747,C3758,C3759,C3801,C3802,C3808,C3811,C3817	viiyong

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
96	1210301000087B	Transistor_MOSFET_Power-MOS_0.6 mm_20v_18 A_2*2_LN3420ADT2AG_LRC	2	Q5904,Q5914	LRC
97	24D06N8LF0A1	Inductor_High frequency inductor_6.8 nH_±3%_0201_3900 MHz_14_LQP03TN6N8H02_Murata	1	C0585	Murata
98	24TB101N2093	Inductor_High frequency inductor_1.2 nH_±0.1nH_0201_17000 MHz_13_SDCL0603Q1N2BT02B03_ Sunlord	1	C1000	Sunlord
99	24030000CC93	Inductor_High frequency inductor_39 nH_±3%_0201_1500 MHz_HQ0603Q39NHT01_Sunlord	1	A0259	Sunlord
100	240400000893	Inductor_Wire wound inductor_11 nH_±2%_0402_6200 MHz_32_MWSD1005C11NGTM81_S unlord	1	A0168	Sunlord
101	240300000J93	Inductor_High frequency inductor_8.2 nH_±3%_0201_4500 MHz_20_HQ0603Q8N2HT01_Sunlor d	1	A0167	Sunlord
102	240300002S54	Inductor_High frequency inductor_1.4 nH_±0.1nH_01005_15000 MHz_10_LQP02TQ1N4B02D_Murata	1	C0408	Murata
103	22CM0JC1060B	Capacitor_General capacitor_0402_0.70 mm_10_uF_6.3V_±20%_X5R_GRM1 55R60J106ME44D_Murata	140	C0708,C0711,C3601, C3604,C3605,C3606, C3608,C3609,C3617, C3618,C3624,C3626, C3627,C3628,C3633, C3635,C3636,C3637, C3638,C3639,C3640, C3641,C3642,C3643, C3644,C3646,C3647, C3648,C3649,C3650, C3652,C3654,C3657, C3659,C3660,C3661, C3665,C3666,C3667, C3668,C3669,C3671, C3672,C3673,C3702, C3703,C3704,C3713, C3715,C3720,C3721, C3722,C3726,C3727, C3728,C3729,C3730, C3732,C3733,C3743, C3744,C3745,C3749, C3750,C3751,C3752, C3753,C3754,C3755, C3756,C3760,C3761, C3762,C3763,C3803, C3804,C3806,C3807, C3809,C3812,C3814, C3815,C3818,C3819, C3820,C3821,C3822, C3823,C3824,C3825, C4102,C4103,C4300, C4302,C4303,C4304, C4305,C4306,C4307, C4308,C4317,C4318,	Murata

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
				C4336,C4400,C4401, C4402,C4403,C4415, C4416,C4601,C4602, C4603,C4631,C4701, C4703,C4712,C4713, C4801,C4803,C4812, C4813,C4901,C4902, C4912,C4913,C5001, C5002,C5003,C5007, C5301,C5302,C5303, C5304,C5305,C5306, C5307,C5310,C5417, C6007,C7000	
104	240300002Y54	Inductor_High frequency inductor_2 nH_±0.1nH_01005_13000 MHz_10_LQP02TQ2N0B02D_Murata	2	C0360,C1014	Murata
105	1020101000196A	RF-Switch_Common-Switch_Single-Pole-Muti-Through-Switch_0.52 mm_1.8 V_SP4T_1.1*1.1mm_MIPI_0.4-6 GHz_31 dBm_1us_CAN8241R_CanaanTek	1	S1001	CanaanTek
106	1220103000598A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.9_0201_pF_V0R9A0201C0G500NAT_VIIYONG	5	A0132,A0153,A0244, C0775,C0786	VIIYONG
107	1010202000307A	RF-Filter_SAW/BAW/FBAR_Duplexer/Multiplexer_B12/17 DUP_1612_0.6 mm_B12/17 TX:699-716 RX:729-746_Duplexer_5G,4G,3G_B12/17 DUP_30 dBm_SAW_NDFT041-0707XA_HUAYING	1	FL0807	HUAYING
108	220100001F54	Capacitor_General capacitor_01005_0.22 mm_1.8_pF_50V_±0.1pF_C0G(NP0)_GRM0225C1H1R8BA03D_Murata	1	C1004	Murata
109	1220103000358A	Capacitor_General-MLCC_0201_C0G(NP0)_25V_±2%_330_0201_pF_C0201C0G331G250NTA_EYANG	2	A0172,C0717	EYANG
110	1010104000156A	RF-Filter_LTCC_Multiplexer_Diplexer_2300-2400 MHz，2400-2700 MHz，4900-6000 MHz，700-1610 MHz_1608_0.7 mm_33 dBm_MDPX18M1524P69-D03_Microgate	1	FL2501	Microgate
111	24D01R0TB0Q1	Inductor_High frequency inductor_1 nH_±0.1nH_0201_17000 MHz_17_LQP03TN1N0B02D_Murata	1	C0486	Murata
112	220100006054	Capacitor_General capacitor_01005_0.22	2	C1074,C1075	Murata

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		mm_0.4_pF_50V_±0.05pF_C0G(NP0)_GRM0225C1HR40WA03D_Murata			
113	40050000033Q	Connector_Battery Connector_Receptacle_WP12_6_0.7_15A_WP12-SM06VA1-R15000_JAE	2	J6300,J6301	JAE
114	24TB102N4093	Inductor_High frequency inductor_2.4 nH_±0.1nH_0201_10000 MHz_13_SDCL0603Q2N4BT02B03_Sunlord	1	C1022	Sunlord
115	24TH1010N093	Inductor_High frequency inductor_10 nH_±3%_0201_3800 MHz_13_SDCL0603Q10NHT02B03_Sunlord	3	C1021,C1078,L2505	Sunlord
116	24TH1015N093	Inductor_High frequency inductor_15 nH_±3%_0201_2600 MHz_13_SDCL0603Q15NHT02B03_Sunlord	1	C0777	Sunlord
117	1220103000475B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.8_0201_pF_V0R8A0201C0G500NAT_VIIYONG	4	A0221,A0225,A0226,C0858	VIIYONG
118	1240104000039A	Inductor_Power-Inductor_2016_2016_1.0 mm_±20%_0.33_4.8 A_5.3 A_6.8 A_7.6 A_18 mΩ_Bottom Type Terminal_21 mΩ_MWTC201610SR33MT_Sunlord	7	L4800,L4801,L4803,L4900,L4901,L4902,L4903	Sunlord
119	400100000M4H	Connector_BTB Connector_Receptacle_BC71_24_0.7_0.35mm_5A_BAF92-24073-0508_LCN	1	J6801	LCN
120	1220103000505A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_18_0201_pF_C0201C0G180J500NTA_EYANG	2	C0722,C0732	EYANG
121	1220103000504B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_15_0201_pF_C0201C0G150J500NTA_EYANG	9	C0362,EM6209,EM6210,EM6211,EM6212,EM6501,EM6512,EM6516,EM6517	EYANG
122	2602000017A5	Crystal_Passive Crystal_52 MHz_8 pF_OW52030001_TXC	1	Y5400	TXC
123	24TH1018N093	Inductor_High frequency inductor_18 nH_±3%_0201_2300 MHz_13_SDCL0603Q18NHT02B03_Sunlord	1	C0780	Sunlord
124	240300000A93	Inductor_High frequency inductor_6.2 nH_±3%_0201_5100 MHz_13_SDCL0603Q6N2HT02B03_Sunlord	1	C0852	Sunlord
125	1210302000040B	Transistor_MOSFET_Signal-MOS_0.5 mm_10_1*0.6_20 V_0.8 A_N_PMZ600UNE_NEXPERIA	3	Q5301,Q5302,Q6200	Nexperia
126	22DJ1HA2700A	Capacitor_General capacitor_0201_27_pF_50V_±5%_COG_GRM0335C1H270JA01D_Murata	3	A0112,A0181,A0279	Murata

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
127	24D02N3LB0T1	Inductor_High frequency inductor_2.3 nH_±0.1nH_0201_10000 MHz_14_LQP03TN2N3B02_Murata	1	L2508	Murata
128	240300007V93	Inductor_High frequency inductor_1.6 nH_±0.1nH_0201_10000 MHz_HQ0603Q1N6BT01_Sunlord	2	A0227,A0275	Sunlord
129	1270306000025A	Platform_PMIC_SUB-PMIC_55nm_MT6316ADP/SC_E5_0.54 mm_2.3525 x 3.4449mm_MT6991Z_PMIC_MT6316 ADP/SC_E5_for MT6991T_MT6316ADP/SC_MTK	1	U4900	MTK
130	1270306000026A	Platform_PMIC_SUB-PMIC_55nm_MT6316ACP/SC_E5_0.54 mm_2.3525 x 3.4449mm_MT6991Z_PMIC_MT6316 ACP/SC_E5_for MT6991T_MT6316ACP/SC_MTK	1	U4800	MTK
131	24TH107N5093	Inductor_High frequency inductor_7.5 nH_±3%_0201_4700 MHz_13_SDCL0603Q7N5HT02B03_ Sunlord	1	C0822	Sunlord
132	24D033NTG2P1	Inductor_High frequency inductor_33 nH_±5%_0201_1700 MHz_9_LQP03TN33NJ02_Murata	1	L0336	Murata
133	1220103000470B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.3_0201_pF_V0R3A0201C0G500 NAT_VIIYONG	6	A0152,C0366,C0406, C0720,C0745,L0303	VIIYONG
134	24D01N2TB0C1	Inductor_High frequency inductor_1.2 nH_±0.1nH_0201_17000 MHz_14_LQP03TN1N2B02D_Murata	2	C0322,C0364	Murata
135	240300008B93	Inductor_High frequency inductor_2.4 nH_±0.1nH_0201_9000 MHz_20_HQ0603Q2N4BT01_Sunlord	1	A0223	Sunlord
136	1230102000181A	Resistor_General-Resistor_0201_0.26 mm_25V_10_Kohm_0201_±1%_1/20 W_±200_RC-01W1002FT_Fenghua	1	R7002	Fenghua
137	1230102000265A	Resistor_General-Resistor_0201_0.26 mm_25V_33_ohm_0201_±5%_1/20 W_200_RC-01W330JT_Fenghua	3	L6500,L6501,R6506	Fenghua
138	1240103000015B	Inductor_Power-Inductor_2012_±20%_0.24_0.8 mm_2012_6.5 A_5.4 A_6.0 A_7.2 A_16 mΩ_Bottom Type Terminal_19 mΩ_MWTC201208SR24MT_Sunlord	2	L4702,L4802	SUNLORD
139	1030102000009A	Antenna-Tuner_Antenna-Switch_Multi-Pole-Muti-Through-Tuner_<10GHz_1.30*0.95_80 V_4*SPST_1.2 V,1.8 V_MIPI_0.49 mm_QM13544TR13_Qorvo	1	S0100	Qorvo
140	400100001N01	Connector_BTB Connector_Receptacle_AB351_24_0.7_0.35mm_5A_BBR46-24KBV73_ACON	1	J6700	ACON

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
141	24NG258N2093	Inductor_Wire wound inductor_8.2 nH_±2%_0402_6500 MHz_32_MWSD1005C8N2GTM81_Sunlord	1	A0217	Sunlord
142	1010202000482A	RF-Filter_SAW/BAW/FBAR_Duplexer/Multiplexer_B20TX_B20_B28RX_Duplexer_30dBm_B39861B1347L210_RF360_1612_0.6 mm_B20+B28_Duplexer_4G,5G_30 dBm_SAW_B39861B1347L210_RF360	1	FL0703	RF360
143	240300008093	Inductor_High frequency inductor_0.6 nH_±0.1nH_0201_20000 MHz_20_HQ0603Q0N6BT01_Sunlord	1	A0139	Sunlord
144	1611103000050A	connector_Spring-Connector_Spring-Single_正压_L2.70*W1.20*H1.50_1.0 mm_大电流-1.0_XM-217-XC-243-SP_Xinchuang	2	J7100,J7101	XINCHUANG
145	271700010048	RF Switch_Antenna Swap Switch_DPDT_1.8 V_GPIO_39.5 dBm_MXD8546C_Maxscend	1	S0400	Maxscend
146	240300000893	Inductor_High frequency inductor_5.1 nH_±3%_0201_5900 MHz_13_SDCL0603Q5N1HT02B03_Sunlord	1	C0851	Sunlord
147	20F3620020D6	Filter_SAW_BAW_FBAR Filter_1109_Single-Filter_2620-2690MHz_15 dBm_HDFB07RSS-B5_Shoulder	1	FL1002	Shoulder
148	240300000993	Inductor_High frequency inductor_5.6 nH_±3%_0201_5500 MHz_13_SDCL0603Q5N6HT02B03_Sunlord	1	L0721	Sunlord
149	20F361001054	Filter_SAW_BAW_FBAR Filter_1109_Single-Filter_B41 Rx_13 dBm_SAFFB2G59AA1F0AR1X_Murata	1	FL1008	Murata
150	220100001754	Capacitor_General capacitor_01005_0.22 mm_1_pF_50V_±0.1pF_C0G(NP0)_GRM0225C1H1R0BA03D_Murata	3	C0821,C1005,C1009	Murata
151	1220103000469A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.2_0201_pF_V0R2A0201C0G500NAT_VIIYONG	1	C0309	VIIYONG
152	1010202000169A	RF-Filter_SAW/BAW/FBAR_Duplexer/Multiplexer_2016_0.7 mm_B1 TX: 1920~1980MHz; B1(B66) RX:2110~2200MHz; B3(B66) TX: 1710~1785MHz; B3 RX:1805~1880MHz;_Quadplexer_4G,5G_30	1	FL1001	Murata

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		dBm_SAW_SAHQM1G74BA0J0A_Murata			
153	1230102000123A	Resistor_General-Resistor_0201_0.26 mm_25V_37.4_ohm_0201_±1%_1/20W_200_RC-01W37R4FT_Fenghua	2	R4100,R4400	Fenghua
154	1611104002199A	Mobile-ME_Metal-Fittings_Shielding-Can_WIFI-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH7318	XINCHUANG
155	24D05N1MF0A1	Inductor_High frequency inductor_5.1 nH_±3%_0201_4200 MHz_14_LQP03TN5N1H02_Murata	2	C0493,L2509	Murata
156	240300003854	Inductor_High frequency inductor_3 nH_±0.1nH_01005_10000 MHz_10_LQP02TQ3N0B02D_Murata	1	C0304	Murata
157	1010202000453A	RF-Filter_SAW/BAW/FBAR_Duplexer/Multiplexer_B28TX+B28_B20RX_Duplexer_30dBm_B39791B1324L210_RF360_1612_0.6 mm_B28+B20_Duplexer_4G,5G_30 dBm_SAW_B39791B1324L210_RF360	1	FL0804	RF360
158	200200001N54	Filter_Duplexer_Multiplexer_1612_Duplexer_Band66_30 dBm_SAYAV1G74BA1E0A_Murata	1	FL0704	Murata
159	1220103000473B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.60_0201_pF_V0R6A0201C0G500NAT_VIIYONG	3	A0106,A0206,A0254	VIIYONG
160	24TB102N8093	Inductor_High frequency inductor_2.8 nH_±0.1nH_0201_9500 MHz_13_SDCL0603Q2N8BT02B03_Sunlord	1	C0765	Sunlord
161	240300003G54	Inductor_High frequency inductor_3.9 nH_±0.1nH_01005_9000 MHz_10_LQP02TQ3N9B02D_Murata	1	C0417	Murata
162	1220103000855C	Capacitor_General-MLCC_0201_0.33 mm_X7R_25V_±10%_3.3_0201_nF_C0201X7R332K250NTA_EYANG	2	EM6301,EM6306	EYANG
163	1320501000167A	connector_BTB-Connector_60_0.35mm_Female_5A_0.6mm_JM66-F92600431_LCN	1	J6501	LCN
164	1230102000136A	Resistor_General-Resistor_0201_0.26 mm_25V_0_ohm_0201_±5%_1/20W_200_RC-01000JT_Fenghua	30	A0101,A0154,A0173,A0192,A0199,A0203,A0211,A0218,A0232,A0236,A0238,A0257,A0288,A0291,EM0120,EM6417,EM6468,EM6469,EM6470,EM6471,EM6472,EM6473,EM6474,EM6475,EM6476,R0700,R0704,R0756,R0757,R0803	Fenghua
165	240300004554	Inductor_High frequency inductor_22 nH_±3%_01005_2300 MHz_10_LQP02TQ22NH02D_Murata	1	C0331	Murata

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
166	1030101000052A	Antenna-Tuner_Antenna-Switch_Single-Pole-Muti-Through-Tuner_SP4T_0.46 mm_0.4 to 5GHz_80 V_MIPI_1.2 V,1.8 V_1.65mm×1.08mm_MXD8549KV_Maxscend	1	S0101	Maxscend
167	5130O12UP2000	Main board assy_PCBA_A_GL_12GB_256GB_P20_MB1_O12U	1		
168	1220103000507B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_22_0201_pF_C0201C0G220J500NTA_EYANG	1	C1102	EYANG
169	23D06K8MB002	Resistor_General resistor_0201_0.23 mm_6.8 Kohm_±1%_1/20W_50V_+/200_RC0201FR-076K8L_YAGEO	1	R0701	YAGEO
170	1220104000040C	Capacitor_General-MLCC_0402_X5R_0402_6.3V_±20%_0.65 mm_uF_4.7_V475M0402X5R6R3N6T_VIIYONG	10	C3674,C3731,C3768,C4312,C4319,C4325,C4330,C4613,C5309,C7018	VIIYONG
171	240300003D54	Inductor_High frequency inductor_3.6 nH_±0.1nH_01005_9700 MHz_10_LQP02TQ3N6B02D_Murata	1	C0421	Murata
172	240300008F93	Inductor_High frequency inductor_3 nH_±0.1nH_0201_8000 MHz_20_HQ0603Q3N0BT01_Sunlord	1	A0255	Sunlord
173	1220103000852C	Capacitor_General-MLCC_0201_0.33 mm_X7R_50V_±10%_1.5_0201_nF_C0201X7R152K500NTA_EYANG	1	EM6510	EYANG
174	240300007X93	Inductor_High frequency inductor_1.8 nH_±0.1nH_0201_10000 MHz_HQ0603Q1N8BT01_Sunlord	2	A0118,A0122	Sunlord
175	24D02N2MB0T1	Inductor_High frequency inductor_2.2 nH_±0.1nH_0201_11000 MHz_14_LQP03TN2N2B02_Murata	1	C0404	Murata
176	2511000029E6	RF Switch_RF General Purpose Switch_SP4T_1.8 V_MIPI_33 dBm_VC1624_Vanchip	1	S1100	Vanchip
177	1020102000056A	RF-Switch_Common-Switch_Multi-Pole-Muti-Through-Switch_GPIO_1.5*1.1mm_0.4~6.0 GHz_0.58 mm_DPDT_1.8 V_O16U_40.5 dBm_1.6us_VC1899U-21_Vanchip	1	S0403	Vanchip
178	24030000CD93	Inductor_High frequency inductor_43 nH_±3%_0201_1300 MHz_HQ0603Q43NHT01_Sunlord	1	A0128	Sunlord
179	240300002693	Inductor_High frequency inductor_12 nH_±3%_01005_3500 MHz_11_HQ0402H12NHT01_Sunlord	1	C0735	Sunlord
180	240300002193	Inductor_High frequency inductor_7.5 nH_±3%_01005_6600 MHz_11_HQ0402H7N5HT01_Sunlord	4	C0798,C0815,C0856,C1037	Sunlord

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
181	1611104002212A	Mobile-ME_Metal-Fittings_Shielding-Can_MIAN-MIC-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH7320	XINCHUANG
182	1220103000509A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_33_0201_pF_C0201C0G330J500NTA_EYANG	10	A0151,EM3223,EM3225,EM6204,EM6205,EM6217,EM6611,EM6709,EM6802,EM6900	EYANG
183	401100001Y6N	XM-217-XC-204-SP_Xinchuang	7	J0126,J0129,J0142,J0143,J0146,J0208,J0209	Xinchuang
184	1210102000031B	Transistor_Diode_Zener-Diode_1.05*0.65_0.53 mm_0.9V_50nA_0.5 mm_1.02*0.62_16.8V_BZX884-C16_Nexperia	1	DS5902	Nexperia
185	22DM0JC2249Q	V224M0201X5R6R3NJT_VIIYONG	5	C3707,C3717,C3718,C3924,C3977	VIIYONG
186	24D01N8LB0B1	Inductor_High frequency inductor_1.8 nH_±0.1nH_0201_15000 MHz_14_LQP03TN1N8B02_Murata	1	L0708	Murata
187	240300001R93	Inductor_High frequency inductor_3.9 nH_±0.1nH_01005_9700 MHz_11_HQ0402H3N9BT01_Sunlord	3	C0728,C0795,C0888	Sunlord
188	1040103000131A	RFFE-Tx/Rx-Module_PA-Module_APT_0.8 mm_No_3G,4G,5G_No_4.0mm×6.8mm_3G/4G/5G_No_No_OM8443-25_ONMICRO	1	U0800	ONMICRO
189	1270306000027A	Platform_PMIC_SUB-PMIC_55nm_MT6316AHP/SC_E5_0.54 mm_2.3525 x 3.4449mm_MT6991Z_PMIC_MT6316AHP/SC_E5_for MT6991T_MT6316AHP/SC_MTK	1	U5001	MTK
190	1230102000110A	Resistor_General-Resistor_0201_0.26 mm_25V_10_ohm_0201_±1%_1/20W_200_RC-01W10R0FT_Fenghua	2	R5102,R5103	Fenghua
191	240300002493	Inductor_High frequency inductor_10 nH_±3%_01005_5900 MHz_11_HQ0402H10NHT01_Sunlord	2	C0799,C0818	Sunlord
192	1030102000010A	Antenna-Tuner_Antenna-Switch_Multi-Pole-Muti-Through-Tuner_0.4---5.0Ghz_1.3*0.95_80V_4*SPST_1.2 V,1.8 V_MIPI_0.42 mm_MXD8549RC_Maxscend	1	S0102	Maxscend
193	240400000Z54	Inductor_Wire wound inductor_100 nH_±3%_0201_900 MHz_10_LQP03HQR10H02_Murata	1	A0149	Murata
194	1611104002207A	Mobile-ME_Metal-Fittings_Shielding-Can_SUPPORT-COVER_O12U_Folding_O12U_XINCHUANG	1	SH7322	XINCHUANG

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
195	1230102000299B	Resistor_General-Resistor_0201_0.26 mm_25V_10_Kohm_0201_±5%_1/20 W_±200_RC-01W103JT_Fenghua	1	R3901	Fenghua
196	220100006154	Capacitor_General capacitor_01005_0.22 mm_0.5_pF_50V_±0.05pF_C0G(NP0)_GRM0225C1HR50WA03D_Murata	3	C0420,C0704,L0738	Murata
197	1240103000006A	Inductor_Power-Inductor_2012_±20%_1.0_2012_3.3 A_3.2 A_3.5 A_3.5 A_46 mΩ_Bottom Type Terminal_50 mΩ_MWTC201208S1R0MTD01_Sun lord	1	L4703	Sunlord
198	22010000SEHZ	Capacitor_General capacitor_0201_0.33 mm_2.7_pF_50V_±0.1pF_C0G(NP0) _C0201C0G2R7B500NTA_EYANG	1	A0245	EYANG
199	1160201000192B	Power_LDO_Single-channel-LDO_1.8-3.3_400_0.4 mm_1*1_180_100_20 uA_2.2-5.5_ET53828YB_Etek	1	U7010	Etek
200	1040103000136A	RFFE-Tx/Rx-Module_PA-Module_APT_0.74 mm_Yes_2G,4G,5G,3G_Yes_6.8x 8.6_LMH L-PAMiD_Yes_Yes_QM77051L_Qorvo _Qorvo	1	U0701	Qorvo
201	1160201000181A	Power_LDO_Single-channel-LDO_0.5-3.3_1.5A_0.34 mm_0.89*1.36_50mV_70db_30 uA_0.7-5_WL28341CA-6/TR_Will	1	U7008	Will
202	1270306000009A	Platform_PMIC_SUB-PMIC_MTK_MT6373TBP_Pmic2_0.5 15 mm_4.91430 x 4.91430mm_MT6991Z_MTK_MT637 3TBP/B_Pmic2_MT6373TBP/B_MTK	1	U4400	MTK
203	1611104002198A	Mobile-ME_Metal-Fittings_Shielding-Can_PMIC-SHIELDING_O12U_Folding_O12U_X INCHUANG	1	SH7317	XINCHUANG
204	1220102000003B	Capacitor_General-MLCC_01005_C0G(NP0)_pF_0.5_01 005_±0.1pF_50V_V0R5B0105C0G50 0NZT_viiyong	1	C0896	viiyong
205	1230102000185A	Resistor_General-Resistor_0201_0.26 mm_25V_15_Kohm_0201_±1%_1/20 W_±200_RC-01W1502FT_Fenghua	1	R7001	Fenghua
206	22DC1HA5R00A	Capacitor_General capacitor_0201_0.33 mm_5_pF_50V_±0.25pF_C0G(NP0)_ GRM0335C1H5R0CA01D_Murata	1	L0719	Murata
207	200500000M02	Filter_Diplexer_Triplexer_Multiplexer_ Diplexer_Low band 650~960MHz/High band 1428~2750MHz_34.8 dBm_DP2012-R0821LAT/LF_ACX	1	FL0407	ACX

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
208	240300001893	Inductor_High frequency inductor_2 nH_±0.1nH_01005_13000 MHz_11_HQ0402H2N0BT01_Sunlord	2	C0706,L0712	Sunlord
209	1230301000026C	Resistor_NTC-Thermistor_0.35 mm_-40~125°C_1%_1%_4250_100_Kohm_0201_50°C、25_SDNT0603C104F4250FTF_SUNLORD	2	RT3202,RT3204	SUNLORD
210	24TB103N6093	Inductor_High frequency inductor_3.6 nH_±0.1nH_0201_7700 MHz_13_SDCL0603Q3N6BT02B03_Sunlord	1	C0734	Sunlord
211	22010000UU27	Capacitor_General capacitor_01005_0.22 mm_100_pF_25V_±5%_C0G(NP0)_V101J0105C0G250NZT_VIIYONG	2	C0413,C0414	VIIYONG
212	1220103000516B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_82_0201_pF_C0201C0G820J500NTA_EYANG	1	A0174	EYANG
213	1230102000372B	Resistor_General-Resistor_0201_0.26 mm_25_45.3_Kohm_0201_1%_1/20_±200_RC-01W4532FT_Fenghua	1	R4200	Fenghua
214	200500002B54	Filter_Diplexer_Triplexer_Multiplexer_Diplexer_617-2200MHz/2300-5000MHz_30 dBm_LFD2H1G44MP9F478_Murata	1	FL1011	Murata
215	220100002M27	Capacitor_General capacitor_0201_0.33 mm_1_nF_25V_±5%_C0G(NP0)_V102J0201C0G250NAT_VIIYONG	2	C2522,C5409	VIIYONG
216	1240105000031A	Inductor_Power-Inductor_2520_±20%_1_2520_5 A_5.2 A_5 A_Bottom Type Terminal_30 mΩ_5.4 A_27 mΩ_MWTC252010S1R0MTD02_Sunlord	1	L5100	Sunlord
217	1220103000197A	Capacitor_General-MLCC_0201_X5R_6.3V_±20%_1_0201_uF_V105M0201X5R6R3NJT_VIIYONG	96	C3701,C3705,C3706,C3708,C3739,C3741,C3766,C3767,C3769,C3902,C3903,C3920,C3921,C3922,C3926,C3927,C3928,C3930,C3965,C4100,C4101,C4106,C4107,C4108,C4109,C4110,C4111,C4112,C4113,C4114,C4201,C4202,C4311,C4314,C4315,C4316,C4321,C4322,C4331,C4333,C4334,C4335,C4404,C4405,C4406,C4407,C4408,C4409,C4410,C4411,C4412,C4413,C4414,C4501,C4503,C4612,C4614,	VIIYONG

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
				C4615,C4616,C4617, C4619,C4621,C4622, C4623,C4624,C4625, C4627,C4628,C4630, C4660,C4661,C4705, C4804,C4905,C5004, C5104,C5402,C5403, C5406,C5408,C6657, C6658,C6661,C6662, C6700,C6704,C6802, C6805,C6900,C6901, C6902,C6903,C7002, C7028,C7029,R2566	
218	1210401000123B	Transistor_Protection_TVS_1.0*0.6_0 .50 mm_20V_30 V_1.0*0.6_33 A_990 W_110 pF_0.50 mm_22 V_ES20DFX_Etek	1	CR7301	Etek
219	1220103000645B	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_180_0201 _pF_C0201C0G181J500NTA_EYAN G	2	EM6459,EM6509	EYANG
220	240300002A93	Inductor_High frequency inductor_18 nH_±3%_01005_2500 MHz_9_HQ0402H18NHT01_Sunlord	1	C0894	Sunlord
221	400100000R4H	Connector_BTB Connector_Receptacle_BC71_34_0.7 _0.35mm_5A_BAF92-34073-0508_LCN	3	J6401,J6601,J6900	LCN
222	240100002F93	Inductor_Power inductor_2016_1.0 mm_1.0 uH_42 mΩ_46 mΩ_4.0 A_3.4 A_4.9 A_4.6 A_Bottom Type Terminal_±20%_MWTC201610S1R0 MT_Sunlord	1	L4701	Sunlord
223	1220103000405B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF _1.1_0201_pF_V1R1B0201C0G500N AT_VIIYONG	1	A0155	VIIYONG
224	1270305000011A	Platform_PMIC_Core-PMIC_MTK_MT6363TBP_Pmic1_0.5 15 mm_4.91425 x 4.91425mm_MT6991_MTK_MT6363 TBP/B_Pmic1_MT6363TBP_MTK	1	U4100	MTK
225	240300001Y93	Inductor_High frequency inductor_5.6 nH_±3%_01005_7800 MHz_11_HQ0402H5N6HT01_Sunlor d	1	L0716	Sunlord
226	240300003Y54	Inductor_High frequency inductor_15 nH_±3%_01005_3000 MHz_10_LQP02TQ15NH02D_Murata	1	C2534	Murata
227	220100002O27	Capacitor_General capacitor_0201_0.33 mm_10_nF_25V_±10%_X5R_V103K 0201X5R250NAT_VIIYONG	4	C0791,L2541,L2544, R2582	VIIYONG
228	1220102000070B	Capacitor_General-MLCC_01005_C0G(NP0)_pF_0.3_01 005_±0.05pF_50V_V0R3A0105C0G5 00NZT_VIIYONG	1	C0409	VIIYONG

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
229	277200003M7W	Platform_PMU_2.2*2.5_0.54 mm_MT6985_MT6685HP/B_MTK	1	U5400	MTK
230	1240401000203A	Inductor_Bead_190 Ω_120 Ω_0402_0.5 mm_55 mΩ_2 A_EPZ1005D121-2R0TB01_SUNLORD	2	EM6201,EM6216	SUNLORD
231	22DB1HK1R20A	Capacitor_General capacitor_0201_0.33 mm_1.2_pF_50V_±0.1pF_C0G(NP0) _GRM0335C1H1R2BA01_Murata	4	A0124,A0210,A0219, C0492	Murata
232	220100002R27	Capacitor_General capacitor_0201_0.35 mm_100_nF_25V_±10%_X5R_V104 K0201X5R250NJT_VIIYONG	3	C0807,C0813,C1032	VIIYONG
233	240300001Z93	Inductor_High frequency inductor_6.2 nH_±3%_01005_7200 MHz_11_HQ0402H6N2HT01_Sunlor d	1	C0762	Sunlord
234	240300001I93	Inductor_High frequency inductor_3 nH_±0.1nH_01005_10000 MHz_11_HQ0402H3N0BT01_Sunlor d	1	C0800	Sunlord
235	24TB102N6093	Inductor_High frequency inductor_2.6 nH_±0.1nH_0201_10000 MHz_13_SDCL0603Q2N6BT02B03_ Sunlord	1	C1088	Sunlord
236	240300002L54	Inductor_High frequency inductor_0.7 nH_±0.1nH_01005_16600 MHz_10_LQP02TQ0N7B02D_Murata	1	C0483	Murata
237	24TB102N2093	Inductor_High frequency inductor_2.2 nH_±0.1nH_0201_11000 MHz_13_SDCL0603Q2N2BT02B03_ Sunlord	1	C0769	Sunlord
238	400100003J4H	Connector_BTB Connector_Receptacle_BC71_16_0.7 _0.35mm_5A_BAF92-16073-0508_LCN	1	J6207	LCN
239	24D07N5MF0T1	Inductor_High frequency inductor_7.5 nH_±3%_0201_3700 MHz_14_LQP03TN7N5H02_Murata	1	C0491	Murata
240	24D0R15MG0A1	Inductor_High frequency inductor_150 nH_±5%_0201_650 MHz_5_LQP03TNR15J02_Murata	1	A0253	Murata
241	240300001C93	Inductor_High frequency inductor_2.4 nH_±0.1nH_01005_13000 MHz_11_HQ0402H2N4BT01_Sunlor d	1	C0816	Sunlord
242	1230102000316A	Resistor_General-Resistor_0201_0.26 mm_25V_100_Kohm_0201_±5%_1/2 0W_200_RC-01W104JT_Fenghua	3	R5313,R6207,R6303	Fenghua
243	240300001D93	Inductor_High frequency inductor_2.5 nH_±0.1nH_01005_11500 MHz_11_HQ0402H2N5BT01_Sunlor d	1	C1073	Sunlord
244	240300008W93	Inductor_High frequency inductor_7.5 nH_±3%_0201_4500	2	A0200,A0298	Sunlord

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		MHz_20_HQ0603Q7N5HT01_Sunlord			
245	24D01N4LB0B1	Inductor_High frequency inductor_1.4 nH_±0.1nH_0201_16000 MHz_14_LQP03TN1N4B02_Murata	1	C0367	Murata
246	1240103000010D	Inductor_Power-Inductor_2012_±20%_0.47_0.8 mm_2012_4.8 A_4.0 A_4.4 A_5.3 A_20 mΩ_Bottom Type Terminal_25 mΩ_MWTC201208SR47MTY02_SUNLORD	4	L4404,L4405,L4407,L5001	SUNLORD
247	24TB103N0093	Inductor_High frequency inductor_3 nH_±0.1nH_0201_9500 MHz_13_SDCL0603Q3N0BT02B03_Sunlord	3	C0785,C1010,C1077	Sunlord
248	1300301000024A	Acoustic_MIC_Digital-MIC_3023_65dB_DigitalMIC_130dB_65dB_-37dBFS_3.0x2.3x1.0mm_SD47OB371-004_GOERTEK	1	U6005	GOERTEK
249	1220102000018A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_22_01005_±5%_50V_C0105C0G220J500NTZ_EYANG	1	L2503	EYANG
250	240300000Y93	Inductor_High frequency inductor_1 nH_±0.1nH_01005_16600 MHz_11_HQ0402H1N0BT01_Sunlord	1	C0741	Sunlord
251	1220103002025B	Capacitor_General-MLCC_0201_0.33 mm_C0G_50V_±2%_120_0201_pF_V121G0201C0G500NAT_viiyong	1	A0177	viiyong
252	25B0121L2000	bead,BLM15PX121SN1,murata,120+/-25%ohm@100mHz,0402	1	EM6215	Murata
253	240300000V93	Inductor_High frequency inductor_0.7 nH_±0.1nH_01005_16600 MHz_11_HQ0402H0N7BT01_Sunlord	1	C0740	Sunlord
254	22DC1HA3R90A	Capacitor_General capacitor_0201_0.33 mm_3.9_pF_50V_±0.25pF_C0G(NP0)_GRM0335C1H3R9CA01D_Murata	1	C0784	Murata
255	240400000U93	Inductor_Wire wound inductor_9.6 nH_±2%_0402_6000 MHz_33_MWSD1005C9N6GTM81_Sunlord	1	A0160	Sunlord
256	22CKYAC1050B	Capacitor_General capacitor_0402_0.60 mm_1_µF_35V_±10%_X5R_GRM155R6YA105KE11_Murata	1	C5902	Murata
257	1240103000012C	Inductor_Power-Inductor_2012_±20%_0.33_0.8 mm_2012_5.6 A_4.0 A_4.3 A_6.2 A_23 mΩ_Bottom Type Terminal_28 mΩ_MWTC201208SR33MT_Sunlord	8	L4400,L4401,L4402,L4403,L4406,L5002,L5003,L5004	Sunlord
258	20A000014300	Filter_SAW_BAW_FBAR Filter_1109_Single-Filter_B40 Rx_13 dBm_SAFFB2G35AA0F0AR15_Murata	1	FL1005	Murata

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
259	24D018NLF0B1	Inductor_High frequency inductor_18 nH_±3%_0201_2200 MHz_12_LQP03TN18NH02_Murata	2	C0487,C1126	Murata
260	240300001B93	Inductor_High frequency inductor_2.3 nH_±0.1nH_01005_13000 MHz_11_HQ0402H2N3BT01_Sunlord	1	L0713	Sunlord
261	1010202000462A	RF-Filter_SAW/BAW/FBAR_Duplexer/Multiplexer_Band2_Duplexer_30dBm_HDTDB02NSS-B26_Shoulder_1612_0.65 mm_Band2_Duplexer_4G,5G_30 dBm_SAW_HDTDB02NSS-B26_SHOULDER	1	FL1010	SHOULDER
262	1230102000160A	Resistor_General-Resistor_0201_0.26 mm_25V_3.3_Kohm_0201_±1%_1/20W_200_RC-01W3301FT_Fenghua	1	R4201	Fenghua
263	1611115000035B	Mobile-ME_Metal-Fittings_Others_L18_XINCHUANG	3	K0100,K0125,K0126	XINCHUANG
264	220100002Q27	Capacitor_General capacitor_0201_0.33 mm_100_nF_16V_±10%_X5R_V104K0201X5R160NAT_VIIYONG	1	L2545	VIIYONG
265	1010104000190A	RF-Filter_LTCC_Multiplexer_Diplexer_617~960MHz，1427~1511MHz, 1710~2170MHz，2330~2690MHz, 3300~5925MHz_2012_0.6 mm_34.77 dBm_DP2012-R1746KTT_ACX	1	FL0402	ACX
266	1220102000051A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_3_01005_±0.1pF_50V_C0105C0G3R0B500NTZ_EYANG	1	C2532	EYANG
267	240300000993	Inductor_High frequency inductor_5.6 nH_±3%_0201_5500 MHz_13_SDCL0603Q5N6HT02B03_Sunlord	2	C1714,C1726	Sunlord
268	1220102000059A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_5.6_01005_±0.25pF_50V_C0105C0G5R6C500NTZ_EYANG	4	L2317,R2564,R2579, R2587	EYANG
269	240400000Z54	Inductor_Wire wound inductor_100 nH_±3%_0201_900 MHz_10_LQP03HQR10H02_Murata	1	A0147	Murata
270	240300002Y54	Inductor_High frequency inductor_2 nH_±0.1nH_01005_13000 MHz_10_LQP02TQ2N0B02D_Murata	2	C0811,C2033	Murata
271	1050301000033A	RF-RX-Module_Cellular-Rx-Module_DiFEM-Module_DiFEM MXD98B2VA_LMHB_0.714 mm_3.2mm×3.0mm_MXD98B2VA_MAXSCEND(JS)	1	U0501	Maxscend
272	1611203000132A	Mobile-ME_Rubber-Part_Protection_04-CPU-	1		GWN

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		SHIELDING-PAD4_O12U_O12U_GWN			
273	1611104002201A	Mobile-ME_Metal-Fittings_Shielding-Can_CPU-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH7311	XINCHUANG
274	1230102000148A	Resistor_General-Resistor_0201_0.26 mm_25V_1_Kohm_0201_±1%_1/20W_200_RC-01W1001FT_Fenghua	1	R6102	Fenghua
275	1220103000358A	Capacitor_General-MLCC_0201_C0G(NP0)_25V_±2%_330_0201_pF_C0201C0G331G250NTA_EYANG	1	A0178	EYANG
276	1611203000131A	Mobile-ME_Rubber-Part_Protection_04-CPU-SHIELDING-PAD3_O12U_O12U_GWN	1		GWN
277	24TB101N2093	Inductor_High frequency inductor_1.2 nH_±0.1nH_0201_17000 MHz_13_SDCL0603Q1N2BT02B03_Sunlord	1	C0523	Sunlord
278	1220103000469A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.2_0201_pF_V0R2A0201C0G500NAT_VIIYONG	4	C0506,C1701,C1703,C2009	VIIYONG
279	1230102000151A	Resistor_General-Resistor_0201_0.26 mm_25V_1.5_Kohm_0201_±1%_1/20W_200_RC-01W1501FT_Fenghua	1	R7102	Fenghua
280	1611104002204A	Mobile-ME_Metal-Fittings_Shielding-Can_MEDIATEK-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH7314	XINCHUANG
281	220100006154	Capacitor_General capacitor_01005_0.22 mm_0.5_pF_50V_±0.05pF_C0G(NP0)_GRM0225C1HR50WA03D_Murata	1	L2336	Murata
282	1220103000503A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_12_0201_pF_V120J0201C0G500NATVIIYONG	2	C5202,C5203	VIIYONG
283	22CM0JC1060B	Capacitor_General capacitor_0402_0.70 mm_10_uF_6.3V_±20%_X5R_GRM155R60J106ME44D_Murata	10	C2707,C2717,C5110,C5605,C5611,C5625,C6029,C6037,C6301,C7044	Murata
284	22010000VH27	Capacitor_General capacitor_0402_0.55 mm_33_nF_50V_±10%_X7R_V333K0402X7R500NBT_VIIYONG	2	C7107,C7111	VIIYONG
285	1220103000470B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.3_0201_pF_V0R3A0201C0G500NAT_VIIYONG	2	C1107,C2008	VIIYONG
286	1220103000505A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_18_0201_pF_C0201C0G180J500NTA_EYANG	1	C1951	EYANG

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
287	1612204000167A	Mobile-ME_Thermal-Part_PAD_04-MT-SHIELDING-PAD1_O12U_O12U_Zhongdi	1		Zhongdi
288	1240105000025A	Inductor_Power-Inductor_2520_±20%_0.47_2520_6.5A_7.0 A_8.0 A_Bottom Type Terminal_20 mΩ_8.3 A_17 mΩ_MWTC252010SR47MTB01_SUNLORD	1	L5300	SUNLORD
289	1220103000415B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF_3.0_0201_pF_V3R0B0201C0G500NAT_VIIYONG	1	C2329	VIIYONG
290	1060201000038A	RF-Wireless-Communication-IC_RF-Connectivity-Communication-IC_WIFI/BT/FM-IC_6.45*8.2_BT5.3_397Ball UFBGA_802.11 be_2.4G，5G，6G_Yes_0.624 mm_N12_MT6653AEZ/A_MTK	1	U2400	MTK
291	1040103000199A	RFFE-Tx/Rx-Module_PA-Module_Constant Voltage_0.685 mm_Yes_2G_No_2.0mm*2.4mm_2.4GHz_Yes_No_N12_qm42655_Qorvo	1	U2503	Qorvo
292	24D01N6TB0C1	Inductor_High frequency inductor_1.6 nH_±0.1nH_0201_15000 MHz_14_LQP03TN1N6B02D_Murata	1	C2029	Murata
293	22DJ1EA4710A	Capacitor_General capacitor_0201_0.33 mm_470_pF_25V_±5%_COG(NP0)6R3_GRM0335C1E471JA01D_Murata	1	C2628	Murata
294	240300003L54	Inductor_High frequency inductor_4.7 nH_±3%_01005_8500 MHz_10_LQP02TQ4N7H02D_Murata	1	C2032	Murata
295	220100002P27	Capacitor_General capacitor_0201_0.33 mm_22_nF_16V_±10%_X5R_V223K0201X5R160NAT_VIIYONG	3	C6001,C6009,C6039	VIIYONG
296	23D001MNB002	Resistor_General resistor_0201_0.3 mm_1 Mohm_±0.1%_1/20W_25V_±200_RC0201FR-071ML_YAGEO	1	R5113	YAGEO
297	1230102000313A	Resistor_General-Resistor_0201_0.26 mm_25V_51_Kohm_0201_±5%_1/20W_±200_RC-01W513JT_Fenghua	2	R7100,R7101	Fenghua
298	1611203000130A	Mobile-ME_Rubber-Part_Protection_04-CPU-SHIELDING-PAD2_O12U_O12U_GWN	1		GWN
299	240300002H54	Inductor_High frequency inductor_0.3 nH_±0.1nH_01005_16600 MHz_10_LQP02TQ0N3B02D_Murata	2	L2562,L2569	Murata
300	1230102000181A	Resistor_General-Resistor_0201_0.26 mm_25V_10_Kohm_0201_±1%_1/20W_±200_RC-01W1002FT_Fenghua	3	R7009,R7010,R7103	Fenghua

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
301	240300003Q54	Inductor_High frequency inductor_7.5 nH_±3%_01005_6600 MHz_10_LQP02TQ7N5H02D_Murata	1	C2308	Murata
302	1230102000300A	Resistor_General-Resistor_0201_0.26 mm_25V_12_Kohm_0201_±5%_1/20 W_200_RC-01W123JT_Fenghua	1	R3410	Fenghua
303	2707000670F3	IC OVP，2.5V to 28V，4.5A，WLCSP12 1.55mm*1.1mm,0.4mm pitch	1	U5101	Etek
304	1220103000504B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_15_0201_pF_C0201C0G150J500NTA_EYANG	6	C3404,C3405,EM6203,EM6206,EM6207,EM6208	EYANG
305	1220102000024B	Capacitor_General-MLCC_01005_C0G(NP0)_pF_0.7_01005_±0.05pF_50V_V0R7A0105C0G500NZT_VIIYONG	1	C2034	VIIYONG
306	1220102000070B	Capacitor_General-MLCC_01005_C0G(NP0)_pF_0.3_01005_±0.05pF_50V_V0R3A0105C0G500NZT_VIIYONG	1	C1606	VIIYONG
307	23D001RMB002	Resistor_General resistor_0201_0.3 mm_1 ohm_±1%_1/20W_25V_-100/350_RC0201FR-071RL_YAGEO	1	R2714	YAGEO
308	220100002R27	Capacitor_General capacitor_0201_0.35 mm_100_nF_25V_±10%_X5R_V104K0201X5R250NJT_VIIYONG	14	C1119,C1603,C1608,C1704,C1705,C1723,C1742,C1911,C1930,C2016,C2018,C5107,C5905,C5906	VIIYONG
309	1220103000410A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF_1.8_0201_pF_V1R8B0201C0G500NAT_VIIYONG	1	A0142	VIIYONG
310	240300003854	Inductor_High frequency inductor_3 nH_±0.1nH_01005_10000 MHz_10_LQP02TQ3N0B02D_Murata	1	R2565	Murata
311	1270306000019A	Platform_PMIC_SUB-PMIC_0.5 mm_3.5*3.22_DX-4_N12_MT6376SP/B_MTK	1	U2700	MTK
312	23C000RNA002	Resistor_General resistor_0402_0.4 mm_0 ohm_±5%_1/16W_50V_0_RC0402JR-070RL_YAGEO	1	R2721	YAGEO
313	240300003P54	Inductor_High frequency inductor_6.8 nH_±3%_01005_6600 MHz_10_LQP02TQ6N8H02D_Murata	1	C2502	Murata
314	1611103000069A	connector_Spring-Connector_Spring-Single_正压_L1.7*W1.1*H1.65_1.2 mm_小正压-1.2_XM-217-XC-234-SP_Xinchuang	9	J6000,J6001,J6200,J6201,J6202,J6203,J6204,J6205,J6206	Xinchuang
315	240300000793	Inductor_High frequency inductor_4.7 nH_±3%_0201_6200 MHz_13_SDCL0603Q4N7HT02B03_Sunlord	1	C1740	Sunlord
316	1220103000502A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_1	1	C2323	EYANG

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		0_0201_pF_C0201C0G100J500NTA_EYANG			
317	220100002M27	Capacitor_General capacitor_0201_0.33 mm_1_nF_25V_±5%_C0G(NP0)_V1 02J0201C0G250NAT_VIIYONG	6	C2305,C2328,C2330, C2525,C2527,C2529	VIIYONG
318	1220103000131C	Capacitor_General-MLCC_0201_0.39 mm_X5R_6.3V_±20%_2.2_0201_uF_ V225M0201X5R6R3N7T_viiyong	19	C3714,C3723,C3735, C3738,C3740,C3925, C5602,C5604,C6201, C6202,C6206,C6701, C7008,C7009,C7012, C7022,C7023,C7036, C7040	viiyong
319	22CMYAC2250B	GRM155R6YA225ME11_Murata	1	C5116	Murata
320	1611104002203A	Mobile-ME_Metal-Fittings_Shielding-Can_SC-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH7313	XINCHUANG
321	240300002K54	Inductor_High frequency inductor_0.6 nH_±0.1nH_01005_16600 MHz_10_LQP02TQ0N6B02D_Murata	2	C2035,L2570	Murata
322	1010201000534A	RF-Filter_SAW/BAW/FBAR_Single-end/Multi-end-Filter_1109_4G_LTE: B39 1880-1920MHz_Single-Filter_0.6 mm_15 dBm_SAW_HDFB39RSS-B5_SHOULDER	1	FL0509	SHOULDER
323	22CKYAC1050B	Capacitor_General capacitor_0402_0.60 mm_1_μF_35V_±10%_X5R_GRM15 5R6YA105KE11_Murata	1	C5230	Murata
324	1230101000001A	Resistor_General-Resistor_01005_0.15 mm_1/32W_±1%_15V_01005_18_ohm_±200_RC-005B18R0FT_Fenghua	3	R2514,R2547,R2555	Fenghua
325	1230102000272A	Resistor_General-Resistor_0201_0.26 mm_25V_100_ohm_0201_±5%_1/20 W_200_RC-01W101JT_Fenghua	4	R2406,R5100,R5101, R5210	Fenghua
326	24D01N7LB0B1	Inductor_High frequency inductor_1.7 nH_±0.1nH_0201_15000 MHz_14_LQP03TN1N7B02_Murata	1	C2030	Murata
327	1050101000023A	RF-RX-Module_LNA-Bank_RF Amplifier_LNA Module_600MHz to 960MHz，800MHz to 2700MHz_MIPI_MXD83K5DA_Maxscend_600MHz to 960MHz，800MHz to 2700MHz_MIPI_No_0.65 mm_2.9*2.9_MXD83K5DA_Maxscend	3	U1600,U1701,U1702	Maxscend
328	1230102000316A	Resistor_General-Resistor_0201_0.26 mm_25V_100_Kohm_0201_±5%_1/20W_200_RC-01W104JT_Fenghua	3	R7106,R7107,R7117	Fenghua
329	24NB252N7093	Inductor_Wire wound inductor_2.7 nH_±0.1nH_0402_14000	1	A0231	Sunlord

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		MHz_28_MWSD1005C2N7BTM81_Sunlord			
330	1220102000041B	Capacitor_General-MLCC_01005_C0G(NP0)_pF_2_01005_±0.1pF_50V_V2R0B0105C0G500NZT_VIIYONG	1	L2311	VIIYONG
331	240300003R54	Inductor_High frequency inductor_8.2 nH_±3%_01005_6600 MHz_10_LQP02TQ8N2H02D_Murata	2	C1650,L2337	Murata
332	240100002F93	Inductor_Power inductor_2016_1.0 mm_1.0 uH_42 mΩ_46 mΩ_4.0 A_3.4 A_4.9 A_4.6 A_Bottom Type Terminal_±20%_MWTC201610S1R0MT_Sunlord	3	L5602,L6001,L6007	Sunlord
333	24030000C693	Inductor_High frequency inductor_47 nH_±3%_0201_1300 MHz_HQ0603Q47NHT01_Sunlord	1	A0157	Sunlord
334	240300000254	Inductor_High frequency inductor_3.3 nH_±0.1nH_01005_10000 MHz_10_LQP02TQ3N3B02D_Murata	1	L2561	Murata
335	240300003O54	Inductor_High frequency inductor_6.2 nH_±3%_01005_7200 MHz_10_LQP02TQ6N2H02D_Murata	1	L2557	Murata
336	240300002193	Inductor_High frequency inductor_7.5 nH_±3%_01005_6600 MHz_11_HQ0402H7N5HT01_Sunlord	2	C1654,C1733	Sunlord
337	22DM1AC2250A	GRM033R61A225ME47D_Murata	6	C0910,C0911,C0912,C0936,C0943,C0944	Murata
338	20F2210010D6	Filter_SAW_BAW_FBAR Filter_1.1*0.9_Single-Filter_1930-1990MHz_15 dBm_HDFB02ARSS-B5_Shoulder	1	FL1104	Shoulder
339	1220102000069B	Capacitor_General-MLCC_01005_C0G(NP0)_pF_0.2_01005_±0.05pF_50V_V0R2A0105C0G500NZT_VIIYONG	4	C1902,C1914,C1924,C2535	VIIYONG
340	23C0000MA025	Resistor_General resistor_0603_0.55 mm_0 ohm_±5%_1/10W_75V_NA_0603WAJ0000T5E_Uniohm	1	R2723	Uniohm
341	253100000P48	RF Amplifier_LNA Module_1.45 to 2.7GHz_GPIO_SiGe process_high gain, low noise amplifier (LNA)_MXD8921HGW_Maxscend	1	U0502	Maxscend
342	1060203000033A	RF-Wireless-Communication-IC_RF-Connectivity-Communication-IC_NFC-IC_eSIM SE_0.53 mm_3.455*3.06_CMOS40_SN220UUK/B15VH0_NXP	1	U2200	NXP
343	1160201000295C	Power_LDO_Single-channel-LDO_1.8_300_0.4 mm_1*1_280_70_1 uA_1.7-5.5_ET51818YB_Etek	2	U6006,U6007	Etek
344	200400001AA8	Filter_LTCC Filter_BPF_5150-7125MHz_35 dBm_RFBPF1606K417M2C_Walsin	2	FL2504,FL2505	Walsin

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
345	1050301000040A	RF-RX-Module_Cellular-Rx-Module_DiFEM-Module_B3/7/40/41/66_0.615 mm_2.2mm*1.9mm_O1_MXD9862AA_MAXSCEND(JS)	1	U1102	Maxscend
346	1020101000056A	RF-Switch_Common-Switch_Single-Pole-Muti-Through-Switch_RF Switch_RF General Purpose Switch_SPDT_1.8 V_GPIO_39 dBm_MXD8625EC_Maxscend_0.4 mm_1.8 V_SPDT_1.1*0.7_GPIO_0.4 to 6.0GHz_39 dBm_1.3us_MXD8625EC_Maxscend	1	S0800	Maxscend
347	240300001X93	Inductor_High frequency inductor_4.7 nH_±3%_01005_8500 MHz_11_HQ0402H4N7HT01_Sunlord	3	C1136,C1719,C1739	Sunlord
348	1070101000017A	RF-Power-Management-IC_PA-PMIC_RF-Power-Management-IC_PA-PMIC_2.435*2.035_APT boost/APT buck_0.6 mm_2.435*2.035mm_APT Buck,APT Boost_0.6 mm_PA-PMIC_2.435*2.035_APT boost/APT buck_0.6 mm_MT6399_MTK	2	U0900,U0901	MTK
349	240300002693	Inductor_High frequency inductor_12 nH_±3%_01005_3500 MHz_11_HQ0402H12NHT01_Sunlord	1	C2335	Sunlord
350	1220103000472B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.50_0201_pF_V0R5A0201C0G500NAT_VIIYONG	2	A0163,A0269	VIIYONG
351	22DJ1HA2700A	Capacitor_General capacitor_0201_27_pF_50V_±5%_COG_GRM0335C1H270JA01D_Murata	3	A0108,A0166,A0208	Murata
352	24D07N5MF0T1	Inductor_High frequency inductor_7.5 nH_±3%_0201_3700 MHz_14_LQP03TN7N5H02_Murata	1	C2332	Murata
353	1230102000293B	Resistor_General-Resistor_0201_0.26 mm_25V_2.2_Kohm_0201_±5%_1/20W_±200_RC-01W222JT_Fenghua	2	A0284,A0285	Fenghua
354	1220103000509A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_33_0201_pF_C0201C0G330J500NTA_EYANG	2	A0150,EM7110	EYANG
355	1180402000036A	Logic_Logic_Level-shifter_0.6 mm_3_1.9*1.5_1.65-3.6V_1.08-1.95V_DIO74557SLP10_DIOO	2	U6102,U6103	DIOO
356	240300008793	Inductor_High frequency inductor_2 nH_±0.1nH_0201_9000 MHz_20_HQ0603Q2N0BT01_Sunlord	1	A0159	Sunlord
357	22AK0J474027	Capacitor_General capacitor_0201_0.35	1	C2210	VIIYONG

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		mm_0.47_uF_6.3V_±10%_X5R_V47 4K0201X5R6R3NJT_VIIYONG			
358	22DM0JC2249Q	V224M0201X5R6R3NJT_VIIYONG	12	C2214,C2215,C2218, C2219,C2220,C2244, C2402,C2403,C3400, C3401,C5114,C7021	VIIYONG
359	24TB103N6093	Inductor_High frequency inductor_3.6 nH_±0.1nH_0201_7700 MHz_13_SDCL0603Q3N6BT02B03_ Sunlord	2	C0588,C1713	Sunlord
360	1160202000005A	Power_LDO_Multi-Channel-LDO_0.496~3.544_0.51 mm_1.52*1.85_30 uA_90db_1~2V, 1.9v~5.5V_80mV_ET5907MV_Etek	1	U7005	Etek
361	1200201000011D	Audio_Audio-PA_Smart-PA_5.2W @8Ω load, 1% THD+N_0.02%_0.61 mm_10.25 V_2.5*2.5_84%_SIA9187WR1N_10u V_SIA9187WR1N_SI	2	U6002,U6003	SI
362	1612106000576A	Mobile-ME_Die-Cut_Copper-Foil_04-CPU-SHIELDING-CU_O12U_Wave-Absorbing_O12U_JINBOEN	1		JINBOEN
363	24TH1022N093	Inductor_High frequency inductor_22 nH_±3%_0201_2200 MHz_13_SDCL0603Q22NHT02B03_ Sunlord	4	C1607,C1700,C1706, C1711	Sunlord
364	22DM1AC2249R	Capacitor_General capacitor_0201_0.35 mm_0.22_uF_10V_±20%_X5R_V224 M0201X5R100NJT_VIIYONG	1	C1931	VIIYONG
365	240300007V93	Inductor_High frequency inductor_1.6 nH_±0.1nH_0201_10000 MHz_HQ0603Q1N6BT01_Sunlord	1	A0283	Sunlord
366	20A000010600	Filter_SAW_BAW_FBAR Filter_1109_Single-Filter_GPS Rx_13 dBm_SAFFB1G56KB0F0AR15_Mura ta	1	FL2300	Murata
367	21AB00002060	Diode_Schottky Diode_0.62*1.02_0.5 mm_70 V_7.E1 mA_0.41@1mA_10uA@70V_BAS70 L_NXP	1	DS7101	Nexperia
368	24TB10N80093	Inductor_High frequency inductor_0.8 nH_±0.1nH_0201_18000 MHz_13_SDCL0603Q0N8BT02B03_ Sunlord	1	C0591	Sunlord
369	1220103000197A	Capacitor_General-MLCC_0201_X5R_6.3V_±20%_1_02 01_uF_V105M0201X5R6R3NJT_VIIY ONG	47	C2201,C2257,C2602, C2608,C2611,C2617, C2618,C2625,C2633, C2636,C2642,C2643, C2713,C3736,C3737, C3764,C3942,C4200, C4500,C5100,C5200, C5201,C5205,C5206, C5207,C5208,C5209, C5300,C5401,C5404, C5405,C5407,C5610, C5626,C6000,C6014, C6026,C6032,C6044,	VIIYONG

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
				C6045,C6046,C6047, C7042,C7113,R2576, R2580,R2583	
370	1220104000207A	Capacitor_General-MLCC_0402_X5R_0402_10V_±20%_0.65 mm_uF_4.7_GRM155R61A475MEAA_Murata	2	C1405,C1423	Murata
371	1050302000044A	RF-RX-Module_Cellular-Rx-Module_LFEM-Module_N77/N78_Diversity_Rx_Module_VC3726-31M_Vanchip_N77/N78_2628_0.804 mm_VC3726-31M_Vanchip	1	U2001	Vanchip
372	220100002N27	Capacitor_General capacitor_0201_0.33 mm_1_nF_50V_±10%_X7R_V102K0201X7R500NAT_VIIYONG	4	C5115,C5117,C5118, EM5101	VIIYONG
373	1220301000008C	Capacitor_3-Terminal-Capacitor_X5R_4.3_4V_0402_uF_0.5 mm_±20%_F435M0402X5R4R0NST_viiyong	4	C3710,C3711,C3712, C5617	viiyong
374	1150203000020A	Sensor_Inertial_Gyroscope-Accelerometer_I3C/SPI/I2C_SPI_0.86 mm_2.5mm*3mm_YES_±125/±250/±500/±1000/±2000/±4000 dps full scale_±2g/±4/±8/±16 g full scale_0.0028 dps/sqrtHz_±1 dps_±0.3%_±12 mg_VDD：1.71V~3.6V VDDIO：1.08V~3.6V_± 0.3%_60 µg/sqrtHz_LSM6DSVQTR_ST	1	U6101	ST
375	1220102000171A	Capacitor_General-MLCC_01005_X7R_nF_1_01005_10%_16V_0.22 mm_GRM022R71C102KE14D_Murata	1	C2303	Murata
376	1220104000040C	Capacitor_General-MLCC_0402_X5R_0402_6.3V_±20%_0.65 mm_uF_4.7_V475M0402X5R6R3N6T_VIIYONG	17	A0270,C2644,C2702, C2711,C2712,C2714, C2718,C2721,C2722, C2728,C3724,C3725, C4323,C7007,C7013, C7015,C7043	VIIYONG
377	1010201000429A	RF-Filter_SAW/BAW/FBAR_Single-end/Multi-end-Filter_1109_4G_729-756 MHz_Single-Filter_0.55 mm_15 dBm_SAW_HDFB1213RSS-B5+Shoulder(好达)_SHOULDER	1	FL0508	SHOULDER
378	1160101000072B	Power_DC-DC_Buck_1.4*1_0.6 mm_2A_0.6~6_2100K_2_2.5-5.5_95_WD10721V-6/TR_Will	1	U5601	Will
379	220100004YHZ	Capacitor_General capacitor_0201_0.35 mm_100_nF_25V_±20%_X5R_C0201X5R104M250NTJ_EYANG	1	C0530	EYANG

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
380	1220102000054A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_3.9_01005_±0.25pF_50V_C0105C0G3R9C500NTZ_EYANG	1	C2343	EYANG
381	22BKYAC1049A	V104K0201X5R100NAT_VIIYONG	6	C2212,C2213,C2245,C2253,C7114,C7116	VIIYONG
382	1220103000852C	Capacitor_General-MLCC_0201_0.33mm_X7R_50V_±10%_1.5_0201_nF_C0201X7R152K500NTA_EYANG	1	A0176	EYANG
383	240300004554	Inductor_High frequency inductor_22nH_±3%_01005_2300MHz_10_LQP02TQ22NH02D_Murata	1	R2511	Murata
384	1160304000005B	Power_Driver_Vibrator-Driver_600_3~5.5_10.5V_3.0*2.0_0.6mm_0x68_SIH6887FR_SI	1	U6001	SI
385	24D05N1MF0A1	Inductor_High frequency inductor_5.1nH_±3%_0201_4200MHz_14_LQP03TN5N1H02_Murata	1	C1901	Murata
386	2753000004PA	Sensor_magnetometer_0.8*0.8mm_0.57 mm_1000_LSB/G_+/-30_QMC6308_QST	1	U6201	QST
387	240300003S54	Inductor_High frequency inductor_9.1nH_±3%_01005_5900MHz_10_LQP02TQ9N1H02D_Murata	1	L2301	Murata
388	1230102000327A	Resistor_General-Resistor_0201_0.26mm_25V_1_Mohm_0201_±5%_1/20W_±200_RC-01W105JT_Fenghua	2	R3436,R3437	Fenghua
389	240100000S17	Inductor_Power inductor_2016_1mm_1 uH_50 mΩ_58 mΩ_3.9 A_3.5 A_4.7 A_4.5 A_L Type Terminal_±20%_BDDL002016101R0MCD_Chilisin	1	L6002	Chilisin
390	200100005N54	Filter_SAW_BAW_FBAR Filter_1.1*0.9_Single-Filter_1176.45MHz_13 dBm_SAFFB1G20AA0F0A_Murata	1	FL2313	Murata
391	1220104000159A	Capacitor_General-MLCC_0402_X7R_0402_50V_±10%_nF_10_V103K0402X7R500NBT_VIIYONG1	2	C7112,C7118	viiyong
392	200100005KF2	Filter_SAW_BAW_FBAR Filter_1.1*0.9_Single-Filter_B32/N75_15 dBm_B32 /75Rx SAW_B39142B7514P810_RF360	1	FL0501	RF360
393	22CM0JC2260P	GRM155R60J226ME11D_Murata	9	C0903,C0907,C0934,C0941,C1404,C1421,C2708,C2709,C2710	Murata
394	40110000036N	XM-217-XC-186-SP_Xinchuang	3	J0200,J0213,J5901	Xinchuang
395	1611104002213A	Mobile-ME_Metal-Fittings_Shielding-Can_WIFI-55G-SHIELDING-ASSY_O12U_Folding_O12U_XINCHUANG	1	SH7315	XINCHUANG
396	1220103000606A	Capacitor_General-MLCC_0201_0.33mm_X5R_6.3V_±10%_100_0201_nF_C0201X5R104K6R3NTA_EYANG	49	C1400,C1401,C1402,C1408,C1409,C1410,C1411,C1412,C1413,C1414,C1415,C1416,	EYANG

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
				C1417,C1418,C1419, C1420,C1428,C1429, C1430,C1431,C3901, C3904,C3906,C3908, C3933,C3935,C3936, C3938,C3941,C3943, C3947,C3948,C3951, C3954,C3958,C3962, C3963,C3964,C3996, C6002,C6036,C6038, C6101,C6102,C6103, C6104,C6105,C6106, C6705	
397	1220103002026C	Capacitor_General-MLCC_0201_0.33 mm_COG_50V_±2%_100_0201_pF_ C0201C0G101G500NTA_EYANG	1	A0171	EYANG
398	240300001V93	Inductor_High frequency inductor_4.3 nH_±3%_01005_9000 MHz_11_HQ0402H4N3HT01_Sunlor d	2	C1709,C1738	Sunlord
399	1220103000638A	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_100_0201 _pF_C0201C0G101J500NTA_EYAN G	11	C0510,C1118,C1926, C1927,C1932,C2015, C2017,C2258,EM600 5,EM6006,EM6720	EYANG
400	276100001R30	Memory ICs_DDR_LPDDR5X_12 GB_0.71 mm_1a_4266 MHz_H58GG6AK8HX094_Hynix	1	U0000	Hynix
401	240300001Y93	Inductor_High frequency inductor_5.6 nH_±3%_01005_7800 MHz_11_HQ0402H5N6HT01_Sunlor d	2	C1649,L0524	Sunlord
402	24TH1015N093	Inductor_High frequency inductor_15 nH_±3%_0201_2600 MHz_13_SDCL0603Q15NHT02B03_ Sunlord	1	C1727	Sunlord
403	220100002Q27	Capacitor_General capacitor_0201_0.33 mm_100_nF_16V_±10%_X5R_V104 K0201X5R160NAT_VIIYONG	20	C2605,C2606,C2607, C2609,C2610,C2615, C2622,C2623,C2627, C2629,C2630,C2634, C2637,C2638,C2639, C2641,C2646,C6005, C6010,L2520	VIIYONG
404	1611203000133A	Mobile-ME_Rubber-Part_Protection_CPU-SHIELDING 硅胶垫 5 04-CPU-SHIELDING-PAD5_O12U_O12U_GWN	1		GWN
405	240400001654	Inductor_Wire wound inductor_34 nH_±5%_0402_2500 MHz_8.5_LQW15CN34NJ10D_Murat a	4	A6001,A6002,EM600 8,EM6009	Murata
406	24D06N2LF0E1	Inductor_High frequency inductor_6.2 nH_±3%_0201_4000 MHz_14_LQP03TN6N2H02_Murata	1	C1722	Murata
407	240300003D54	Inductor_High frequency inductor_3.6 nH_±0.1nH_01005_9700 MHz_10_LQP02TQ3N6B02D_Murata	1	L2556	Murata

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
408	25B0182P2000	Inductor_Bead_0402_0.55 mm_1800 Ω_2700 Ω_2.2 Ω_200_BLM15HD182SN1D_Murata	2	L5200,L5201	Murata
409	24TH1010N093	Inductor_High frequency inductor_10 nH_±3%_0201_3800 MHz_13_SDCL0603Q10NHT02B03_ Sunlord	1	L2506	Sunlord
410	24D05N6TF0P1	Inductor_High frequency inductor_5.6 nH_±3%_0201_4000 MHz_14_LQP03TN5N6H02_Murata	2	C2327,L0302	Murata
411	240300001Z93	Inductor_High frequency inductor_6.2 nH_±3%_01005_7200 MHz_11_HQ0402H6N2HT01_Sunlor d	1	C1646	Sunlord
412	220100001L54	Capacitor_General capacitor_01005_0.22 mm_2.4_pF_50V_±0.1pF_C0G(NP0) _GRM0225C1H2R4BA03D_Murata	1	C1110	Murata
413	1220103000474A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05p F_0.70_0201_pF_V0R7A0201C0G50 0NAT_VIIYONG	4	A0212,A0224,C0589, C1645	VIIYONG
414	1230102000222A	Resistor_General-Resistor_0201_0.26 mm_25V_18_ohm_0201_±5%_1/20 W_200_RC-01W180JT_Fenghua	2	R3400,R3411	Fenghua
415	12701A1000210A	Platform_Processor&MCU_SoC_DX-4P_MT6991Z/TCZB_3nm_0.65mm_1 4.0 x 15.6mm_95℃_DX-4P_MT6991Z/TCZB_MTK	1	U3100	MTK
416	40100000064H	Connector_others_连排弹片 _1.45mm_4_C5240-SH，PA9T_PAN12-04093-1001_LCN	1	J6100	LCN
417	1010201000543A	RF-Filter_SAW/BAW/FBAR_Single-end/Multi-end-Filter_SAFFB2G45MA0F0A_1109_Wi Fi_ISM2.4G_Single-Filter_0.5 mm_25 dBm_SAW_SAFFB2G45MA0F0A_M urata	1	FL2503	Murata
418	24TH106N8093	Inductor_High frequency inductor_6.8 nH_±3%_0201_5500 MHz_13_SDCL0603Q6N8HT02B03_ Sunlord	1	C1728	Sunlord
419	23D60R4KNB02	Resistor_General resistor_0201_0.3 mm_60.4 Kohm_±1%_1/20W_25V_200_RC020 1FR-0760K4L_YAGEO	1	R5112	YAGEO
420	1230103000071B	Resistor_General-Resistor_0402_0.4 mm_33_Kohm_1%_1/16_50_0402_± 200_RC-02W3302FT_Fenghua	1	R7104	Fenghua
421	1220103000512A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_5 6_0201_pF_C0201C0G560J500NTA _EYANG	2	EM3224,EM3226	EYANG
422	1240501000036B	Inductor_Other-Inductor_SC8585 use_100_0603_±10%_1.0 mm_1 A_100	1	L5900	SUNLORD

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		mΩ_MWSD1608FR10KTM01_SUNLORD			
423	1010201000784A	RF-Filter_SAW/BAW/FBAR_Single-end/Multi-end-Filter_Band71_Single-Filter_10dBm_NDFH131-0634SA_HUAYING_1109_4G,5G_Band71_Single-Filter_0.65 mm_10 dBm_SAW_NDFH131-0634SA_HUAYING	1	FL0502	HUAYING
424	240400000K54	Inductor_Wire wound inductor_77 nH_±5%_0402_2000 MHz_12.5_LQW15CN77NJ10D_Murata	2	A0193,A0194	Murata
425	1220106000002B	Capacitor_General-MLCC_0704_±20%_16V_0704_22_uF_X5R_V226M0704X5R160NUT_viiyong	9	C5956,C5957,C5960,C5961,C5964,C5965,C5968,C5969,C6041	viiyong
426	1220103000554A	Capacitor_General-MLCC_0201_X5R_16V_±10%_47_0201_nF_V473K0201X5R160NAT_VIIYONG	2	C2603,C2604	VIIYONG
427	1220103000643A	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_150_0201_pF_C0201C0G151J500NTA_EYANG	3	EM5102,EM7105,EM7109	EYANG
428	401100001Z6N	XM-217-XC-205-SP_Xinchuang	20	J0106,J0110,J0111,J0125,J0127,J0128,J0130,J0136,J0139,J0140,J0145,J0202,J0203,J0204,J0205,J0211,J0217,J0218,J0219,J0230	Xinchuang
429	24D01N5LB0C1	Inductor_High frequency inductor_1.5 nH_±0.1nH_0201_15000 MHz_14_LQP03TN1N5B02D_Murata	1	L2332	Murata
430	1240103000010D	Inductor_Power-Inductor_2012_±20%_0.47_0.8 mm_2012_4.8 A_4.0 A_4.4 A_5.3 A_20 mΩ_Bottom Type Terminal_25 mΩ_MWTC201208SR47MTY02_SUNLORD	1	L2704	SUNLORD
431	20A0000106D6	Filter_SAW_BAW_FBAR Filter_1109_Single-Filter_GPS+GLONASS+COMPASS_15 dBm_HDF1588E-B5_Shoulder	1	FL2302	Shoulder
432	22DM0JC2250A	Capacitor_General capacitor_0201_0.39 mm_2.2000000000000_uF_6.3V_±20%_X5R_GRM033R60J225ME47_Murata	6	C1422,C2404,C2626,C2719,R2570,R2573	Murata
433	401100004B6N	XM-217-XC-227-SP_Xinchuang	5	J0201,J0206,J0207,J0210,J0212	Xinchuang
434	1612106000578A	Mobile-ME_Die-Cut_Copper-Foil_04-SC-SHIELDING-CU_O12U_Wave-Absorbing_O12U_JINBOEN	1		JINBOEN
435	22DJ1HA6800A	Capacitor_General capacitor_0201_68_pF_50V_±5%_C	1	A0143	Murata

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		OG_GRM0335C1H680JA01D_Murata			
436	1220103000507B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±5%_22_0201_pF_C0201C0G220J500NTA_EYANG	3	C2601,C2631,C5606	EYANG
437	1110301000041C	Memory_FLASH_UFS_UFS4.0_153 ball_0.8 mm_13*9_256 GB_512Gb*4_Viking_4100 MB/s_3700 MB/s_S232_TLC_0.8 mm_HN8T171EJKX151_HYNIX	1	U5600	HYNIX
438	1230102000288A	Resistor_General-Resistor_0201_0.26 mm_25V_1_Kohm_0201_±5%_1/20 W_200_RC-01W102JT_Fenghua	6	A0196,A0222,A0262, R6401,R7008,R7189	Fenghua
439	24TH1018N093	Inductor_High frequency inductor_18 nH_±3%_0201_2300 MHz_13_SDCL0603Q18NHT02B03_Sunlord	3	C0502,C0514,C1605	Sunlord
440	240300002M54	Inductor_High frequency inductor_0.8 nH_±0.1nH_01005_16600 MHz_10_LQP02TQ0N8B02D_Murata	3	C1945,C1948,R2507	Murata
441	1220103002032C	Capacitor_General-MLCC_0201_0.33 mm_C0G_25V_±2%_680_0201_pF_C0201C0G681G250NTA_EYANG	1	A0182	EYANG
442	1612106000577A	Mobile-ME_Die-Cut_Copper-Foil_04-MT-SHIELDING-CU_O12U_Wave-Absorbing_O12U_JINBOEN	1		JINBOEN
443	240300001493	Inductor_High frequency inductor_1.6 nH_±0.1nH_01005_15000 MHz_11_HQ0402H1N6BT01_Sunlord	1	C1112	Sunlord
444	24D02N4LB0B1	Inductor_High frequency inductor_2.4 nH_±0.1nH_0201_10000 MHz_14_LQP03TN2N4B02_Murata	1	C1103	Murata
445	1230102000299B	Resistor_General-Resistor_0201_0.26 mm_25V_10_Kohm_0201_±5%_1/20 W_±200_RC-01W103JT_Fenghua	4	R2206,R2207,R2407, R7110	Fenghua
446	1220102000032A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_10_01005_±5%_50V_C0105C0G100J500NTZ_EYANG	2	C2523,C2528	EYANG
447	240300002R54	Inductor_High frequency inductor_1.3 nH_±0.1nH_01005_15000 MHz_10_LQP02TQ1N3B02D_Murata	1	C1908	Murata
448	24D00R1TG2P1	Inductor_High frequency inductor_100 nH_±5%_0201_900 MHz_8_LQP03TNR10J02_Murata	4	A6100,A6101,A6102, A6103	Murata
449	24TB102N2093	Inductor_High frequency inductor_2.2 nH_±0.1nH_0201_11000 MHz_13_SDCL0603Q2N2BT02B03_Sunlord	1	C0525	Sunlord
450	22DB1HK1R20A	Capacitor_General capacitor_0201_0.33 mm_1.2_pF_50V_±0.1pF_C0G(NP0)_GRM0335C1H1R2BA01_Murata	3	C1928,C1929,C1952	Murata

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
451	1612106000575A	Mobile-ME_Die-Cut_Copper-Foil_04-RF-SHIELDING_CU_O12U_Wave-Absorbing_O12U_JINBOEN	1		JINBOEN
452	1230102000206A	Resistor_General-Resistor_0201_0.26 mm_25V_40.2_Kohm_0201_±1%_1/20W_200_RC-01W4022FT_Fenghua	1	R5608	Fenghua
453	1220102000012A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_7.5_01005_±0.25pF_50V_C0105C0G7R5C500NTZ_EYANG	2	C2337,C2338	EYANG
454	1220102000018A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_22_01005_±5%_50V_C0105C0G220J500NTZ_EYANG	2	L2550,L2551	EYANG
455	1351P2404P2A1A	PCB_Rigid-PCB_Bare-Rigid-PCB_主板 _P2A_262Plus_O12U_COMPEQ(HZ)	1		COMPEQ(HZ)
456	24D039NTG2P1	Inductor_High frequency inductor_39 nH_±5%_0201_1500 MHz_9_LQP03TN39NJ02_Murata	1	C1708	Murata
457	1010201000618A	RF-Filter_SAW/BAW/FBAR_Single-end/Multi-end-Filter_B32/75/75 RX SAW_1109_5G,4G_1427—1517MHz_Single-Filter_0.65 mm_O1_15 dBm_SAW_NDFH118-1472SA_HUAYING	1	FL1009	HUAYING
458	22010000YP27	Capacitor_General capacitor_0402_0.55 mm_6.8_nF_50V_±10%_X7R_M2 low-ind pre-RD_V682K0402X7R500NBT_VIIYONG	1	C7101	VIIYONG
459	1230102000132A	Resistor_General-Resistor_0201_0.26 mm_25V_200_ohm_0201_±1%_1/20W_200_RC-01W2000FT_Fenghua	2	R5203,R5204	Fenghua
460	24PM181R0021	Inductor_Power inductor_2016_1.0 mm_1 uH_27 mΩ_36. mΩ_4.8 A_4.3 A_4.8 A_4.2 A_Bottom Type Terminal_±20%_HTQH20161T-1R0MSR_Cyntec	2	L0900,L0931	Cyntec
461	230100000TA6	Resistor_General resistor_0201_0.26 mm_470 Kohm_±1%_1/20W_25V_NA_0201WMF4703TEE_Uniohm	1	R2720	Uniohm
462	253300000B48	RF Amplifier_Single LNA_1160-1300MHz;1550-1615MHz_GPIO_MXDLN14TA_Maxscend	1	U2300	Maxscend
463	1220104000064A	Capacitor_General-MLCC_0402_X5R_0402_10V_±20%_uF_4.7_V475M0402X5R100N6T_VIIYONG	8	C2211,C2725,C5204,C5903,C7115,R2560,R2562,R2568	VIIYONG
464	1270306000014A	Platform_PMIC_SUB-PMIC_MTK_MT6379P_Charger_0.54 mm_5.360 x	1	U5100	MTK

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		4.664mm_MT6991Z_MTK_MT6379P/A_Charger_MT6379P/A_MTK			
465	1240401000034A	Inductor_Bead_200 Ω_30 Ω_0603_59 mΩ_2.3 A_MZAH1608G201-2R3TFA01_SUNLORD	2	EM6000,EM6001	SUNLORD
466	1220103000411B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF_2.0_0201_pF_C0201C0G2R0B500NTA_EYANG	2	A0158,C5263	EYANG
467	1210302000040B	Transistor_MOSFET_Signal-MOS_0.5 mm_10_1*0.6_20 V_0.8 A_N_PMZ600UNE_NEXPERIA	3	Q6301,Q6302,Q7196	Nexperia
468	1611104001620C	Mobile-ME_Metal-Fittings_Shielding-Can_SAR-SHIELDING_N12_Folding_N12_XINCHUANG	1	SH7306	XINCHUANG
469	1612204000166A	Mobile-ME_Thermal-Part_PAD_04-RF-SHIELDING_PAD_O12U_O12U_Zhongdi	1		Zhongdi
470	240300001R93	Inductor_High frequency inductor_3.9 nH_±0.1nH_01005_9700 MHz_11_HQ0402H3N9BT01_Sunlord	3	C0590,C1104,C1736	Sunlord
471	1240103000006A	Inductor_Power-Inductor_2012_±20%_1.0_2012_3.3 A_3.2 A_3.5 A_3.5 A_46 mΩ_Bottom Type Terminal_50 mΩ_MWTC201208S1R0MTD01_Sunlord	2	L2702,L2703	Sunlord
472	24D02R7TB0Q1	Inductor_High frequency inductor_2.7 nH_±0.1nH_0201_10000 MHz_14_LQP03TN2N7B02D_Murata	2	L2571,L2572	Murata
473	1210401000180C	Transistor_Protection_TVS_1.65*1.05*0.60_0.60 mm_6.3V_8.5 V_1.6*1.0*0.60_140 A_1190 W_600 pF_0.60 mm_6.3 V_PTVS6V3Z1UPC_Nexperia	1	CR6303	Nexperia
474	230100000OB3	Resistor_General resistor_0805_0.6 mm_200 ohm_±5%_1/2W_150V_100_SR0805JR-47200RL_YAGEO	1	R7109	YAGEO
475	1611104002202A	Mobile-ME_Metal-Fittings_Shielding-Can_RF-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH7312	XINCHUANG
476	1230102000232A	Resistor_General-Resistor_0201_0.26 mm_25V_22_ohm_0201_±5%_1/20 W_200_RC-01W220JT_Fenghua	1	R6203	Fenghua
477	240300003654	Inductor_High frequency inductor_2.8 nH_±0.1nH_01005_10000 MHz_10_LQP02TQ2N8B02D_Murata	2	C0832,C2530	Murata
478	1611104002215A	Mobile-ME_Metal-Fittings_Shielding-Can_MT-SHIELDING-ASSY_O12U_Folding_O12U_XINCHUANG	1	SH7316	XINCHUANG

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
479	1230102000107B	Resistor_General-Resistor_0201_47_ohm_0201_±1%_1/20_200_RC-01W47R0FT_Fenghua	4	R3404,R3405,R3406,R3407	Fenghua
480	24D012NMF0T1	Inductor_High frequency inductor_12 nH_±3%_0201_2900 MHz_12_LQP03TN12NH02_Murata	1	C1011	Murata
481	23D0010NA002	Resistor_General resistor_0201_0.3 mm_10 ohm_±5%_1/20W_25V_-100/350_RC0201JR-0710RL_YAGEO	2	R5303,R5903	YAGEO
482	1220105000068B	Capacitor_General-MLCC_0603_uF_10_±20%_X5R_1 mm_35V_0603_V106M0603X5R350 NKT_viiyong	12	C5105,C5900,C5901,C7123,C7124,C7125,C7126,C7127,C7129,C7134,C7135,C7137	viiyong
483	1230102000234A	Resistor_General-Resistor_0201_0.26 mm_25V_130_Kohm_0201_±1%_1/20W_200_RC-01W1303FT_Fenghua	1	R5613	Fenghua
484	1230102000115A	Resistor_General-Resistor_0201_0.26 mm_25V_22_ohm_0201_±1%_1/20W_±200_RC-01W22R0FT_Fenghua	2	R3412,R3413	Fenghua
485	1611104002209A	Mobile-ME_Metal-Fittings_Shielding-Can_SUPPORT-COVER2_O12U_Folding_O12U_XINCHUANG	1	K7301	XINCHUANG
486	24TB103N0093	Inductor_High frequency inductor_3 nH_±0.1nH_0201_9500 MHz_13_SDCL0603Q3N0BT02B03_Sunlord	3	C0509,C1108,C1601	Sunlord
487	1220104000060A	Capacitor_General-MLCC_0402_X7R_0402_50V_±10%_nF_100_V104K0402X7R500NBT_VIIYONG	12	C7102,C7103,C7104,C7105,C7108,C7109,C7119,C7120,C7121,C7122,C7128,C7136	VIIYONG
488	24TH108N2093	Inductor_High frequency inductor_8.2 nH_±3%_0201_4300 MHz_13_SDCL0603Q8N2HT02B03_Sunlord	1	C2333	Sunlord
489	1220105000065A	Capacitor_General-MLCC_0603_uF_22_±20%_X5R_1 mm_6.3V_0603_V226M0603X5R6R3 NKT_viiyong	3	C5607,C5623,C5624	viiyong
490	1160201000181A	Power_LDO_Single-channel-LDO_0.5-3.3_1.5A_0.34 mm_0.89*1.36_50mV_70db_30 uA_0.7-5_WL28341CA-6/TR_Will	1	U7009	Will
491	1160402000066A	Power_Charger - Management-(Discrete)_Charge-pump- charger_有线/无线_0.575 mm_3.44*4.5_17 mΩ_21V_12 A_5V_97_SC8585CFFR_southchip	1	U5900	Southchip
492	24D010NMF0A1	Inductor_High frequency inductor_10 nH_±3%_0201_3200 MHz_14_LQP03TN10NH02_Murata	1	L2321	Murata
493	22DB1HK5R00A	Capacitor_General capacitor_0201_0.33	1	A0146	Murata

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		mm_5.0_pF_50V_±0.1pF_C0G(NP0)_GRM0335C1H5R0BA01_Murata			
494	24TH107N5093	Inductor_High frequency inductor_7.5 nH_±3%_0201_4700 MHz_13_SDCL0603Q7N5HT02B03_Sunlord	2	C1644,C1725	Sunlord
495	240300002L54	Inductor_High frequency inductor_0.7 nH_±0.1nH_01005_16600 MHz_10_LQP02TQ0N7B02D_Murata	2	C1900,L2573	Murata
496	1040103000200A	RFFE-Tx/Rx-Module_PA-Module_Constant Voltage_0.65 mm_Yes_5G,WiFi_No_2.0mm*2.0mm_5.0G-7.2GHz_Yes_No_N12_qm45655_Qorvo	2	U2501,U2504	Qorvo
497	1220104000195B	Capacitor_General-MLCC_0402_X5R_0402_10V_±10%_0.55 mm_uF_2.2_V225K0402X5R100NBT_VIIYONG	1	C5112	viiyong
498	1160403000014B	Power_Charger - Management-(Discrete)_Linear-charger_3.1X4.0_0.59 mm_4 A_无线RX_4-22_20_SC96281CFFR_Southchip	1	U7100	Southchip
499	1230301000026C	Resistor_NTC-Thermistor_0.35 mm_-40~125°C_1%_1%_4250_100_Kohm_0201_50°C、25_SDNT0603C104F4250FTF_SUNLORD	5	RT3201,RT3203,RT3205,RT5900,RT7100	SUNLORD
500	277700000P7W	Platform_WIFI/BT/FM_55_MT6686_MTK	1	U2302	MTK
501	1180302000010A	Logic_Logic-Switch_Toggle-switch_2.7~5.5_0.51 mm_USB2.0-DPDT_GPIO_1.55*1.15_J15S_For USB D+/D- Hi-Speed or SBU1/2 signals_KTU1001AEVA-TR_Kinetic	1	U6000	Kinetic
502	240300001O93	Inductor_High frequency inductor_3.6 nH_±0.1nH_01005_9700 MHz_11_HQ0402H3N6BT01_Sunlord	1	C1648	Sunlord
503	1611203000134A	Mobile-ME_Rubber-Part_Protection_MT-SHIELDING 硅胶垫 04-MT-SHIELDING-PAD2_O12U_O12U_GWN	1		GWN
504	1230102000136A	Resistor_General-Resistor_0201_0.26 mm_25V_0_ohm_0201_±5%_1/20W_200_RC-01000JT_Fenghua	30	A0103,A0104,A0107,A0115,A0137,A0198,A0209,A0213,A0215,A0216,A0228,A0230,A0271,A0297,EM3221,EM3222,R1901,R2231,R2308,R2313,R2588,R2601,R2602,R2603,R2709,R2717,R2718,R3414,R3415,R6064	Fenghua

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
505	1220105000067B	Capacitor_General-MLCC_0603_uF_22_±20%_X5R_1 mm_10V_0603_V226M0603X5R100 NKT_viiyong	10	C5950,C5951,C5953, C5954,C5966,C5967, C5970,C5971,C5972, C5973	viiyong
506	240300000893	Inductor_High frequency inductor_5.1 nH_±3%_0201_5900 MHz_13_SDCL0603Q5N1HT02B03_ Sunlord	1	C1715	Sunlord
507	1230102000242A	Resistor_General-Resistor_0201_0.26 mm_25V_24_ohm_0201_±5%_1/20 W_±200_RC-01W240JT_Fenghua	2	R5201,R5202	Fenghua
508	240300000693	Inductor_High frequency inductor_4.3 nH_±3%_0201_6800 MHz_13_SDCL0603Q4N3HT02B03_ Sunlord	1	C0596	Sunlord
509	240300003V54	Inductor_High frequency inductor_12 nH_±3%_01005_3500 MHz_10_LQP02TQ12NH02D_Murata	2	L0509,L0515	Murata
510	22010000N627	Capacitor_General capacitor_0201_0.35 mm_220_nF_16V_±20%_X5R_V224 M0201X5R160NJT_VIIYONG	3	C5915,C5916,C5925	VIIYONG
511	240400001P93	Inductor_Wire wound inductor_3.3 nH_±0.1nH_0402_14000 MHz_30_MWSD1005C3N3BTM81_S unlord	1	A0100	Sunlord
512	22CK0JC2250B	GRM155R60J225ME15D_Murata	1	C3719	Murata
513	1150601000008A	Sensor_RCL-Sensor_SAR-Sensor_0.74aF_0.6 mm_1.21*1.14_SX9373ICSTRT-J_Semtech	1	U0202	Semtech
514	1230101000014A	Resistor_General-Resistor_01005_0.15 mm_1/32W_±1%_15V_01005_300_o hm_±200_RC-005L3000FT_Fenghua	6	R2501,R2515,R2516, R2539,R2544,R2567	Fenghua
515	22BM1EC1060C	GRM188R61E106MA73D_Murata	5	C6011,C6012,C6024, C6025,C6040	Murata
516	1230101000012B	Resistor_General-Resistor_01005_0.15 mm_1/32W_±5%_15V_01005_0_oh m_±200_RC-005000JT_Fenghua	3	R1325,R2312,R2408	Fenghua
517	2602000017A5	Crystal_Passive Crystal_52 MHz_8 pF_OW52030001_TXC	1	Y2401	TXC
518	1220102000125A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_33_01 005_±5%_50V_C0105C0G330J500N TZ_EYANG	3	C2302,C2325,L2339	EYANG
519	1220103000846A	Capacitor_General-MLCC_0201_0.33 mm_X5R_16V_±10%_0.1_0201_uF_ GRM033R61C104KE84_Murata	4	C0901,C0902,C0931, C0942	Murata
520	1040103000070A	RFFE-Tx/Rx-Module_PA-Module_APT_0.804 mm_Yes_4G,5G_No_3.0mm*5.0mm_ LTE Band 42,43,48	1	U1901	Vanchip

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		NR n77, n78_Yes_Yes_VC7537-82M_Vanchip			
521	1050202000017A	RF-RX-Module_Sinle-End-LNA_Connectivity-LNA_1.1*0.7_No_1550~1615MHz;1164~1300MHz_GPIO_0.4 mm_AW15645DNR_Awinic	1	U2301	Awinic
522	1060101000036A	RF-Wireless-Communication-IC_RF-Cellular-Transceiver-IC_Transceiver-IC_7.53mm*7.035mm_0.7 mm_12nm_MT6199_MSL	1	U1301	MSL
523	220100002O27	Capacitor_General capacitor_0201_0.33 mm_10_nF_25V_±10%_X5R_V103K 0201X5R250NAT_VIIYONG	9	C2310,C2317,C2320,C2612,C2613,C2616,L2518,L2519,R2584	VIIYONG
524	1220103000845A	Capacitor_General-MLCC_0201_0.35 mm_X5R_10V_±20%_1_0201_uF_GRM033R61A105ME44D_Murata	3	C0900,C0935,C1406	Murata
525	240300001W93	Inductor_High frequency inductor_5.1 nH_±3%_01005_7800 MHz_11_HQ0402H5N1HT01_Sunlord	1	C1732	Sunlord
526	1220103000598A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.9_0201_pF_V0R9A0201C0G500NAT_VIIYONG	1	A0162	VIIYONG
527	240300000A93	Inductor_High frequency inductor_6.2 nH_±3%_0201_5100 MHz_13_SDCL0603Q6N2HT02B03_Sunlord	1	C1647	Sunlord
528	1230102000269A	Resistor_General-Resistor_0201_0.26 mm_25V_51_ohm_0201_±5%_1/20W_200_RC-01W510JT_Fenghua	1	EM3202	Fenghua
529	1220105000019A	Capacitor_General-MLCC_0603_uF_10_±20%_X5R_1 mm_16V_0603_V106M0603X5R160NKT_viiyong	1	C5926	viiyong
530	220100006054	Capacitor_General capacitor_01005_0.22 mm_0.4_pF_50V_±0.05pF_C0G(NP0)_GRM0225C1HR40WA03D_Murata	1	C1915	Murata
531	1230102000134A	Resistor_General-Resistor_0201_0.26 mm_25V_240_ohm_0201_±1%_1/20W_200_RC-01W2400FT_Fenghua	2	R3402,R3403	Fenghua
532	1240401000340A	Inductor_Bead_762 Ω_56 Ω_0201_0.3 mm_1050 mΩ_0.1 A_SZ0603F560TF_SUNLORD	5	A0274,EM3300,EM3301,EM3302,EM3303	SUNLORD
533	22CM1AC1060C	Capacitor_General capacitor_0402_0.70 mm_10_µF_10V_±20%_X5R_GRM155R61A106ME11D_Murata	11	C0904,C0909,C0933,C0940,C2256,C2705,C2715,C2716,C2720,C2723,C2724	Murata
534	1220104000162A	Capacitor_General-MLCC_0402_X7R_0402_50V_±10%_pF_22000_V223K0402X7R500NBT_VIIYONG1	4	C5119,C5122,C7106,C7110	viiyong

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
535	1210401000115B	Transistor_Protection_TVS_0.625*0.325_0.320 mm_3.3V_6.5 V_0.620*0.320_7 A_45.5 W_0.2 pF_0.265 mm_5.5 V_RClamp3391ZC_Semtech	1	CR0101	Semtech
536	22010000UU27	Capacitor_General capacitor_01005_0.22 mm_100_pF_25V_±5%_C0G(NP0)_ V101J0105C0G250NZT_VIIYONG	4	C0534,C0535,C0804, C0899	VIIYONG
537	1611104002210A	Mobile-ME_Metal-Fittings_Shielding-Can_SUPPORT-COVER3_O12U_Folding_O12U_XIN CHUANG	1	K7302	XINCHUANG
538	1220102000126A	Capacitor_General-MLCC_01005_C0G(NP0)_pF_100_01005_±5%_50V_C0105C0G101J500 NTZ_EYANG	2	A0278,EM5901	EYANG
539	22DM1AC1050A	Capacitor_General capacitor_0201_0.35 mm_1_uF_10V_±20%_X5R_GRM033R61A105ME44D_Murata	5	C1933,C2207,C2247, C2311,C2324	Murata
540	1220103000456A	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.25pF_4.3_0201_pF_C0201C0G4R3C500 NTA_EYANG	3	A0105,C2614,C2632	EYANG
541	40110000036N	XM-217-XC-186-SP_Xinchuang	1	J114	Xinchuang
542	1220103000197A	Capacitor_General-MLCC_0201_X5R_6.3V_±20%_1_0201_uF_V105M0201X5R6R3NJT_VIIY ONG	2	C302,C505	VIIYONG
543	22CM1AC1060C	Capacitor_General capacitor_0402_0.70 mm_10_µF_10V_±20%_X5R_GRM155R61A106ME11D_Murata	1	C600	Murata
544	211000001GA9	MOS_MOSFET_3.3*3.3_0.65 mm_30 V_WNM3061-8/TR_Will	1	Q401	Will
545	1230102000288A	Resistor_General-Resistor_0201_0.26 mm_25V_1_Kohm_0201_±5%_1/20 W_200_RC-01W102JT_Fenghua	1	R411	Fenghua
546	1220105000065A	Capacitor_General-MLCC_0603_uF_22_±20%_X5R_1 mm_6.3V_0603_V226M0603X5R6R3 NKT_viiyong	1	C624	viiyong
547	1230102000222A	Resistor_General-Resistor_0201_0.26 mm_25V_18_ohm_0201_±5%_1/20 W_200_RC-01W180JT_Fenghua	2	A120,A121	Fenghua
548	214100001YA9	Protection_Unidirectional TVS_1.075*0.675_0.53 mm_12_20 V_20 A_140 pF_450 W_13 V_ESD56321N12-2/TR_Will	2	CR415,CR419	Will
549	1611203000129A	Mobile-ME_Rubber-Part_Protection_04-DFN-SHIELDING-PAD_O12U_O12U_GWN	1		GWN

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
550	1320302000013A	connector_Cardsocket_2-in-1_Card socket Connector_Double deck_Dual Nano_Pin Push_2.28_SIM BLOCK_Card socket Connector_Double deck_Dual Nano_Pin Push_2.28_SIM BLOCK_CAF99-06023-1006_LCN	1	J505	LCN
551	1230102000136A	Resistor_General-Resistor_0201_0.26 mm_25V_0_ohm_0201_±5%_1/20W _200_RC-01000JT_Fenghua	4	EM421,EM422,EM423,EM424	Fenghua
552	1611104002216A	Mobile-ME_Metal-Fittings_Shielding-Can_DFN-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH100	XINCHUANG
553	1220105000067B	Capacitor_General-MLCC_0603_uF_22_±20%_X5R_1 mm_10V_0603_V226M0603X5R100 NKT_viiyong	1	C601	viiyong
554	1220103000852C	Capacitor_General-MLCC_0201_0.33 mm_X7R_50V_±10%_1.5_0201_nF_C0201X7R152K500NTA_EYANG	1	EM532	EYANG
555	1230102000236A	Resistor_General-Resistor_0201_0.26 mm_25V_150_Kohm_0201_±1%_1/20W_200_RC-01W1503FT_Fenghua	1	R612	Fenghua
556	1611104002217A	Mobile-ME_Metal-Fittings_Shielding-Can_DFN-SHIELDING-COVER_O12U_Folding_O12U_XINCHUANG	1		XINCHUANG
557	1320302000012A	connector_Cardsocket_2-in-1_Cardsocket Connector_Double deck_Dual Nano_Pin Push_CAF99-06234-1008_LCN	1	J504	LCN
558	1210401000123B	Transistor_Protection_TVS_1.0*0.6_0.50 mm_20V_30 V_1.0*0.6_33 A_990 W_110 pF_0.50 mm_22 V_ES20DFX_Etek	1	CR414	Etek
559	240100002F93	Inductor_Power inductor_2016_1.0 mm_1.0 uH_42 mΩ_46 mΩ_4.0 A_3.4 A_4.9 A_4.6 A_Bottom Type Terminal_±20%_MWTC201610S1R0MT_Sunlord	1	L604	Sunlord
560	23D100KNA002	Resistor_General resistor_0201_0.3 mm_100 Kohm_±5%_1/20W_25V_±200_RC0201JR-07100KL_YAGEO	1	R412	YAGEO
561	21420000108K	Protection_Bidirectional TVS_0.6*0.3_0.32 mm_3.3_4 V_20 A_0.7 pF_80 W_6.6 V_PESD3V3W1BESFYL_Nexperia	2	CR424,CR425	Nexperia
562	22CKYAC1050B	Capacitor_General capacitor_0402_0.60 mm_1_µF_35V_±10%_X5R_GRM155R6YA105KE11_Murata	1	C400	Murata
563	1240401000203A	Inductor_Bead_190 Ω_120 Ω_0402_0.5 mm_55 mΩ_2	1	EM634	SUNLORD

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		A_EPZ1005D121-2R0TB01_SUNLORD			
564	22CM0JC1060B	Capacitor_General capacitor_0402_0.70 mm_10_uF_6.3V_±20%_X5R_GRM155R60J106ME44D_Murata	1	C622	Murata
565	401100001Z6N	XM-217-XC-205-SP_Xinchuang	2	J112,J113	Xinchuang
566	1220103000841A	Capacitor_General-MLCC_0201_0.3 mm_C0G(NPO)_50V_±5%_220_0201_pF_C0201C0G221J500NTA_EYANG	1	EM407	EYANG
567	3400720000A3	XM-217-XC-176-SP_Xinchuang	2	J207,J208	Xinchuang
568	1220103000643A	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_150_0201_pF_C0201C0G151J500NTA_EYANG	2	EM641,EM642	EYANG
569	1220103000606A	Capacitor_General-MLCC_0201_0.33 mm_X5R_6.3V_±10%_100_0201_nF_C0201X5R104K6R3NTA_EYANG	1	C503	EYANG
570	1320101000074A	connector_USB_TypeC_Pt_0.85_IPX8_16_UAF05-16304-5P01_LCN	1	J400	LCN
571	401100004A6N	XM-217-XC-226-SP_Xinchuang	2	J110,J111	Xinchuang
572	1220103000627A	Capacitor_General-MLCC_0201_0.4 mm_X5R_35V_±10%_100_0201_nF_C0201X5R104K350NTX_EYANG	1	EM406	EYANG
573	1160101000086A	Power_DC-DC_Buck_1.6X1.6_0.6 mm_2_0.6-VIN_2MHz_1_2.5-5.5_95_WD10722D-6/TR_Will	1	U601	Will
574	1220103000638A	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_100_0201_pF_C0201C0G101J500NTA_EYANG	3	EM204,EM205,EM300	EYANG
575	1230301000026C	Resistor_NTC-Thermistor_0.35 mm_-40~125°C_1%_1%_4250_100_Kohm_0201_50°C、25_SDNT0603C104F4250FTF_SUNLORD	2	RT402,RT403	SUNLORD
576	1210401000181A	Transistor_Protection_TVS_2.1*2.1*0.65_0.65 mm_30_29.5 V_2.0*2.0*0.6_150 A_4400 W_900 pF_0.6 mm_31 V_PTVS30VZ1UPA_Nexperia	1	CR408	Nexperia
577	5140O12UP2000	SUB board_PCBA_A_GL_Sub Board_USB_P20_SB1_O12U	1		
578	1230102000280A	Resistor_General-Resistor_0201_0.26 mm_25V_300_ohm_0201_±5%_1/20 W_±200_RC-01W301JT_Fenghua	1	R415	Fenghua
579	1230102000234A	Resistor_General-Resistor_0201_0.26 mm_25V_130_Kohm_0201_±1%_1/20W_200_RC-01W1303FT_Fenghua	1	R611	Fenghua
580	5120O12UP2000	SUB board_PCBA_A_GL_Sub Board_USB_P20_SB1_PL1_O12U	1		
581	5110O12UP2000	SUB board_PCBA_A_GL_Sub Board_USB_P20_ANT1_O12U	1		

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
582	4005C0101027	Connector_RF ConnectorCoaxial cable connector _1pin_ socket _ forward _ no Pitch (5 generation)	1	J7701	ECT
583	1352P2404P2A1A	PCB_Rigid-PCB_Bare-Rigid-PCB_小板_P2A_141_O12U_Tripod	1		Tripod
584	1300301000024A	Acoustic_MIC_Digital-MIC_3023_65dB_DigitalMIC_130dB_65dB_-37dBFS_3.0x2.3x1.0mm_SD47OB371-004_GOERTEK	1	U201	GOERTEK
585	24030000C493	Inductor_High frequency inductor_20 nH_±3%_0201_3000 MHz_HQ0603Q20NHT01_Sunlord	1	A116	Sunlord
586	1230102000280A	Resistor_General-Resistor_0201_0.26 mm_25V_300_ohm_0201_±5%_1/20W_±200_RC-01W301JT_Fenghua	2	R416,R417	Fenghua
587	22CM1AC1060C	Capacitor_General capacitor_0402_0.70 mm_10_μF_10V_±20%_X5R_GRM155R61A106ME11D_Murata	9	C602,C606,C607,C613,C630,C635,C636,C637,C639	Murata
588	1230301000026C	Resistor_NTC-Thermistor_0.35 mm_-40~125°C_1%_1%_4250_100_Kohm_0201_50°C、25_SDNT0603C104F4250FTF_SUNLORD	1	RT601	SUNLORD
589	1611103000069A	connector_Spring-Connector_Spring-Single_正压_L1.7*W1.1*H1.65_1.2 mm_小正压-1.2_XM-217-XC-234-SP_Xinchuang	1	J115	Xinchuang
590	1220103000643A	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_150_0201_pF_C0201C0G151J500NTA_EYANG	7	EM541,EM623,EM624,EM625,EM627,EM628,EM663	EYANG
591	1220103000638A	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_100_0201_pF_C0201C0G101J500NTA_EYANG	4	EM123,EM206,EM207,EM500	EYANG
592	240400001654	Inductor_Wire wound inductor_34 nH_±5%_0402_2500 MHz_8.5_LQW15CN34NJ10D_Murata	2	A245,A291	Murata
593	1220103000408B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF_1.5_0201_pF_V1R5B0201C0G500NAT_VIIYONG	1	A174	VIIYONG
594	1230102000136A	Resistor_General-Resistor_0201_0.26 mm_25V_0_ohm_0201_±5%_1/20W_200_RC-01000JT_Fenghua	2	A110,A192	Fenghua
595	4005C0101027	Connector_RF ConnectorCoaxial cable connector _1pin_ socket _ forward _ no Pitch (5 generation)	1	J101	ECT
596	240300008293	Inductor_High frequency inductor_0.8 nH_±0.1nH_0201_18000 MHz_20_HQ0603Q0N8BT01_Sunlord	1	A114	Sunlord

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
597	1611104002218A	Mobile-ME_Metal-Fittings_Shielding-Can_SUB-MIC-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH103	XINCHUANG
598	1160303000014C	Power_Driver_OLED- Power - Management_4.6~5,-0.8~6.5.5~7.9_0.675 mm_2.455*2.455_800_2.9~4.8_0.5_1.45M_SGM3840YG/TR_SGMC	1	U600	SGMC
599	1612106000579A	Mobile-ME_Die-Cut_Copper-Foil_04-NOVA-SHIELDING-CU_O12U_Wave-Absorbing_O12U_JINBOEN	1		JINBOEN
600	40110000012N	818016466_ECT	2	J100,J105	ECT
601	1611104002220A	Mobile-ME_Metal-Fittings_Shielding-Can_SUB-SUPPORT-COVER1_O12U_Folding_O12U_XINCHUANG	1	SH104	XINCHUANG
602	1611104002219A	Mobile-ME_Metal-Fittings_Shielding-Can_NOVA-SHIELDING_O12U_Folding_O12U_XINCHUANG	1	SH102	XINCHUANG
603	12406A1000014A	Inductor_Choke-Inductor_0.3_5 ohm_SDMM0605H-2-900T_SUNLORD	1	EM540	SUNLORD
604	1220103000606A	Capacitor_General-MLCC_0201_0.33 mm_X5R_6.3V_±10%_100_0201_nF_C0201X5R104K6R3NTA_EYANG	3	A124,C258,C502	EYANG
605	22CM0JC1060B	Capacitor_General capacitor_0402_0.70 mm_10_uF_6.3V_±20%_X5R_GRM155R60J106ME44D_Murata	5	C604,C605,C611,C612,C615	Murata
606	24NG2524N093	Inductor_Wire wound inductor_24 nH_±2%_0402_4000 MHz_31_MWSD1005C24NGTM81_Sunlord	1	A111	Sunlord
607	4001F10050F5	Connector_BTB Connector_Receptacle_BB22_10 Pin_0.8 mm_0.40mm_nothing_BB2R4-10KBJ03_ACON	1	J300	ACON
608	1220105000067B	Capacitor_General-MLCC_0603_uF_22_±20%_X5R_1 mm_10V_0603_V226M0603X5R100NKT_viiyong	1	C634	viiyong
609	22DB1HK1R20A	Capacitor_General capacitor_0201_0.33 mm_1.2_pF_50V_±0.1pF_C0G(NP0)_GRM0335C1H1R2BA01_Murata	1	A117	Murata
610	1220103000473B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.05pF_0.60_0201_pF_V0R6A0201C0G500NAT_VIIYONG	1	A113	VIIYONG
611	400100000D4H	Connector_BTB Connector_Receptacle_BC71_40 Pin_0.7 mm_0.35mm_5A_BAF92-40073-0508_LCN	1	J601	LCN

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
612	1612204000165A	Mobile-ME_Thermal-Part_PAD_04-NOVA-SHIELDING-PAD2_O12U_O12U_Zhongdi	1		Zhongdi
613	1220103000197A	Capacitor_General-MLCC_0201_X5R_6.3V_±20%_1_0201_uF_V105M0201X5R6R3NJT_VIIYONG	1	C504	VIIYONG
614	1320501000167A	connector_BTB-Connector_60_0.35mm_Female_5A_0.6mm_JM66-F92600431_LCN	1	J506	LCN
615	1240401000203A	Inductor_Bead_190 Ω_120 Ω_0402_0.5 mm_55 mΩ_2 A_EPZ1005D121-2R0TB01_SUNLORD	2	EM632,EM633	SUNLORD
616	240400001Y93	Inductor_Wire wound inductor_4.5 nH_±0.1nH_0402_9600 MHz_34_MWSD1005C4N5BTM81_Sunlord	1	A169	Sunlord
617	1611104002221A	Mobile-ME_Metal-Fittings_Shielding-Can_SUB-SUPPORT-COVER2_O12U_Folding_O12U_XINCHUANG	1	SH105	XINCHUANG
618	240400001F93	Inductor_Wire wound inductor_2.2 nH_±0.1nH_0402_15500 MHz_30_MWSD1005C2N2BTM81_Sunlord	1	A172	Sunlord
619	1240104000021C	Inductor_Power-Inductor_2016_2016_1.0 mm_±20%_10_0.63 A_0.7 A_0.72 A_0.8 A_840 mΩ_Bottom Type Terminal_1010 mΩ_SDCM20161T-100MS_Cyntec	1	L603	Cyntec
620	400100000R4H	Connector_BTB Connector_Receptacle_BC71_34_0.7_0.35mm_5A_BAF92-34073-0508_LCN	1	J507	LCN
621	240300008W93	Inductor_High frequency inductor_7.5 nH_±3%_0201_4500 MHz_20_HQ0603Q7N5HT01_Sunlord	1	A112	Sunlord
622	401100001Z6N	XM-217-XC-205-SP_Xinchuang	2	J209,J210	Xinchuang
623	1030102000009A	Antenna-Tuner_Antenna-Switch_Multi-Pole-Muti-Through-Tuner_<10GHz_1.30*0.95_80 V_4*SPST_1.2 V,1.8 V_MIPI_0.49 mm_QM13544TR13_Qorvo	1	S101	Qorvo
624	1240104000041B	Inductor_Power-Inductor_2016_2016_1.0 mm_±20%_2.2_2.7 A_3.0 A_2.8 A_3.3 A_58 mΩ_Bottom Type Terminal_75 mΩ_HTTH20161T-2R2MSR_Cyntec	3	L600,L601,L602	Cyntec
625	1220103000409B	Capacitor_General-MLCC_0201_C0G(NP0)_50V_±0.1pF_1.6_0201_pF_V1R6B0201C0G500NAT_VIIYONG	1	A186	VIIYONG

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
626	1220103000645B	Capacitor_General-MLCC_0201_0.33 mm_C0G(NP0)_50V_±5%_180_0201 _pF_C0201C0G181J500NTA_EYAN G	3	EM405,EM501,EM54 2	EYANG
627	275100000RD2	Sensor_ambientlight &Proximity sensor_3.34*1.36_0.6 mm_VDD1.8V+VDD3.3V_120_TCS3 7203_AMS	1	U0701	AMS
628	1170102000007A	Lighting_IR-LED_IR-vcsel_AMS&OSRAM VCSEL_25_1*0.5_0.5 mm_10mW_2kV_940_PLPVYL1 940A_E_25_20_2 mA_1.8~2.4V_4nm_PLPVYL1 940A_E_AMS	1	DS0704	AMS
629	1230102000136A	Resistor_General-Resistor_0201_0.26 mm_25V_0_ohm_0201_±5%_1/20W _200_RC-01000JT_Fenghua	3	A7700,A7702,A7704	Fenghua
630	240400001F93	Inductor_Wire wound inductor_2.2 nH_±0.1nH_0402_15500 MHz_30_MWSD1005C2N2BTM81_S unlord	1	A7701	Sunlord
631	401100001Z6N	XM-217-XC-205-SP_Xinchuang	2	J7711,J7713	Xinchuang
632	401100004A6N	XM-217-XC-226-SP_Xinchuang	1	J7712	Xinchuang
633	22010000Y0HZ	C0201C0G4R3B500NTA_EYANG	1	A7703	EYANG
634	1300201000072A	Acoustic_Receiver_Moving-Coil-Receiver_2Khz/2.83V/10cm/0.4CC_9 2±2.5dB_14.5*10.5*4.34_O12U_1300 201000072A_AAC	1		AAC
635	1610110001364B	Mobile-ME_HSG_Frame-Assy_MID-HSG-ASSY_O12U（black）_AL-Alloy_Matte_Black_Global_O12U_BY D	1		BYD
636	1310101000043A	motor_Vibrator_Linear-motor_Vibrator_Linear Motor_9*8_3.5 mm_0-0.9Vrms_0-145mA_≥0.7Grms_X_min 0.70Grms_170±10Hz_0.9 Vrms_max 50dBA_X_0.85±0.15Grms_170±10Hz _0.9 V_max 50dBA_L9*W8*H3.5mm_8 Ω_145mA max_Vibrator_Linear-motor_Motor_Linear Motor_9*8_3.5 mm_0-0.9Vrms_0-145mA_≥0.7Grms_X_min 0.70Grms_170±10Hz_0.9 Vrms_max 50dBA_SSA0809C-01_AAC	1		AAC
637	5710O12U10000	Advance module assy_100_显示屏 LIPO 模组_O12U	1		
638	1430203000076A	Display_OLED_Display-ASS.Flexible-AMOLED_Black_144Hz_1.5K_2.5D_ 6.83 in_O12U_GT9916K_NT37707A_WM 6836Z26-6_Csot optoelectronic	1		Csot optoelectronic

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
639	1611804000488A	Mobile-ME_Deco-Assy_Cam_REAR-CAM-DECO-METAL-ASSY_O12U（Black)_AL-Alloy_Black_Global_O12U_LY iTech	1		LY iTech
640	1611401000216A	Mobile-ME_Cam-Lens-Assy_TELE-CAM-LENS_O12U_Glass_2D_High-Gloss_Global_O12U_Fbt	1		Fbt
641	1611401000214A	Mobile-ME_Cam-Lens-Assy_MAIN-CAM-LENS_O12U_Glass_2D_High-Gloss_Global_O12U_Fbt	1		Fbt
642	1610111002325A	Mobile-ME_HSG_Batt-Cover-Assy_BATT-COVER-ASSY_O12U(Black)_FiberglassBoard_2D_Matte_CN_O12U_ZHENYU	1		ZHENYU
643	340800002U3Y	Little-Metals_Screw_White_Turning_SCREW_M1_2XL1_7_NON_MAGNETIC_Jinyingjia_L11	4		Jinyingjia
644	1611401000215A	Mobile-ME_Cam-Lens-Assy_WIDE-CAM-LENS_O12U_Glass_2D_High-Gloss_Global_O12U_Fbt	1		Fbt
645	1611401000217A	Mobile-ME_Cam-Lens-Assy_LIGHT-SENSOR-LENS_O12U_Glass_2D_High-Gloss_Global_O12U_Fbt	1		Fbt
646	1611301000431A	Mobile-ME_Plastic-Assy_REAR-CAM-BRACKET_O12U_Jingermei	1		Jingermei
647	5220O12UP2000	SUB board_PCBA_B_GL_Sub Board_USB_P20_PL1_O12U	1		
648	1612201000276A	Mobile-ME_Thermal-Part_Graphite_SPK-BOX-GRAPHITE_12U_O12U_SUQUN	1		SUQUN
649	1612103000230A	Mobile-ME_Die-Cut_Conductive-Cloth_TELE-ELEC-TAPE_O12U_Conducting_O12U_JINBOEN	1		JINBOEN
650	1420201000016A	Fingerprint_Optical-Underdisplay_Camera-Optical_O16U_GW9598_GLH-2653-00-SC_O-FILM（NC）	1		O-FILM（NC）
651	340800001E3Y	Little-Metals_Screw_Non-Cosmetic_Turning_01-SCREW-SECRET-COVER_k8_Jinyingjia_K8	7		Jinyingjia
652	1611203000152A	Mobile-ME_Rubber-Part_Protection_O12U_GWN	1		GWN
653	5240O12UP2000	SUB board_PCBA_B_GL_Sub Board_USB_P20_ANT1_O12U	1		
654	340800001M3Y	Little-Metals_Screw_Silver_others_SCREW-M1.4x4.0x0.3_Jinyingjia_L18	16		Jinyingjia
655	340800001P5H	Little-Metals_Screw_Silver_others_SCREW-M1.4x4.0x0.3_Pinggood_L18	16		Pinggood
656	340800001G3Y	Little-Metals_Screw_Black_others_SCREW-M1.4x4.8x0.3_Jinyingjia_L18	1		Jinyingjia

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
657	340800001H5H	Little-Metals_Screw_Black_others_SCREW-M1.4x4.8x0.3_Pinggood_L18	1		Pinggood
658	1850401000809B	Packaging-Accessories_Labels_Box-Labels_合成纸_国内简体中文_GOLDCROWN	2		GOLDCROWN
659	1321001000284A	connector_RF-Coaxial-cable_02-CABLE-LINE-1_O12U_1_RF Coaxial_O12U_A_ECT	1		ECT
660	1330102000187A	Battery_soft Prismatic-packing_MMT_90_双电芯_BP5H_4.53V_国内_5500_50%_1001008800421_Sunwoda(SZ)	1		Sunwoda(SZ)
661	1612201000279A	Mobile-ME_Thermal-Part_Graphite_COPPER-RECEIVER_O12U_O12U_SUQUN	1		SUQUN
662	1612102001194A	Mobile-ME_Die-Cut_Tape_ADH-WIDE_O12U_Bonding_O12U_JINBOEN	1		JINBOEN
663	1612117000369A	Mobile-ME_Die-Cut_PET-Film_PET MYLAR-BATTERY_O12U_Protecting_O12U_JINBOEN	1		JINBOEN
664	5230O12UP2000	Main board assy_PCBA_B_GL_12GB_256GB_P20_MB1_O12U	1		
665	1612117000367A	Mobile-ME_Die-Cut_PET-Film_PET-DISPALY-FPC_Protecting_O12U_JINBOEN	1		JINBOEN
666	1850601000255A	Packaging-Accessories_Screen-Protector_O12U inbox film_平面_O12U_O12U inbox film_Yuchangsheng	1		Yuchangsheng
667	1610301000184A	Mobile-ME_Plastic-Part_FINGER-PRINT-BRACKET_O12U_Jingermei	1		Jingermei
668	1321001000286A	connector_RF-Coaxial-cable_02-CABLE-LINE-ANT-PCB_O12U_1_RF Coaxial_1_O12U_A_ECT	1		ECT
669	1612106000591A	Mobile-ME_Die-Cut_Copper-Foil_COPPER-MAIN-CAMRRER_O12U_Wave-Absorbing_O12U_JINBOEN	1		JINBOEN
670	5710O12UP2005	Advance module assy_P20_Black_全球国际_AS1_O12U	1		
671	PH10O12UP2000	FP-WIP_Phantom-assy_CAM_Phantom-assy_全球国际_摄头一供_P20_O12U	1		
672	1612201000278A	Mobile-ME_Thermal-Part_Graphite_COPPER-FRT_O12U_O12U_SUQUN	1		SUQUN
673	5210O12UP2000	SUB board_PCBA_B_GL_Sub Board_USB_P20_SB1_O12U	1		
674	1350204000811A	PCB_Flex-PCB_Flex-PCB-Assy_MIAN_FPC_mian_fpc_选镀	1		XINYUTENGYUE

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

Item	Manufacture P/N	Description	Q'ty	Ref. Designation	Supplier
		_P0_通孔_PI_双层_黄色_O12U_无_XINYUTENGYUE			
675	1300101000350A	Acoustic_LoudSpeaker_Speaker Box_SPK-BOX-ASSY_O12U_740Hz_93.5@2KHz_22.6*16.6*5.3_O12U_A_Goertek	1		Goertek
676	1610118000223A	Mobile-ME_HSG_Protective-Cover_SECURITY-COVER-DOWN_O12U_Lower-Case_O12U_DONGMING	1		DONGMING
677	1611701000804A	Mobile-ME_Sim-Tray-Assy_SIM-TRAY-ASSY_O12U-DOUBLE（black）_Dual-Layer-Dual-Card_AL-Alloy_Black_O12U_Jingermei	1		Jingermei
678	5720O12UP2005	Advance module assy_P20_Black_全球国际_AS1_O12U	1		
679	1610118000222A	Mobile-ME_HSG_Protective-Cover_SECURITY-COVER-UP_O12U_Upper-Case_O12U_DONGMING	1		DONGMING
680	1321001000285A	connector_RF-Coaxial-cable_02-CABLE-LINE-SUB-PCB_O12U_1_RF Coaxial_O12U_A_ECT	1		ECT
681	1612405000153A	Mobile-ME_Antenna_Rear-HSG-Assy_REAR-HSG-ASSY_O12U_Plastic_Global_FPC_O12U_Innowave	1		Innowave
682	1612118000006A	Mobile-ME_Die-Cut_Label_GOLDCROWN	2		GOLDCROWN
683	1350204000812A	PCB_Flex-PCB_Flex-PCB-Assy_flash_fpc_flash_fpc_板镀_P0_通孔_PI_双层_黄色_O12U_无_XINYUTENGYUE	1		XINYUTENGYUE
684	1420401000053A	Fingerprint _Sub-material_Fingerprint IC_镜头_FPC1632_2.661*1.947_FPC1632_EGIS	1		EGIS
685	1420401000077A	Fingerprint _Sub-material_Fingerprint IC_镜头_GW9598EM5_1.5579*1.6101_GW9598EM5_GOODIX TECH (HK)	1		GOODIX TECH (HK)
686	1420401000083A	Fingerprint _Sub-material_Fingerprint IC_镜头_JV0301_3.785*2.017_JV0301_JIIOV	1		JIIOV
687	1410805000029A	Camera_Sub-material_LENS_超广角_39566B_SUNNY	1		SUNNY
688	1410801000051A	Camera_Sub-material_Sensor_OV_13M_OV13B-GA5A_OV	1		OV

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

APPENDIX III:

Applied Standards and References

No.	Standard	Description
1	EN IEC 63000 2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances
2	IEC 62474:2018	Material Declaration for Products of and for the Electrotechnical Industry
3	IEC 62321-1:2013	Electrotechnical products - Determination of levels of six regulated substances (lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls, polybrominated diphenyl ethers and Phthalates)
	IEC 62321-2:2013	
	IEC 62321-3-1:2013	
	IEC 62321-4:2013	
	IEC 62321-5:2013	
	IEC 62321-6:2015	
	IEC 62321-7-1:2015	
	IEC 62321-7-2:2017	
	IEC 62321-8:2017	
4	ROHS 2.0	DIRECTIVE 2011/65/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment
5	IEC/TR62476:2010	Guidance for evaluation of product with respect to substance-use restrictions in electrical and electronic products
6	6 IEC/PAS 62596:2009	Electrotechnical products - Determination of restricted substances - Sampling procedure - Guidelines

TEC_WUX_F_25.05E – Rev. 00 2021-06-24

APPENDIX IV:

Declaration letter from applicant.

Xiaomi Communications Co., Ltd

To:	TÜV SÜD Certification and Testing (China) Co., Ltd. E&E-Chemical department
Attention:	**Feng ZHANG**
From:	Data: 2025.06.13
Fax: No:	+86-510-88203636
Project No.:	48.400.25.0616.01-00/02
Subject:	**Declaration letter**

We: **Xiaomi Communications Co., Ltd**
#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China

Officially declare to TÜV Product Service Ltd. In the evaluated product:

Mobile phone,
2506BPN68G, 2506BPN68R

We: **Xiaomi Communications Co., Ltd** shall:

- Perform a periodic review of the documents contained in the technical documentation to ensure that they are still valid;
- Ensure that the technical documentation reflects any changes to materials, parts or sub-assemblies in accordance with clause 4.3.3 of EN IEC 63000:2018.

This declaration is the responsibility of the Applicant: **Xiaomi Communications Co., Ltd**

Authorized person signing for the company:

Liu Yang yang / Certification engineer

(Name in block letters & position in the company)

(Company chop)

---------End of Report---------

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501