Report No. **48.400.25.0616.01-00/05**

Dated **2025-06-16**

Applicant:	Xiaomi Communications Co., Ltd
Address:	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China
Sample Description:	Mobile phone
Tested Model No.:	2506BPN68G, 2506BPN68R
Brand name:	XIAOMI
Sample Received Date:	2025-05-07
Test Period:	2025-05-19~2025-06-12
Location of Testing:	TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch, SHA Chemical Lab.
Purpose of examination:	REACH Regulation (EC) No. 1907/2006 - 247 Substances of Very High Concern (SVHC) analysis based on the Candidate List published by the European Chemicals Agency (ECHA)
Test Result:	Refer to following page(s)
Summary:	According to the specified scope and analytical techniques, the concentration of Lead or 1,3-propanesultone is >0.1% (w/w) in certain component(s), the concentration of each other SVHCs is <0.1% (w/w) in the component(s) of submitted product(s).
Remarks:	-The result relates only to the items tested. -The test sample(s) was specified by client.

TüV SüD Certification and Testing (China) Co., Ltd.
TüV SüD Group

Prepared by: Reviewed by:

Mr. Zhengqing YANG Mr. Feng ZHANG

TEC_WUX_F_25.03E – Rev. 00 2021-06-24


Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

1. TESTED SUBJECT DESCRIPTION



Sample No.	Description (Material, colour)	Photograph/Location
01	Transparent plastic film	
02	Transparent plastic plate with black coating	
03	Transparent plastic component	
04	Black metal component	
05	Transparent glass with black coating	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.




Sample No.	Description (Material, colour)	Photograph/Location
06	Black metal frame	
07	Black plastic frame	
08	Black metal button	
09	Transparent glass screen	
10	Golden metal film	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

Sample No.	Description (Material, colour)	Photograph/Location
11	Black film	
12	Black plastic FPC with electronic components	
13	Black glue	
14	Silvery plastic sheet	
15	Transparent grey plastic sheet	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24



Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.




TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

Sample No.	Description (Material, colour)	Photograph/Location
16	Translucent glue	
17	Silvery metal sheet	
18	Black glue	
19	Black glue	
20	Black sponge cushion	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.






Sample No.	Description (Material, colour)	Photograph/Location
21	Black plastic tape	
22	Red plastic cushion	
23	Black plastic strip	
24	Black plastic frame	
25	Yellow plastic plate	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.




TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

Sample No.	Description (Material, colour)	Photograph/Location
26	Brown plastic FPC	
27	Black resistor	
28	Black glue	
29	Black cushion	
30	Black plastic frame	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24






Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Sample No.	Description (Material, colour)	Photograph/Location
31	Silvery metal bracket	
32	Grey glue	
33	Black plastic film with grey coating	
34	Black plastic film	
35	Black plastic FPC	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24





Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.
TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

Sample No.	Description (Material, colour)	Photograph/Location
36	Golden metal wire	
37	Silvery metal cushion	
38	Black plastic FPC	
39	Black plastic frame	
40	Silvery metal bracket	





TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Sample No.	Description (Material, colour)	Photograph/Location
41	Brown plastic FPC	
42	Black metal card slot	
43	Black plastic frame	
44	Silvery metal frame	
45	Blue plastic wire jacket	



TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Sample No.	Description (Material, colour)		Photograph/Location
46	White plastic wire jacket		
47	Black plastic wire jacket		
48	Inner silvery metal wire		
49	49a	Silvery metal shell	
	49b	Black/brown plastic FPC	
	49c	Black plastic frame	
	49d	Golden metal wire	
	49e	Brown plastic FPC	
	49f	Silvery metal frame	
	49g	Black plastic shell	
	49h	Transparent plastic lens	
	49i	Silvery metal magnet	
	49j	Yellow plastic ball	
	49k	Black plastic ring	
	49l	Black metal ring	
	49m	Black plastic frame	
	49n	Green glass	
	49o	Black plastic sheet	
	49p	Black plastic PCB	
	49q	Black plastic pedestal	





TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Sample No.	Description (Material, colour)		Photograph/Location
50	50a	Black plastic shell	
	50b	Silvery metal shell	
	50c	Blue plastic sheet	
	50d	White granule	
	50e	Silvery metal plate	
	50f	Silvery metal magnet	
	50g	Brown plastic FPC	
	50h	Golden metal wire	
	50i	Silvery metal sheet	
	50j	Transparent plastic film	
51	51a	Silvery metal shell	
	51b	Brown plastic FPC	
	51c	Silvery metal sheet	
	51d	Silvery metal plate	
	51e	Silvery metal magnet	
	51f	Silvery metal frame	
	51g	Black plastic film	
	51h	White granule	
52	52a	Silvery metal shell	
	52b	Brown plastic FPC	
	52c	Golden metal wire	
	52d	Silvery metal component	
	52e	Silvery metal frame	
	52f	Silvery metal magnet	
	52g	Black sponge	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Sample No.	Description (Material, colour)		Photograph/Location
53	53a	Silvery metal frame	
	53b	Silvery metal shell	
	53c	Black plastic frame	
	53d	Silvery metal bracket	
	53e	Dark brown/blue plastic FPC	
	53f	Silvery metal sheet	
	53g	Golden metal wire	
	53h	White plastic ball	
	53i	Black plastic frame	
	53j	Green glass	
	53k	Black plastic component	
	53l	Transparent glass	
	53m	Black plastic shell	
	53n	Transparent plastic lens	
	53o	Silvery metal magnet	
	53p	Black plastic ring	
54	Black plastic PCB with electronic components		
55	Black plastic PCB with electronic components		
56	Pink silicone grease		

TEC_WUX_F_25.03E – Rev. 00 2021-06-24



Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501


Sample No.	Description (Material, colour)	Photograph/Location
57	Black resistor	
58	Silvery metal screw	
59	Silvery metal screw	
60	Black metal screw	
61	Black glue	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.




TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

Sample No.	Description (Material, colour)	Photograph/Location
62	Transparent/brown plastic film	
63	Silvery aluminum film with black film	
64	Black plastic film	
65	Yellow plastic film	
66	Grey cushion	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.


Sample No.	Description (Material, colour)	Photograph/Location
67	White glue	
68	Black plastic FPC	
69	Black plastic plate	
70	Silvery metal film	
71	Green plastic film	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic
And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai
201108 P.R. China
Tel.: +86-21-6037-6501

Sample No.	Description (Material, colour)	Photograph/Location
72	Golden metal film	
73	White plastic film	
74	Black carbon powder	

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

2. TEST RESULTS

Test method: Screening test. [Reporting limit: 0.010%]

For organic substance(s) analysis, extracted by organic solvent, followed by using Liquid Chromatography with Tandem Mass Spectrometry Detection (LC-MS/MS), Gas Chromatography and Mass Spectrometry (GC-MS), headspace GC-MS, High Performance Liquid Chromatography-Diode Array Detection (HPLC-DAD) and Gas chromatograph and mass selective detector with chemical ionization (GC-ECNI-MS);

For heavy metal(s) analysis, digested by acid, followed by using Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES), Atomic Absorption Spectrometry (AAS) and Ultraviolet–visible spectrophotometer (UV-Vis).

Test Item(s)	Result [%]	
	Sample 01+02+03+07+11+12+13+14+15	**Sample 04+06+08+10+17+31+36+37+40**
Each of 247 substances of very high concern (SVHCs)*	< 0.010	< 0.010

Test Item(s)	Result [%]	
	Sample 05+09	**Sample 16+18+19+20+21+22+23+24+25**
Each of 247 substances of very high concern (SVHCs)*	< 0.010	< 0.010

Test Item(s)	Result [%]	
	Sample 26+28+29+30+32+33+34+35+38	**Sample 27**
Lead (CAS No. 7439-92-1)	< 0.010	0.121
Other substances of very high concern (SVHCs)*	< 0.010	< 0.010

Test Item(s)	Result [%]	
	Sample 39+41+43+45+46+47+56+61+62	**Sample 42+44+48+58+59+60+70+72**
Each of 247 substances of very high concern (SVHCs)*	< 0.010	< 0.010

Test Item(s)	Result [%]	
	Sample 49	**Sample 50**
Each of 247 substances of very high concern (SVHCs)*	< 0.010	< 0.010

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Test Item(s)	Result [%]	
	Sample 51	**Sample 52**
Each of 247 substances of very high concern (SVHCs)*	< 0.010	< 0.010

Test Item(s)	Result [%]	
	Sample 53	**Sample 54+55**
Each of 247 substances of very high concern (SVHCs)*	< 0.010	< 0.010

Test Item(s)	Result [%]	
	Sample 57	**Sample 63+64+65+66+67+68+69+71**
Lead (CAS No. 7439-92-1)	0.154	< 0.010
Other substances of very high concern (SVHCs)*	< 0.010	< 0.010

Test Item(s)	Result [%]	
	Sample 73	**Sample 74**
1,3-propanesultone (CAS No. 1120-71-4)	0.342	0.097
Other substances of very high concern (SVHCs)*	< 0.010	< 0.010

Remark:

- "%" denotes percent by weight
- "<" denotes less than
- "*" refer to APPENDIX I for detailed list of SVHCs

****

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

APPENDIX I - 247 SUBSTANCES OF VERY HIGH CONCERN (SVHCs)

SN	Test Item(s)	CAS No.	Classification
1	Lead hydrogen arsenate	7784-40-9	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
2	Benzyl butyl phthalate (BBP)	85-68-7	Toxic for reproduction (article 57c)
3	Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	Toxic for reproduction (article 57c)
4	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	vPvB (article 57e)
5	Diarsenic trioxide	1327-53-3	Carcinogenic (article 57a)
6	Bis(tributyltin)oxide (TBTO)	56-35-9	PBT (article 57d)
7	Triethyl arsenate	15606-95-8	Carcinogenic (article 57a)
8	Diarsenic pentaoxide	1303-28-2	Carcinogenic (article 57a)
9	Sodium dichromate	7789-12-0, 10588-01-9	Carcinogenic, mutagenic and toxic for reproduction (articles 57a, 57b and 57c)
10	Dibutyl phthalate (DBP)	84-74-2	Toxic for reproduction (article 57c)
11	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	Carcinogenic (article 57a)
12	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	PBT and vPvB (articles 57 d and 57 e)
13	Anthracene	120-12-7	PBT (article 57d)
14	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4, 3194-55-6 (134237-50-6) (134237-51-7) (134237-52-8)	PBT (article 57d)
15	Lead sulfochromate yellow (C.I. Pigment Yellow 34)	1344-37-2	Carcinogenic and toxic for reproduction (articles 57 a and 57 c))
16	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	12656-85-8	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
17	Anthracene oil	90640-80-5	Carcinogenic[1], PBT and vPvB (articles 57a, 57d and 57e)
18	2,4-Dinitrotoluene	121-14-2	Carcinogenic (article 57a)
19	Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	Carcinogenic[2], mutagenic[3], PBT and vPvB (articles 57a, 57b, 57d and 57e)
20	Anthracene oil, anthracene-low	90640-82-7	Carcinogenic[2], mutagenic[3], PBT and vPvB (articles 57a, 57b, 57d and 57e)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
21	Tris(2-chloroethyl)phosphate	115-96-8	Toxic for reproduction (article 57c)
22	Diisobutyl phthalate	84-69-5	Toxic for reproduction (article 57c)
23	Lead chromate	7758-97-6	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
24	Anthracene oil, anthracene paste	90640-81-6	Carcinogenic[2], mutagenic[3], PBT and vPvB (articles 57a, 57b, 57d and 57e)
25	Pitch, coal tar, high temp.	65996-93-2	Carcinogenic, PBT and vPvB (articles 57a, 57d and 57e)
26	Anthracene oil, anthracene paste,distn. lights	91995-17-4	Carcinogenic[2], mutagenic[3], PBT and vPvB (articles 57a, 57b, 57d and 57e)
27	Acrylamide	79-06-1	Carcinogenic and mutagenic (articles 57 a and 57 b)
28	Trichloroethylene	79-01-6	Carcinogenic (article 57 a)
29	Potassium dichromate	7778-50-9	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)
30	Tetraboron disodium heptaoxide, hydrate	12267-73-1	Toxic for reproduction (article 57 c)
31	Ammonium dichromate	7789-09-5	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)
32	Boric acid	10043-35-3, 11113-50-1	Toxic for reproduction (article 57 c)
33	Sodium chromate	7775-11-3	Carcinogenic, mutagenic and toxic for reproduction (articles 57 a, 57 b and 57 c)
34	Disodium tetraborate, anhydrous	1303-96-4, 1330-43-4, 12179-04-3	Toxic for reproduction (article 57 c)
35	Potassium chromate	7789-00-6	Carcinogenic and mutagenic (articles 57 a and 57 b).
36	Cobalt(II) diacetate	71-48-7	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
37	Cobalt(II) sulphate	10124-43-3	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
38	2-Ethoxyethanol	110-80-5	Toxic for reproduction (article 57c)
39	Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid.	7738-94-5, 13530-68-2	Carcinogenic (article 57a)
40	2-Methoxyethanol	109-86-4	Toxic for reproduction (article 57c)
41	Chromium trioxide	1333-82-0	Carcinogenic and mutagenic (articles 57 a and 57 b)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
42	Cobalt(II) carbonate	513-79-1	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
43	Cobalt(II) dinitrate	10141-05-6	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
44	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	Toxic for reproduction (article 57c)
45	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	Toxic for reproduction (article 57c)
46	Strontium chromate	7789-06-2	Carcinogenic (article 57a)
47	1-Methyl-2-pyrrolidone	872-50-4	Toxic for reproduction (article 57c)
48	1,2,3-Trichloropropane	96-18-4	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
49	2-Ethoxyethyl acetate	111-15-9	Toxic for reproduction (article 57c)
50	Hydrazine	302-01-2, 7803-57-8	Carcinogenic (article 57a)
51	Cobalt dichloride	7646-79-9	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
52	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	Equivalent level of concern having probable serious effects to the environment (article 57 f)
53	N,N-dimethylacetamide	127-19-5	Toxic for reproduction (article 57 c)
54	Phenolphthalein	77-09-8	Carcinogenic (article 57 a)
55	Lead diazide, Lead azide	13424-46-9	Toxic for reproduction (article 57 c),
56	Lead dipicrate	6477-64-1	Toxic for reproduction (article 57 c)
57	1,2-dichloroethane	107-06-2	Carcinogenic (article 57 a)
58	Calcium arsenate	7778-44-1	Carcinogenic (article 57 a)
59	Dichromium tris(chromate)	24613-89-6	Carcinogenic (article 57 a)
60	2-Methoxyaniline; o-Anisidine	90-04-0	Carcinogenic (article 57 a)
61	Pentazinc chromate octahydroxide	49663-84-5	Carcinogenic (article 57 a)
62	Arsenic acid	7778-39-4	Carcinogenic (article 57 a)
63	Potassium hydroxyoctaoxodizincatedichromate	11103-86-9	Carcinogenic (article 57 a)
64	Formaldehyde, oligomeric reaction products with aniline	25214-70-4	Carcinogenic (article 57 a)
65	Lead styphnate	15245-44-0	Toxic for reproduction (article 57 c)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

SN	Test Item(s)	CAS No.	Classification
66	Trilead diarsenate	3687-31-8	Carcinogenic and toxic for reproduction (articles 57 a and 57 c)
67	Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight	-	Carcinogenic (article 57 a)
68	Bis(2-methoxyethyl) phthalate	117-82-8	Toxic for reproduction (article 57 c)
69	Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm) c) alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content less or equal to 18% by weight	-	Carcinogenic (article 57 a)
70	Bis(2-methoxyethyl) ether	111-96-6	Toxic for reproduction (article 57 c)
71	2,2'-dichloro-4,4'-methylenedianiline	101-14-4	Carcinogenic (article 57 a)
72	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	6786-83-0	Carcinogenic (Article 57a)
73	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	Carcinogenic (Article 57a)
74	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	59653-74-6	Mutagenic (Article 57b)

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
75	Diboron trioxide	1303-86-2	Toxic for reproduction (Article 57 c)
76	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	Toxic for reproduction (Article 57 c)
77	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	561-41-1	Carcinogenic (Article 57a)
78	Lead(II) bis(methanesulfonate)	17570-76-2	Toxic for reproduction (Article 57 c)
79	Formamide	75-12-7	Toxic for reproduction (Article 57 c)
80	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	548-62-9	Carcinogenic (Article 57a)
81	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	Toxic for reproduction (Article 57 c)
82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	2580-56-5	Carcinogenic (Article 57a)
83	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	Mutagenic (Article 57b)
84	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	Carcinogenic (Article 57a)
85	Pyrochlore, antimony lead yellow	8012-00-8	Toxic for reproduction (Article 57 c)
86	6-methoxy-m-toluidine (p-cresidine)	120-71-8	Carcinogenic (Article 57a)
87	Henicosafluoroundecanoic acid	2058-94-8	vPvB (Article 57 e)
88	Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	Equivalent level of concern having probable serious effects to human health (Article 57 f)
89	Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	85-42-7, 13149-00-3, 14166-21-3	Equivalent level of concern having probable serious effects to human health (Article 57 f)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
90	Dibutyltin dichloride (DBTC)	683-18-1	Toxic for reproduction (Article 57 c)
91	Lead bis(tetrafluoroborate)	13814-96-5	Toxic for reproduction (Article 57 c)
92	Lead dinitrate	10099-74-8	Toxic for reproduction (Article 57 c)
93	Silicic acid, lead salt	11120-22-2	Toxic for reproduction (Article 57 c)
94	4-Aminoazobenzene	60-09-3	Carcinogenic (Article 57a)
95	Lead titanium zirconium oxide	12626-81-2	Toxic for reproduction (Article 57 c)
96	Lead monoxide (lead oxide)	1317-36-8	Toxic for reproduction (Article 57 c)
97	o-Toluidine	95-53-4	Carcinogenic (Article 57a)
98	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	Toxic for reproduction (Article 57 c)
99	Silicic acid (H2Si2O5), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	68784-75-8	Toxic for reproduction (Article 57 c)
100	Trilead bis(carbonate)dihydroxide	1319-46-6	Toxic for reproduction (Article 57 c)
101	Furan	110-00-9	Carcinogenic (Article 57a)
102	N,N-dimethylformamide	68-12-2	Toxic for reproduction (Article 57 c)
103	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	-	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
104	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
105	4,4'-methylenedi-o-toluidine	838-88-0	Carcinogenic (Article 57a)
106	Diethyl sulphate	64-67-5	Carcinogenic (Article 57a); Mutagenic (Article 57b)
107	Dimethyl sulphate	77-78-1	Carcinogenic (Article 57a)
108	Lead oxide sulfate	12036-76-9	Toxic for reproduction (Article 57 c)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
109	Lead titanium trioxide	12060-00-3	Toxic for reproduction (Article 57 c)
110	Acetic acid, lead salt, basic	51404-69-4	Toxic for reproduction (Article 57 c)
111	[Phthalato(2-)]dioxotrilead	69011-06-9	Toxic for reproduction (Article 57 c)
112	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	PBT (Article 57 d); vPvB (Article 57 e)
113	N-methylacetamide	79-16-3	Toxic for reproduction (Article 57 c)
114	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	Toxic for reproduction (Article 57 c)
115	1,2-Diethoxyethane	629-14-1	Toxic for reproduction (Article 57 c)
116	Tetralead trioxide sulphate	12202-17-4	Toxic for reproduction (Article 57 c)
117	N-pentyl-isopentylphthalate	776297-69-9	Toxic for reproduction (Article 57 c)
118	Dioxobis(stearato)trilead	12578-12-0	Toxic for reproduction (Article 57 c)
119	Tetraethyllead	78-00-2	Toxic for reproduction (Article 57 c)
120	Pentalead tetraoxide sulphate	12065-90-6	Toxic for reproduction (Article 57 c)
121	Pentacosafluorotridecanoic acid	72629-94-8	vPvB (Article 57 e)
122	Tricosafluorododecanoic acid	307-55-1	vPvB (Article 57 e)
123	Heptacosafluorotetradecanoic acid	376-06-7	vPvB (Article 57 e)
124	1-bromopropane (n-propyl bromide)	106-94-5	Toxic for reproduction (Article 57 c)
125	Methoxyacetic acid	625-45-6	Toxic for reproduction (Article 57 c)
126	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	Carcinogenic (Article 57a)
127	Methyloxirane (Propylene oxide)	75-56-9	Carcinogenic (Article 57a); Mutagenic (Article 57b)
128	Trilead dioxide phosphonate	12141-20-7	Toxic for reproduction (Article 57 c)
129	o-aminoazotoluene	97-56-3	Carcinogenic (Article 57a)
130	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	Toxic for reproduction (Article 57 c)
131	4,4'-oxydianiline and its salts	101-80-4	Carcinogenic (Article 57a); Mutagenic (Article 57b)
132	Orange lead (lead tetroxide)	1314-41-6	Toxic for reproduction (Article 57 c)
133	Biphenyl-4-ylamine	92-67-1	Carcinogenic (Article 57a)
134	Diisopentylphthalate	605-50-5	Toxic for reproduction (Article 57 c)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
135	Fatty acids, C16-18, lead salts	91031-62-8	Toxic for reproduction (Article 57 c)
136	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	Equivalent level of concern having probable serious effects to human health (Article 57 f)
137	Sulfurous acid, lead salt, dibasic	62229-08-7	Toxic for reproduction (Article 57 c)
138	Lead cyanamidate	20837-86-9	Toxic for reproduction (Article 57 c)
139	Cadmium	7440-43-9	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)
140	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	Toxic for reproduction (Article 57 c); PBT (Article 57 d)
141	Pentadecafluorooctanoic acid (PFOA)	335-67-1	Toxic for reproduction (Article 57 c); PBT (Article 57 d)
142	Dipentyl phthalate (DPP)	131-18-0	Toxic for reproduction (Article 57 c)
143	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	-	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
144	Cadmium oxide	1306-19-0	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)
145	Cadmium sulphide	1306-23-6	Carcinogenic (Article 57a); Equivalent level of concern having probable serious effects to human health (Article 57 f)
146	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	Carcinogenic (Article 57a)
147	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	Carcinogenic (Article 57a)
148	Dihexyl phthalate	84-75-3	Toxic for reproduction (Article 57 c)
149	Imidazolidine-2-thione (2-imidazoline-2-thiol)	96-45-7	Toxic for reproduction (Article 57 c)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
150	Lead di(acetate)	301-04-2	Toxic for reproduction (Article 57 c)
151	Trixylyl phosphate	25155-23-1	Toxic for reproduction (Article 57 c)
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	Toxic for reproduction (Article 57 c)
153	Cadmium chloride	10108-64-2	Carcinogenic (Article 57a); Mutagenic (Article 57(b); Toxic for Reproduction (Article 57(c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
154	Sodium perborate; perboric acid, sodium salt	--	Toxic for reproduction (Article 57 c)
155	Sodium peroxometaborate	7632-04-4	Toxic for reproduction (Article 57 c)
156	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	PBT (Article 57 d); vPvB (Article 57 e)
157	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	Toxic for reproduction (Article 57 c)
158	reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	--	Toxic for reproduction (Article 57 c)
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	PBT (Article 57 d); vPvB (Article 57 e)
160	Cadmium fluoride	7790-79-6	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
161	Cadmium sulphate	10124-36-4 31119-53-6	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); Equivalent level of concern having probable serious effects to human health (Article 57 f)
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate	68515-51-5 68648-93-1	Toxic for Reproduction (Article 57 c)
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-	117933-89-8	vPvB (Article 57 e)

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
	(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2]		
164	1,3-propanesultone	1120-71-4	Carcinogenic (Article 57 a)
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	vPvB (Article 57 e)
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	vPvB (Article 57 e)
167	Nitrobenzene	98-95-3	Toxic for reproduction (Article 57 c)
168	Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluorononanoic acid and its sodium and ammonium salts	375-95-1; 21049-39-8; 4149-60-4	Toxic for reproduction (Article 57 c);PBT (Article 57 d)
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Toxic for reproduction (Article 57 c); PBT (Article 57 d); vPvB (Article 57 e)
170	4,4'-isopropylidenediphenol (Bisphenol A, BPA)	80-05-7	Toxic for reproduction (Article 57 c)
171	Nonadecaflurodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2, 3830-45-3, 3108-42-7	Toxic for reproduction (Article 57 c); PBT (Article 57 d)
172	4-Heptylphenol, branched and linear	--	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
173	p-(1,1-dimethylpropyl)phenol (pentylphenol, PTAP)	80-46-6	Equivalent level of concern having probable serious effects to the environment (Article 57 f)
174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	355-46-4	vPvB (Article 57e)
175	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene (“Dechlorane Plus”TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	13560-89-9, 135821-74-8, 135821-03-3	vPvB(Article 57 e)
176	Benz[a]anthracene	56-55-3	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); vPvB(Article 57 e)
177	Cadmium nitrate	10325-94-7	Carcinogenic (Article 57 a); Mutagenic (Article 57 b);

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
			Equivalent level of concern having probable serious effects to human health (Article 57 f)
178	Cadmium carbonate	513-78-0	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Equivalent level of concern having probable serious effects to human health (Article 57 f)
179	Cadmium hydroxide	21041-95-2	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); Equivalent level of concern having probable serious effects to human health (Article 57 f)
180	Chrysene	218-01-9	Carcinogenic (Article 57 a); Mutagenic (Article 57 b); vPvB(Article 57 e)
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	--	Equivalent level of concern having probable serious effects to human health (Article 57 f)
182	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (trimellitic anhydride) (TMA)	552-30-7	Respiratory sensitising properties (Article 57(f)) – human health)
183	Dicyclohexyl phthalate (DCHP)	84-61-7	Toxic for reproduction (Article 57(c)); endocrine disrupting properties (Article 57(f) - human health)
184	Octamethylcyclotetrasiloxane (D4)	556-67-2	PBT (Article 57d); vPvB (Article 57e)
185	Decamethylcyclopentasiloxane (D5)	541-02-6	PBT (Article 57d); vPvB (Article 57e)
186	Dodecamethylcyclohexasiloxane (D6)	540-97-6	PBT (Article 57d); vPvB (Article 57e)
187	Lead	7439-92-1	Toxic for reproduction (Article 57c)
188	Disodium octaborate	12008-41-2	Toxic for reproduction (Article 57c)
189	Benzo[ghi]perylene	191-24-2	PBT (Article 57d); vPvB (Article 57e)
190	Terphenyl hydrogenated	61788-32-7	vPvB (Article 57e)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
191	Ethylenediamine (EDA)	107-15-3	Respiratory sensitising properties (Article 57(f) - human health)
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	Toxic for reproduction (Article 57c)
193	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	Endocrine disrupting properties (Article 57(f) - environment)
194	Benzo[k]fluoranthene	207-08-9	Carcinogenic (Article 57a); PBT (Article 57d); vPvB (Article 57e)
195	Fluoranthene	206-44-0	PBT (Article 57d); vPvB (Article 57e)
196	Phenanthrene	85-01-8	vPvB (Article 57e)
197	Pyrene	129-00-0	PBT (Article 57d); vPvB (Article 57e)
198	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	--	Equivalent level of concern having probable serious effects on the environment (Article 57f) Equivalent level of concern having probable serious effects on human health (Article 57f)
199	2-methoxyethyl acetate	110-49-6	Toxic for reproduction (Article 57c)
200	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	--	Endocrine disrupting properties (Article 57(f) – environment)
201	4-tert-butylphenols (PTBP)	98-54-4	Endocrine disrupting properties (Article 57(f) – environment)
202	Diisohexyl phthalate	71850-09-4	Toxic for reproduction (Article 57c)
203	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	Toxic for reproduction (Article 57c)
204	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Toxic for reproduction (Article 57c)
205	Perfluorobutane sulfonic acid (PFBS) and its salts	--	Equivalent level of concern having probable serious effects on the environment (Article 57f) Equivalent level of concern having probable serious effects on human health (Article 57f)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
206	1-vinylimidazole	1072-63-5	Toxic for reproduction (Article 57c)
207	2-methylimidazole	693-98-1	Toxic for reproduction (Article 57c)
208	Butyl 4-hydroxybenzoate	94-26-8	Endocrine disrupting properties (Article 57(f) - human health)
209	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	Toxic for reproduction (Article 57c)
210	Bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8	Toxic for reproduction (Article 57c)
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	--	Toxic for reproduction (Article 57c)
212	1,4-dioxane	123-91-1	Carcinogenic (Article 57a) Equivalent level of concern having probable serious effects to human health (Article 57(f) - human health) Equivalent level of concern having probable serious effects to the environment (Article 57(f) - environment)
213	2,2-bis(bromomethyl)propane1,3-diol (BMP), 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA), 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0, 36483-57-5/ 1522-92-5, 96-13-9	Carcinogenic (Article 57a)
214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	--	Toxic for reproduction (Article 57c)
215	4,4'-(1-methylpropylidene)bisphenol; (bisphenol B)	77-40-7	Endocrine disrupting properties (Article 57(f) – environment) Endocrine disrupting properties (Article 57(f) - human health)
216	Glutaral	111-30-8	Respiratory sensitising properties (Article 57(f) - human health)
217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	--	PBT (Article 57d) vPvB (Article 57e)
218	Orthoboric acid, sodium salt	13840-56-7	Toxic for reproduction (Article 57c)
219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering	--	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) – environment)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
	any individual isomers and/ or combinations thereof (PDDP)		Endocrine disrupting properties (Article 57(f) - human health)
220	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC)	119-47-1	Toxic for reproduction (Article 57c)
221	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	Toxic for reproduction (Article 57c)
222	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	--	Endocrine disrupting properties (Article 57f - human health)
223	S-(tricyclo[5.2.1.02,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	PBT (Article 57d)
224	N-(hydroxymethyl)acrylamide	924-42-5	Carcinogenic (Article 57 a); Mutagenic (Article 57 b);
225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	vPvB (Article 57e)
226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	Carcinogenic (Article 57a)
227	4,4'-sulphonyldiphenol	80-09-1	Toxic for reproduction (Article 57c) Endocrine disrupting properties (Article 57(f) - environment) Endocrine disrupting properties (Article 57(f) - human health)
228	Barium diboron tetraoxide	13701-59-2	Toxic for reproduction (Article 57c)
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	--	vPvB (Article 57e)
230	Isobutyl 4-hydroxybenzoate	4247-02-3	Endocrine disrupting properties (Article 57(f) - human health)
231	Melamine	108-78-1	Endocrine disrupting properties (Article 57(f) - environment) Endocrine disrupting properties (Article 57(f) - human health)
232	Perfluoroheptanoic acid and its salts	--	Toxic for reproduction (Article 57c) PBT (Article 57d) vPvB (Article 57e) Endocrine disrupting properties (Article 57(f) - environment) Endocrine disrupting properties (Article 57(f) - human health)
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	--	vPvB (Article 57e)
234	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	Toxic for reproduction (Article 57c)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

SN	Test Item(s)	CAS No.	Classification
235	Bis(4-chlorophenyl) sulphone	80-07-9	vPvB (Article 57 e)
236	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	--	vPvB (Article 57e)
237	Bumetrizole (UV-326)	3896-11-5	vPvB (Article 57e)
238	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one	119344-86-4	Toxic for reproduction (Article 57c)
239	2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol (UV-329)	3147-75-9	vPvB (Article 57e)
240	2,4,6-tri-tert-butylphenol	732-26-3	Toxic for reproduction (Article 57c) PBT (Article 57d)
241	Bis(α,α-dimethylbenzyl) peroxide	80-43-3	Toxic for reproduction (Article 57c)
242	Triphenyl phosphate	115-86-6	Endocrine disrupting properties (Article 57(f) – environment)
243	Octamethyltrisiloxane	107-51-7	vPvB (Article 57e)
244	O,O,O-triphenyl phosphorothioate	597-82-0	PBT (Article 57d)
245	Perfluamine	338-83-0	vPvB (Article 57e)
246	6-[(C10-C13)-alkyl-(branched, unsaturated)-2,5-dioxopyrrolidin-1-yl]hexanoic acid	2156592-54-8	Toxic for reproduction (Article 57c)
247	Reaction mass of: triphenylthiophosphate and tertiary butylated phenyl derivatives	192268-65-8	PBT (Article 57d)

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

APPENDIX II

1. According to the Article 33 of the Regulation (EC) No 1907/2006(REACH)-Duty to communicate information on substances in articles.

—Any supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a Result above 0.1% weight by weight(w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.

—On request by a consumer any supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a Resultabove 0.1% weight by weight(w/w) shall provide the consumer with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance. The relevant information shall be provided, free of charge, within 45 days of receipt of the request.

2. According to the Article 33 of the Regulation (EC) No 1907/2006(REACH)-Notification of the Substance in Article.

—If a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1), EU and EEA producers or importers of articles have to notify ECHA when their article contains a substance on the Candidate List.This obligation applies if the substance is present above 0.1%(w/w) and its quantities in the produced/imported articles are above 1 tonne in total per year.

3.According to the other articles of the Regulation (EC) No 1907/2006(REACH), The relevant obligation for the substance on its own or in preparation.

—OBLIGATIONS: SUBSTANCES
From 28 October 2008, EU&EEA suppliers of a substance have to provide a safety data sheet to their customers when the substance is on the Candidate List.

—OBLIGATIONS: PREPARATIONS
From 28 October 2008, EU&EEA suppliers of a preparation not classified as dangerous according to Directive 1999/45/EC have to provide the recipients, at their request, with a safety data sheet if the preparation contains at least one substance on the Candidate List and its individual Resultis at least 0.1%(w/w) for non gaseous preparations and at least 0.2% by volume for gaseous preparations.

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.
Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.
TÜV SÜD Certification and Testing (China) Co., Ltd.
Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic And Technological Development Zone, Wuxi Jiangsu. China
Tel.: +86-510-88203737 Fax: +86-510-88203636
www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab
No. 1999 Du Hui Rd, Minhang District, Shanghai 201108 P.R. China
Tel.: +86-21-6037-6501

APPENDIX III:

Photos of submitted products


Mobile phone (2506BPN68G, 2506BPN68R)

---------End of Report---------

TEC_WUX_F_25.03E – Rev. 00 2021-06-24

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

Disclaimer Measurement Uncertainty:

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements.
By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.