MSDS Report

Manufacturer **制造商：**	CROSSCALL 245, rue Paul Langevin 13290,
Factory **生产厂：**	Dongguan Veken Battery Co., LTD. 东莞维科电池有限公司 No.19 Xinghua Road, Xincheng Industrial Area, Tiankeng, Hengli Town, Dongguan City, Guangdong, 523477, P. R. China 东莞市横沥镇田坑村新城工业区兴华路 19 号
Product Name **产品名称：**	Rechargeable Li-polymer Battery, 可充式锂离子电池
Model **型号：**	LPN387483A
Nominal Voltage **标称电压：**	3.87V
Rated Capacity **额定容量：**	4830mAh
Rated Energy **额定能量：**	18.69Wh
Prepared By **编制单位：**	Dongguan Veken Battery Co., LTD. 东莞维科电池有限公司 No.19 Xinghua Road, Xincheng Industrial Area, Tiankeng, Hengli Town, Dongguan City, Guangdong, 523477, P. R. China 东莞市横沥镇田坑村新城工业区兴华路 19 号
Report No. **报告编号：**	Veken-20250625001
Revision date **修订日期：**	2025-06-25
Effective date **生效日期：**	2025-06-25

Material Safety Data Sheet

化学品安全技术说明书

Section 1- Chemical Product & Company Identification

第一部分 化学品及企业标识

Product Name: Rechargeable Li-polymer Battery,

产品名称： 可充式锂离子电池

Manufacture: CROSSCALL

Address: 245, rue Paul Langevin 13290,

Contact Person 联系人***:*** Yanli Yang

Tel 电话***:*** +86-180 2430 9925

Fax 传真***:*** N/A

Emergency Tel 应急电话***:*** +86-180 2430 9925

E-mail 邮箱: yangyl@mail.veken.com

Section 2- Hazards Identification

第二部分 危险性概述

Hazard Description 危险性描述	Not dangerous with normal use. Do not dismantle, open or shred the battery ingredients contained within or their ingredients products could be harmful. 正常使用没有危险，不能拆解、打开或分解电池，里面的材料或成分是有害的。
Primary Route(s) of Exposure 接触途径	Inhalation, Ingestion, Skin contact and Eye contact. 吸入、食入、皮肤接触、眼睛接触。
Potential Health Effects 潜在健康影响	**Inhalation:** Vapors or mists from a ruptured battery may cause respiratory irritation. **吸入：**破裂的电池散发出来的气雾会引起呼吸道刺激。 **Ingestion:** The battery ingredients contained within or their ingredients products can cause serious chemical burns of mouth, esophagus, and gastrointestinal tract. **食入：**电池的组成成分或原料可以导致嘴，食道和胃肠道的严重化学烧伤。 **Skin:** Skin contact with contents of an open battery can cause severe irritation or burns to the skin. **皮肤：**皮肤接触到电池的内部化学材料可能会导致严重的刺激或烧伤皮肤。 **Eye:** Eye contact with contents of an open battery can cause severe irritation or burns to the eye. **眼睛：**眼睛接触到电池的内部化学材料可能会导致严重的刺激或烧伤眼睛。

Section 3- Composition/Information on Ingredients

第三部分 成分/组成信息

Chemical Name **化学名称**	**Concentration or concentration ranges (%)** **浓度或浓度范围(%)**	**CAS Number** **CAS 号（化学文摘索引登记号）**
Lithium cobaltate 钴酸锂	46.70%	12190-79-3
Graphite 石墨	26.50%	7782-42-5
Aluminum 铝	3.24%	7429-90-5
Copper 铜	7.38%	7440-50-8
Polyethylene 聚乙烯	3.80%	9002-88-4
Ethylene carbonate 碳酸乙烯酯	1.07%	96-49-1
Propylene carbonate 碳酸丙烯酯	0.71%	108-32-7
Lithium hexafluorophosphate 六氟磷酸锂	1.53%	21324-40-3
Ethyl propionate 丙酸乙酯	1.42%	105-37-3
Propyl propionate 丙酸丙酯	3.91%	106-36-5
Nickel 镍	1.3%	7440-02-0
其他	2.44%	

Note: CAS number is Chemical Abstract Service Registry Number.

注意：CAS 号是化学文摘服务注册号。

N/A=Not apply.

N/A =不适用。

Section 4- First Aid Measures

第四部分 急救措施

Inhalation **吸入**	Remove source of contamination or move victim to fresh air. Obtain medical advice. 移除污染源或者将受害者移至新鲜空气处。寻求医生建议。
Ingestion **食入**	Please rinse mouth thoroughly with water. Induce vomiting under the guidance of professional personage. Please seek medical treatment in time. 立即用清水漱口，在专业人士的指导下催吐，速就医。
Skin contact **皮肤接触**	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. 脱下已污染衣服，用大量的水冲洗至少 15 分钟，速就医。
Eye contact **眼睛接触**	Irrigate with flowing water for 15 minutes. If irritation persists, consult a physician. 用流动水冲洗 15 分钟，如刺激持续发生，请求助于医生。

Section 5- Fire Fighting Measures

第五部分 消防措施

Characteristics of Hazard **危险特性**	Toxic fumes, gases or vapors may evolve on burning. 火灾时可释放有害浓烟、气体或者蒸汽。
Hazardous Combustion Products **燃烧产生的危险物品**	Carbon monoxide, carbon dioxide, lithium oxide fumes and so on. 一氧化碳，二氧化碳，锂氧化物烟气等。
Fire-extinguishing Methods and Extinguishing Media **灭火方法及灭火剂**	Please use water, dry sand and other proper fire extinguishing media. 请使用水，干燥沙等合适的灭火介质。
Attention in Fire-extinguishing **灭火注意事项**	The firemen should put on antigas masks and full fire-fighting suits. 消防人员须佩戴防毒面具、穿全身消防服。

Section 6- Accidental Release Measures

第六部分 泄露应急处理

Personal Precautions, protective equipment, and emergency procedures **个人预防措施、防护装备和应急程序**	Restrict access to area until completion of clean-up. Do not touch the spilled material. Wear adequate personal protective equipment as indicated in Section 8. 限制区域，直到完成清理工作。请勿触摸泄漏的材料。穿戴适当的个人防护设备，如第 8 部分所示。
Environmental Precautions **环境保护措施**	Prevent material from contaminating soil and from entering sewers or waterways. 防止物质污染土壤和进入下水道或水道。
Methods and materials for Containment **方法和材料控制**	Stop the leak if safe to do so. Contain the spilled liquid with dry sand or earth. Clean up spills immediately. 出于安全，阻止泄漏，可以用干砂或沙土来遏制液体泄露，立即清理泄漏。
Methods and materials for cleaning up **清理的方法和材料**	Absorb spilled material with an inert absorbent (dry sand or earth). Scoop contaminated absorbent into an acceptable waste container. Collect all contaminated absorbent and dispose of according to directions in Section 13. Scrub the area with detergent and water; collect all contaminated wash water for proper disposal. 用惰性吸收剂(干砂或沙土)吸收溢出的材料。污染物转移到可吸收废物的容器。收集所有受污染的吸收剂和根据第 13 部分的指令处置。用洗涤剂和水清洁污染区域,收集所有受污染的洗涤水进行适当处置。

Section 7- Handling and Storage

第七部分 操作处置与储存

Handling **操作**	Don't handing the batteries in manner that allows terminals to short circuit. Do not open, disassemble, crush or burn battery. 不要以让接头短路的方式对电池进行操作。不要打开，分解，挤压或燃烧电池。
Storage **储存**	If the battery is subject to storage for such a long term as more than 3 months, it is recommended to recharge the battery periodically. 如果电池长期存放超过 3 个月，建议定期对电池充电。 Long period storage: -10℃～35℃, 60±25%R.H 长期存储: -10℃～35℃，相对湿度 60±25% Do not storage the battery haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects. 不要将电池随意丢在盒子或抽屉里，以免电池之间或电池与其他金属物质发生短路。 Keep out of reach of children. 储存在小孩接触不到的地方。 Do not expose the battery to heat or fire. Avoid storage in direct sunlight. 不要将电池暴露在火源和热源附近，避免在阳光直射下存储。 Do not store together with oxidizing and acidic materials. 不要与氧化和酸性物质存储在一起。

Section 8 - Exposure Controls/Personal Protection

第八部分 接触控制和个体防护

Engineering Controls **工程控制**	No engineering controls are required for handling batteries that have not been damaged. Personal protective equipments for damaged batteries should include chemical resistant gloves and safety glasses. 操作未破损的电池，没有工程控制要求。对于破损的电池，个人防护用品应包括化学品防护手套和安全眼镜。
Personal Protective Equipment **个人防护设备**	Respiratory Protection: In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use. Not necessary under conditions of normal use. 呼吸保护：当电池排气阀打开时，应尽量使通风设备开至最大，避免将打开排气阀的电芯局限在某一狭窄空间内。正常操作条件下，呼吸保护是不必要的。正常使用条件下不必考虑。 Protective Gloves: Not necessary under conditions of normal use. 防护手套：正常使用条件下不必考虑。 Other Protective Clothing or Equipment: Not necessary under conditions of normal use. 其他防护服装或设备：正常使用条件下不必考虑。 Personal Protection is recommended for venting battery: Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields. 当电池排气阀打开时，应做好个人防护：呼吸防护，防护手套，防护服装和有护边的安全玻璃罩都是要准备的。

Section 9- Physical and Chemical Properties

第九部分 理化特性

Physical State **物理状态**	Form: Solid 形态：固体
	Color: Silver 颜色：黑色
	Odour: Odorless 气味：无气味
Change in condition **变化条件:**	
pH, with indication of the concentration **pH，有浓度指示**	Not applicable. 不适用
Melting point/freezing point **熔点/凝固点**	Not applicable. 不适用
Boiling Point, initial boiling point **沸点，初沸点**	Not applicable. 不适用
Flash Point **闪点**	Not applicable. 不适用
Upper/lower flammability or explosive limits **上/下燃烧或爆炸限值**	Not applicable. 不适用
Vapor Pressure **蒸汽压**	Not applicable. 不适用
Vapor Density: (Air = 1) **蒸汽密度: (空气= 1)**	Not applicable. 不适用
Density/relative density **密度/相对密度**	Not applicable. 不适用
Solubility in Water **水溶性**	Insoluble 不能溶解
n-octanol/water partition coefficient **正辛醇/水分配系数**	Not applicable. 不适用
Auto-ignition	Not applicable.

temperature **自燃温度**	不适用
Decomposition temperature **分解温度**	Not applicable. 不适用
Odout threshold **溴阈**	Not applicable. 不适用
Evaporation rate **蒸发速率**	Not applicable. 不适用
Flammability (soil, gas) **易燃性（土壤，气体）**	Not applicable. 不适用
Viscosity **粘度**	Not applicable. 不适用

Section 10 – Stability and Reactivity

第十部分 稳定性和反应性

Stability **稳定性**	Stable under normal temperatures and pressures. 常温常压下稳定。
Conditions to Avoid **应避免的条件**	Heat above 70°C or Incinerate, Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions. 加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路，长时间暴露在潮湿的条件下。
Hazardous Decomposition Products **危害分解物**	Toxic Fumes, and may form peroxides. 有毒烟雾，并可能形成过氧化物。
Possibility of Hazardous Reaction **危险反应的可能性**	If leaked, forbidden to contact with strong oxidizers, mineral acids, strong alkalis, halogenated hydrocarbons. 如果发生泄露，避免与强氧化剂，无机酸，强碱，卤代烃接触。

Section 11 – Toxicological Information

第十一部分 毒理学信息

Irritation **刺激**	In the event of exposure to internal contents, vapor fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下，蒸汽烟雾可能对眼睛和皮肤产生刺激性。
Sensitization **致敏**	Not applicable. 不适用
Reproductive Toxicity **再生毒性**	Not applicable. 不适用
Toxicologically Synergistic Materials **协同材料毒理学**	Not applicable. 不适用

Section 12-Ecological Information

第十二部分 生态学信息

General note **通用信息**	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 不允许未稀释或大量的产品到达地下水、水道或污水系统。
Anticipated behavior of a chemical product in environment/possible environmental impact/ ecotoxicity **化学产品在环境/可能的环境预期的行为的一种生态毒性**	Not applicable. 不适用
Mobility in soil **土壤中移动性**	Not applicable. 不适用
Persistence and Degradability **持久性和降解性**	Not applicable. 不适用

Section 13 – Disposal Considerations

第十三部分 废弃处置

Waste Treatment **废弃处置方法**	Recycle or dispose of in accordance with government, state & local regulations. 建议遵照国家和地方法规处置或再利用。
Attention for Waste Treatment **废弃注意事项**	Deserted batteries couldn't be treated as ordinary trash. Couldn't be thrown into fire or placed in high temperature. Couldn't be dissected, pierced, crushed or treated similarly. Best way is recycling. 废电池不能被当做普通垃圾。不能扔进火中或置于高温下。不能解体，刺穿，破碎或类似的处理。最好的办法是回收利用。

Section 14 – Transport Information

第十四部分 运输信息

本报告适用于海运，空运和陆运;
This report applies to by sea, by air and by land;

UN 编号及运输专有名称：
UN 3480 Lithium ion batteries
UN 3481 Lithium ion batteries packed with equipment
UN 3481 Lithium ion batteries contained in equipment

UN No.:

UN 3480 Lithium ion batteries
UN 3481 Lithium ion batteries packed with equipment
UN 3481 Lithium ion batteries contained in equipment
运输标签：锂电池标记，第 9 类锂电池危险品标签（只适用 UN3480），仅限货机标签（只适用 UN3480）
Label for conveyance: Lithium Battery Mark, class 9 lithium battery hazard label (Only for UN3480), Cargo Aircraft Only Label (Only for UN3480)
包装等级：不适用
Packaging Group：N/A
EmS 编号：F-A, S-I
EmS No: F-A, S-I
海洋污染物：无
Marine pollutant: No

ICAO/IATA	Shipped by air in accordance with International Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA), DRG Packing Instructions PI 965 IB, PI 966 II, PI 967 II 根据国际民用航空组织(ICAO), TI 或者国际航空协会(IATA), DGR 包装说明 PI 965 IB, PI 966 II, PI 967 II 相关规定进行空运	DGR (66 th)
IMDG CODE	Shipped by sea in accordance with International Maritime Dangerous Code (IMDG CODE) Special Provision 188 根据《国际海运危险货物规则》(IMDG CODE)特殊规定 188 条款相关规定运输	IMDG CODE (Amdt. 42-24)
RID	Packaging for railway transportation can be carried out in accordance with the relevant provisions of the RID (2023 edition) European Agreement concerning the International Carriage of Dangerous Goods by Rail 可按 RID (2023 版)《国际危险货物铁路运输欧洲协定》	RID (2023 版)

	相关规定进行包装铁路运输。	
ADR	Packaging road transportation can be carried out in accordance with the relevant provisions of the ADR (2023 version) European Agreement concerning the International Carriage of Dangerous Goods by Road. 可按 ADR (2023 版)《国际危险货物道路运输欧洲协定》相关规定进行包装道路运输。	ADR (2023 版)
电池符合 UN38.3，同时符合上述规定时，可不被申报为第 9 类危险品运输 When the battery has complied with UN 38.3 and above requirements, it can be shipped without being declared as Class 9 dangerous goods		
备注：1. 锂离子电池芯和电池必须在荷电状态（SoC）不超过其额定容量的 30%状态下进行运输。锂离子 电池芯和电池进行 PI967 运输时，设备指示电池容量不超过 25%。 Lithium-ion cells and batteries must be transported in a state of charge (SoC) not exceeding 30% of their rated capacity.When transporting lithium-ion battery cells and batteries for PI967, the device indicates that the battery capacity should not exceed 25%. 2. 电池必须加以保护防止短路，包括防止与同一包装件内可能导致短路的导电材料接触和将其完 全封闭的内包装中，再放入外包装。 The battery must be protected against short circuits, including preventing contact with conductive materials that may cause short circuits within the same packaging and completely enclosing it in the inner packaging before placing it in the outer packaging. 3. 锂离子电池芯和电池的制造商和生产后的销售商应提供联合国《试验和标准手册》第 III 部分第 38.3 小节第 38.3.5 段规定的 UN38.3 试验概要。 Manufacturers and subsequent distributors of cells and batteries manufactured shall make available the test summary as specified in the manual of tests and criteria, Part III, sub-section 38.3, paragraph 38.3.5。		

Section 15 – Regulatory Information

第十五部分 法规信息

《Dangerous Goods Regulations》

《危险物品规则》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《危险货物运输的建议模型规定》

《International Maritime Dangerous Goods》

《国际海上危险货物运输》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《危险货物安全运输技术指南》

《Classification and code of dangerous goods》

《危险货物分类与代码》

《Occupational Safety and Health Act》(OSHA)

《职业安全与健康法案》(OSHA)

《Toxic Substance Control Act》(TSCA)

《有毒物质控制法》（TSCA）

《Consumer Product Safety Act》(CPSA)

《消费者产品安全法案》（CPSA）

《Federal Environmental Pollution Control Act》(FEPCA)

《联邦环境污染控制法》（FEPCA）

《The Oil Pollution Act》(OPA)

《石油污染法》（OPA）

《Superfund Amendments and Reauthorization Act TitleⅢ(302/311/312/313)》(SARA)

《超级基金修正案和再授权法案 TitleⅢ(302/311/312/313)》(SARA)

《Resource Conservation and Recovery Act》(RCRA)

《资源保护和恢复法案》（RCRA）

《Safety Drinking Water Act》(CWA)

《安全饮用水法》》（CWA）

《California Proposition 65》

《加州 65 号提案》

《Code of Federal Regulations》(CFR)

《联邦条例》(CFR)

In accordance with all Federal, State and local laws.

符合所有联邦、州和地方法律。

Section 16 – Additional Information

第十六部分 其他信息

The information above is believed to be accurate and represents the best information currently available to us. However, we makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.

在我们看来上面的信息是准确的，这是我们目前能提供的最佳的信息。但是，对于这些信息，我们不对商品的性能做任何明示的或者暗示的保证，我们也不对使用这些信息造成的后果担负任何责任。 用户应当自己调查研究后决定这些信息是否适用于他们的特定用途。尽管在该文档里提出了合理的预警，但是这仅仅只是给您做参考，考量和调查。这份化学品安全技术说明书提供了安全处理和使用该产品的指南，但是它没有，也不能对所有可能发生的情景提出建议，所以您需要根据您对该产品的特定使用情况来决定是否需要其他的预防措施。

此处所包含的数据/信息作为普通版本已经审核并批准，但是本文档不包含出口控制信息。

********End of report 报告结束********