海 运
By Sea

NO.2120132262

中国认可
检验
INSPECTION
CNAS IB0071

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

锂电池类货物

样品名称： 锂离子聚合物电池 HB486486ECW, 3.82V, 4100mAh, 15.66Wh

Sample name: Li-ion Polymer Battery HB486486ECW, 3.82V, 4100mAh, 15.66Wh

委托单位： 惠州市德赛电池有限公司
Huizhou Desay Battery Co.,Ltd

生产单位： 惠州市德赛电池有限公司
Huizhou Desay Battery Co.,Ltd

上海化工院检测有限公司
检验检测专用章

上化院 上海化工院检测有限公司
Shanghai Research Institute of Chemical Industry Testing Co., Ltd

海 运
By Sea

海 运
By Sea

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120132262

样品名称 Sample name	中文 Chinese	锂离子聚合物电池 HB486486ECW, 3.82V, 4100mAh, 15.66Wh
	英文 English	Li-ion Polymer Battery HB486486ECW, 3.82V, 4100mAh, 15.66Wh
委托单位 Consignor		惠州市德赛电池有限公司 Huizhou Desay Battery Co.,Ltd
生产单位 Manufacturer		惠州市德赛电池有限公司 Huizhou Desay Battery Co.,Ltd
检验方法、程序 Inspection method and procedure		国际海事组织《国际海运危险货物规则》(2018版) IMO International Maritime Dangerous Goods Code (2018 Edition)
样品外观 Sample appearance		黑色塑料薄膜外壳 Black Plastic film shell
包装件信息 Package information		重量≤30kg。 Weight≤30kg.

序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement
1	可充电锂聚合物单电芯电池 Rechargeable Li-polymer single cell battery	HB486486ECW	4100mAh 15.66Wh	电池单独运输 Battery only

鉴定结论 IDENTIFICATION CONCLUSION

1. 危险性识别(Hazards identification)

锂离子电池。

Lithium ion battery.

2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMDG Code)

根据特殊规定188，该物品不受IMO IMDG Code其他条款限制。

The article is not subject to other provisions of IMO IMDG Code according to special provision 188.

3. 包装要求(Packaging requirements)

无。

None.

检验日期: Inspection Date: 2019-12-16　　签发日期: Issue Date: 2019-12-17　　生效日期: Effective Date: 2020-01-01

备注 Comment	/


批准 Approver:　　审核 Checker:　　主检 Appraiser:

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

序号 No.	检验结果及其他事项 Inspection results and other things
1	本报告所述锂电池按照《国际海运危险货物规则》(2018版) 2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG CODE 2018 EDITION 2.9.4.5 .
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号The UN38.3 Test Summary No.(s) 811900200426420 详细信息请扫描右侧二维码。Please scan the QR code on the right for more information.
3	锂电池完全封装在内包装内，位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件，符合国际民航组织关于危险货物安全空运的《技术细则》第4部分第11章的包装说明965或968第IB部分规定的，黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签，应视为符合本特殊规定188的规定。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188.
6	/
7	/

-验证码:775503-




HUAWEI
型号/Model/모델:HB468486ECW
额定容量/Rated Capacity:4100mAh/15.66Wh
典型容量/Typical Capacity:4200mAh/16.04Wh
额定电压/Rated Voltage:3.82 V
充电限制电压/Limited Charge Voltage:4.4V
执行标准:GB 31241-2014
锂离子聚合物电池/Li-ion Polymer Battery/충전식리튬
警告:
• 禁止拆解、撞击、挤压或投入火中
• 若出现严重鼓胀，请勿继续使用
• 请勿置于高温环境中
• 电池浸水后禁止使用
Warning:
• Do not disassemble,puncture,
crush,heat,or burn.
주의:
• 분해,충격,파쇄,가열하지 마시오.
警告:
• 安全のため必ず取扱説明書をお読みください
Li-ion 00
华为技术有限公司 1ICP5/64/84
Huawei Technologies Co.,Ltd.
제조사명:Huizhou Desay Battery Co.,Ltd.
中国制造 MADE IN CHINA 중국제조
KC Certification number:
YU16185-XXXXX
IS 16046/IEC 62133
R-41037664

报告结束